

BOXX Junction boxes



BOXX Junction boxes

Strong and versatile:

Junction boxes for every challenge

Our new junction box range is here: High-quality, easy to install and reliable. The existing range of junction boxes from the K-series with IP55 protection class is getting some support from the BOXX junction boxes.

Due to the high IP and IK protection classes, the BOXX cable junction boxes are much more robust and can be installed not only indoors but in protected outdoor environments as well. Different sizes and shapes provide flexible wiring space possibilities. In addition, numerous other features characterise the new portfolio in Don Quichotte quality as you are used to.

Easy cable entry due to plug-in seals
- Removable for the use of cable glands

All from one source:

Installation material from the specialist

Specialised in electrical fixings, Don Quichotte naturally supplies all the installation products that are needed for installation of these junction boxes, such as reliable fastening of the pipes and secure connection of the cables. It is not without a reason that we are The worker's choice

A quick overview of our portfolio for the reliable installation of junction boxes


- Connectors
- Cable glands
- Pipe and cable clips
- Fasteners



Possibility to seal



Peripheral seal (from size H6)



Interior mounting points for installing optional terminal strips


Knock-out holes in the base for insertion from the back & screw caps for fixing through the bottom

Retaining strap secures lid from falling down during installation

1/4-turn locks for simple and quick closure of the lid (from size H6)



Take a look at the time-saving installation here!



Technical data

Tested according to	EN 60670-1, EN 60670-22
Temperature range	-5 until 60 °C
Glow wire test	650 °C according to VDE 0471 / DIN 695 part 2-1
Rated insulation voltage U _i	500 V
Installation method	Wall or ceiling
Castable	Yes
Type of cable lead-through	Cuttable diaphragm or cable glands

BOXX junction box H2 (EM134)

For quick and safe installation of all current cables indoors and in protected outdoor areas. Polypropylene

Type	Colour	Dimension	Entries	Contents	Weight	Shipping	Item No.
				PU		box	
				pcs	kg/PU	PU	
EM134 H2	Light grey	Ø80x51	4 x M25	5	0,21	50	905 00 5



















BOXX junction box H4 (EM135)

For quick and safe installation of all current cables indoors and in protected outdoor areas.

Polypropylene

Type	Colour	Dimension	Entries		Weight	Shipping	Item No.
				PU		box	
				pcs	kg/PU	PU	
EM135 H4	Light grey	90x90x52	7 x M25	5	0,37	16	905 00 6











BOXX junction box H6 (EM136)

For quick and safe installation of all current cables indoors and in protected outdoor areas.

Polypropylene

Туре	Colour	Dimension	Entries	Contents	Weight	Shipping box	Item No.
				pcs		PU	
EM136 H6	Light grey	114x114x57	7 x M25	5	0,62	12	905 00 7















BOXX junction box H10 (EM137)

For quick and safe installation of all current cables indoors and in protected outdoor areas.

Polypropylene

Туре	Colour	Dimension	Entries	Contents	Weight	Shipping	Item No.
				PU		box	
				pcs	kg/PU	PU	
EM137 H10	Light grey	150x116x67	10 x M25	1	0,17	40	905 00 8















BOXX junction box H16 (EM139)

For quick and safe installation of all current cables indoors and in protected outdoor areas.

Polypropylene, fibre-glass reinforced

Туре	Colour	Dimension	Entries	Contents	Weight	Shipping	Item No.
				PU		box	
				pcs	kg/PU	PU	
EM138 H16	Light grey	190x150x77	7 x M25; 5 x M32	1	0,30	20	905 00 9



















Don Quichotte B.V.

PO Box 60, 5700 AB Helmond Industrial Zone 9081 Gerstdijk 17, 5704 RG Helmond The Netherlands

Tel.: +31 492 74 50 00
Fax: +31 492 74 50 99
E-mail: info@don-quichotte.nl
www.don-quichotte.nl

France

French Branch
Horizon 2000 - Mach 3
Avenue des Hauts Grigneux
F-76420 Bihorel les Rouen
France

Tel.: +33 2 35 61 70 77
Fax: +33 2 35 61 29 63
E-mail: info@don-quichotte.fr
www.don-quichotte.fr

- Technical changes are reserved
- Pictures can differ from real product
- Not every article is on stock

