



Fastening and supporting 2016/2017

www.don-quichotte.com


Don Quichotte®



At home on the building site

Our fastening and installation products have been used daily around the world for over 90 years. On the building site or at home, Don Quichotte products are used in the following areas:

Hardware

Electrical installation

Sanitary installation

Building, e.g. drywall construction

Professional craftspeople react quick and flexibly as a matter of course. We offer you a large range of appropriate high-quality products, which we have arranged in four categories:

1. Fastening and supporting

2. Connecting and distributing

3. Laying and routing

4. Preventing and protecting

Contents

1 Fastening and supporting 11

Nail and screw, plug and anchor, cable tie and accessory, mounting strip, insulating tape, knotted chain, tool

2 Connecting and distributing 79

Junction box, terminal, socket, heat-shrinkable tube, Accessory for in-wall mounting (core-drill, cutting-disc)

3 Guiding and routing 101

Push-in clip, cable disc, cable clip, pipe clip, cable clamp, pressure clip, profile rail, U-clamp

4 Preventing and protecting 163

Strip earth band for pipes, earth grounding clip, equipotential bonding rail, earthing rod and connector

5 Appendix 173

Pictogram explanation, alphabetic table of contents, numeric directory, terms and conditions of sale and delivery



You can rely on it!

Professional work requires professional products. Our concept: Quality, additional benefits, fair price. This ensures both quick, user-friendly mounting and maximum economy. You can rely on it!

1. Quality

Don Quichotte products stand for the highest level of reliability. The quality necessary for this is created using state-of-the-art production systems and conscientious quality control.



2. Innovative products

Thanks to more than 90 years of experience in the industry, our users can benefit from innovative products with added value.



3. Time savings

Time is money! The high quality and easy fixing products allow effective, rapid work and thus ensure the highest level of economy.



4. Cost-effectiveness

Don Quichotte offers you the best quality at a fair price.



5. Service

Short-term availability and direct order processing mean that we are able to help you as a strong, reliable and competent partner.





Over 90 years of manufacturing competence

Fastening and installation systems for everyday work. High-quality, quick, time-saving mounting. Those are the hallmarks of the Don Quichotte brand.

Over 90 years of manufacturing experience, an excellent knowledge of the industry and rapid order processing make Don Quichotte your strong, reliable brand.



Production in Helmond, The Netherlands



In house tool production



High bay warehouse



Good, better, best - guaranties in writing

Confidence is good, control is better.

This applies to all parts as well as our finished products.

Apart from our ISO 9001:2008 certified quality management system we also carry environmental management acc. ISO 14001: 2004.

We also earned the labour and health protection certificate acc. OHSAS 18001



On the left: quality control during production

On top: Founder J.H. de Wit already ensured the highest quality



Hardened and annealed on fully automatic furnaces



Top quality "Made in Holland"



Fastening and supporting, e.g. with fixpin, setting tool and mounting strip

1 Fastening and supporting

Nail and screw	12
Plug and anchor	45
Cable tie	62
Mounting strip	70
Insulating tape	72
Knotted chain and accessories	74
Tool	75

Steel nail

CHARACTERISTICS:

- Manufactured from special high carbon steel
- Hardened and annealed on modern, fully automatic furnaces
- Corrosion protection: Bright zinc plated or mechanical zinc plated
- High hardness with extremely high flexibility to ensure absolute safety



100 St./Pcs. 1 kg 2,5 kg



Steel nail, black, smooth, round head (KS004) pcs.

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS004 2x16	2.00	16.00	4.00	100	0,04	200	930 48 8
KS004 2x20	2.00	20.00	4.00	100	0,05	200	930 49 6
KS004 2x23	2.00	23.00	4.00	100	0,06	200	930 25 0
KS004 2x25	2.00	25.00	4.00	100	0,06	200	930 50 9
KS004 2x30	2.00	30.00	4.00	100	0,07	200	930 51 7
KS004 2x35	2.00	35.00	4.00	100	0,08	200	930 52 5
KS004 2x40	2.00	40.00	4.00	100	0,10	120	930 53 3
KS084 2x60	2.00	60.00	4.00	100	0,14	70	973 91 2
KS004 2,5x25	2.50	25.00	5.00	100	0,10	200	930 54 1
KS004 2,5x30	2.50	30.00	5.00	100	0,11	200	930 56 8
KS004 2,5x40	2.50	40.00	5.00	100	0,15	120	930 58 4
KS004 2,5x50	2.50	50.00	5.00	100	0,19	80	930 60 5
KS004 2,5x60	2.50	60.00	5.00	100	0,23	70	930 61 3
KS004 3x30	3.00	30.00	6.00	100	0,16	200	930 64 8
KS004 3x40	3.00	40.00	6.00	100	0,22	120	930 66 4
KS004 3x50	3.00	50.00	6.00	100	0,27	80	930 68 0
KS004 3x60	3.00	60.00	6.00	100	0,32	70	930 69 9
KS004 3x70	3.00	70.00	6.00	100	0,38	70	986 76 4
KS004 3,4x50	3.40	50.00	6.80	100	0,36	70	986 67 6
KS004 3,4x60	3.40	60.00	6.80	100	0,45	70	986 64 1
KS004 3,4x70	3.40	70.00	6.80	100	0,52	70	986 60 9
KS004 3,4x80	3.40	80.00	6.80	100	0,60	70	986 58 8
KS004 4,2x70	4.20	70.00	8.00	100	0,69	40	937 89 0
KS004 4,2x80	4.20	80.00	8.00	100	0,81	40	987 09 7
KS004 4,2x100	4.20	100.00	8.00	100	1,01	40	987 05 4



100 St./Pcs. 1 kg 2,5 kg



Steel nail, black, smooth, round head (KS004) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright


Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS004 2x16	2.00	16.00	4.00	2.604	1,00	25	929 81 5
KS004 2x20	2.00	20.00	4.00	2.083	1,00	25	929 82 3
KS004 2x25	2.00	25.00	4.00	1.639	1,00	25	929 83 1
KS004 2x30	2.00	30.00	4.00	1.369	1,00	25	929 85 8
KS004 2x40	2.00	40.00	4.00	1.042	1,00	25	929 87 4
KS004 2,5x25	2.50	25.00	5.00	1.062	1,00	25	929 88 2
KS004 2,5x30	2.50	30.00	5.00	877	1,00	25	929 89 0
KS004 2,5x35	2.50	35.00	5.00	758	1,00	25	929 90 3
KS004 2,5x40	2.50	40.00	5.00	649	1,00	25	929 91 1
KS004 2,5x50	2.50	50.00	5.00	518	1,00	25	929 94 6
KS004 2,5x60	2.50	60.00	5.00	442	1,00	25	929 95 4
KS004 3x30	3.00	30.00	6.00	625	1,00	25	929 97 0
KS004 3x40	3.00	40.00	6.00	463	1,00	25	929 99 7
KS004 3x50	3.00	50.00	6.00	380	1,00	25	930 01 5
KS004 3x60	3.00	60.00	6.00	311	1,00	25	930 02 3
KS004 3x70	3.00	70.00	6.00	263	1,00	25	933 17 9

Steel nail, black, smooth, round head (KS004) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS004 3,4x50	3.40	50.00	6.80	275	1,00	25	933 18 7
KS004 3,4x60	3.40	60.00	6.80	224	1,00	25	933 19 5
KS004 3,4x70	3.40	70.00	6.80	192	1,00	25	933 20 8
KS004 3,4x80	3.40	80.00	6.80	167	1,00	25	933 21 6
KS004 4,2x90	4.20	90.00	8.00	113	1,00	25	933 22 4
KS004 4,2x100	4.20	100.00	8.00	99	1,00	25	933 23 2




Steel nail, black, smooth, round head (KS004) 2,5kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS004 2x40	2.00	40.00	4.00	2.605	2,50	12	987 16 9
KS004 2,5x40	2.50	40.00	5.00	1.623	2,50	12	987 04 6
KS004 2,5x50	2.50	50.00	5.00	1.328	2,50	12	986 99 1
KS004 3x40	3.00	40.00	6.00	1.157	2,50	12	986 85 2
KS004 3x50	3.00	50.00	6.00	950	2,50	12	986 80 1
KS004 3x60	3.00	60.00	6.00	776	2,50	12	986 78 0



Steel nail, bright zinc plated, smooth, round head (KS110) pcs.


To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS110 2x20	2.00	20.00	4.00	100	0,05	200	995 89 8
KS110 2x25	2.00	25.00	4.00	100	0,06	200	960 78 3
KS110 2x30	2.00	30.00	4.00	100	0,07	200	948 07 1
KS110 2,5x25	2.50	25.00	5.00	100	0,10	200	943 31 8
KS110 2,5x30	2.50	30.00	5.00	100	0,11	200	925 17 9
KS110 3x40	3.00	40.00	6.00	100	0,22	120	948 65 3
KS110 3x50	3.00	50.00	6.00	100	0,27	80	943 32 6
KS110 3,4x25	3.40	25.00	6.80	100	0,18	200	943 35 0
KS110 3,4x30	3.40	30.00	6.80	100	0,22	120	943 29 7
KS110 3,4x40	3.40	40.00	6.80	100	0,30	80	943 36 9
KS110 3,4x50	3.40	50.00	6.80	100	0,37	70	943 38 5
KS110 3,4x60	3.40	60.00	6.80	100	0,44	70	943 40 6
KS110 3,4x65	3.40	65.00	6.80	100	0,47	70	943 41 4
KS110 3,4x70	3.40	70.00	6.80	100	0,51	70	943 42 2
KS110 3,4x80	3.40	80.00	6.80	100	0,58	70	943 44 9
KS110 3,4x90	3.40	90.00	6.80	100	0,65	70	943 45 7
KS110 3,4x100	3.40	100.00	6.80	100	0,75	70	936 60 1
KS110 3,5x50	3.40	50.00	6.80	100	0,37	70	943 38 9
KS110 3,5x60	3.40	60.00	6.80	100	0,44	70	943 38 6
KS110 3,5x70	3.40	70.00	6.80	100	0,51	70	943 38 7
KS110 3,5x80	3.40	80.00	6.80	100	0,58	70	943 38 8
KS110 4,2x100	4.20	100.00	8.00	100	1,01	40	943 53 7



Steel nail



Steel nail, black, smooth, TLB-head (KS008) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS008 2,5x16	2.50	16.00	6.25	1.370	1,00	25	987 51 3
KS008 2,5x25	2.50	25.00	6.25	936	1,00	25	940 36 0
KS008 2,5x30	2.50	30.00	6.25	877	1,00	25	987 47 6




Steel nail, bright zinc plated, smooth, round head (KS014) pcs.

To fix cable clips or cable discs in concrete, stone, brick or masonry.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KC014 2x40	2.00	40.00	4.10	100	0,10	120	967 23 8
KC014 2x50	2.00	50.00	4.10	100	0,12	80	967 24 2
KC014 2x60	2.00	60.00	4.10	100	0,14	70	967 24 6



Steel nail, black, smooth, countersunk head (KS006) pcs.

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS006 2x16	2.00	16.00	3.80	100	0,04	200	930 77 9
KS006 2x20	2.00	20.00	3.80	100	0,05	200	930 78 7
KS006 2x25	2.00	25.00	3.80	100	0,06	200	930 79 5
KS006 2x30	2.00	30.00	3.80	100	0,07	200	930 80 8
KS006 2,5x25	2.50	25.00	4.60	100	0,09	200	930 83 2
KS006 2,5x30	2.50	30.00	4.60	100	0,11	200	930 84 0
KS006 2,5x35	2.50	35.00	4.60	100	0,13	120	930 85 9
KS006 2,5x40	2.50	40.00	4.60	100	0,15	120	930 86 7
KS006 2,5x50	2.50	50.00	4.60	100	0,19	80	930 88 3
KS006 3x30	3.00	30.00	5.40	100	0,16	200	930 91 2
KS006 3x40	3.00	40.00	5.40	100	0,21	120	930 93 9
KS006 3x50	3.00	50.00	5.40	100	0,26	80	930 95 5
KS006 3x60	3.00	60.00	5.40	100	0,32	70	930 96 3
KS006 3,4x70	3.40	70.00	6.20	100	0,51	70	986 25 4

Steel nail, black, smooth, countersunk head (KS006) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS006 2x16	2.00	16.00	3.80	2.615	1,00	25	930 26 9
KS006 2x20	2.00	20.00	3.80	2.092	1,00	25	930 27 7
KS006 2x25	2.00	25.00	3.80	1.675	1,00	25	930 28 5
KS006 2x30	2.00	30.00	3.80	1.395	1,00	25	930 29 3
KS006 2x40	2.00	40.00	3.80	1.046	1,00	25	930 31 4
KS006 2,5x25	2.50	25.00	4.60	1.062	1,00	25	930 32 2
KS006 2,5x30	2.50	30.00	4.60	884	1,00	25	930 33 0
KS006 2,5x40	2.50	40.00	4.60	663	1,00	25	930 35 7
KS006 2,5x50	2.50	50.00	4.60	530	1,00	25	930 37 3
KS125 2,5x60	2.50	60.00	4.60	442	1,00	25	930 38 1
KS006 3x30	3.00	30.00	5.40	633	1,00	25	930 41 0
KS006 3x40	3.00	40.00	5.40	474	1,00	25	930 43 7
KS006 3x50	3.00	50.00	5.40	380	1,00	25	930 45 3
KS006 3x60	3.00	60.00	5.40	316	1,00	25	930 46 1



Steel nail, black, smooth, countersunk head (KS006) 2,5kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS006 2x20	2.00	20.00	3.80	5.230	2,50	1	986 92 4
KS006 2,5x40	2.50	40.00	4.60	1.325	2,50	1	986 68 4
KS006 3x30	3.00	30.00	5.40	1.583	2,50	1	986 52 9
KS006 3x40	3.00	40.00	5.40	1.185	2,50	1	986 47 3
KS006 3x50	3.00	50.00	5.40	950	2,50	1	986 44 9



Steel nail, bright zinc plated, smooth, countersunk head (KS111) pcs.


To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS111 2x20	2.00	20.00	3.80	100	0,05	200	944 84 7
KS111 2x25	2.00	25.00	3.80	100	0,06	200	944 78 3
KS111 2x30	2.00	30.00	3.80	100	0,07	200	944 89 8
KS111 2,5x25	2.50	25.00	4.60	100	0,10	200	939 42 3
KS111 2,5x30	2.50	30.00	4.60	100	0,11	200	939 43 1
KS111 2,5x35	2.50	35.00	4.60	100	0,13	120	939 45 8
KS111 2,5x40	2.50	40.00	4.60	100	0,15	120	939 46 6
KS111 2,5x45	2.50	45.00	4.60	100	0,17	80	939 47 4
KS111 2,5x50	2.50	50.00	4.60	100	0,19	80	939 48 2
KS111 2,5x60	2.50	60.00	4.60	100	0,23	70	939 49 0
KS111 3x25	3.00	25.00	5.40	100	0,13	200	939 16 7
KS111 3x30	3.00	30.00	5.40	100	0,16	200	939 17 5
KS111 3x35	3.00	35.00	5.40	100	0,18	120	939 18 3
KS111 3x40	3.00	40.00	5.40	100	0,21	120	939 19 1
KS111 3x45	3.00	45.00	5.40	100	0,24	80	939 20 4
KS111 3x50	3.00	50.00	5.40	100	0,27	80	939 21 2
KS111 3x60	3.00	60.00	5.40	100	0,32	70	939 22 0
KS111 3x65	3.00	65.00	5.40	100	0,34	70	939 23 9
KS111 3x70	3.00	70.00	5.40	100	0,37	70	939 24 7
KS111 3x75	3.00	75.00	5.40	100	0,40	70	939 25 5



Steel nail




Steel nail, bright zinc plated, smooth, countersunk head (KS111) pcs.

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
KS111 3,4x25	3.40	25.00	6.20	100	0,18	200	992 49 0
KS111 3,4x35	3.40	35.00	6.20	100	0,25	80	992 49 4
KS111 3,4x40	3.40	40.00	6.20	100	0,29	80	994 41 8
KS111 3,4x45	3.40	45.00	6.20	100	0,33	80	992 35 5
KS111 3,4x50	3.40	50.00	6.20	100	0,36	70	983 00 2
KS111 3,4x55	3.40	55.00	6.20	100	0,40	70	992 36 3
KS111 3,4x60	3.40	60.00	6.20	100	0,45	70	983 01 0
KS111 3,4x65	3.40	65.00	6.20	100	0,47	70	992 37 1
KS111 3,4x70	3.40	70.00	6.20	100	0,52	70	939 51 1
KS111 3,4x80	3.40	80.00	6.20	100	0,58	70	973 06 6
KS111 3,4x100	3.40	100.00	6.20	100	0,73	40	939 27 5
KS111 4,2x60	4.20	60.00	6.90	100	0,59	40	992 32 0
KS111 4,2x70	4.20	70.00	6.90	100	0,69	40	992 33 9
KS111 4,2x80	4.20	80.00	6.90	100	0,78	40	992 34 7
KS111 4,2x90	4.20	90.00	6.90	100	0,89	40	992 41 9
KS111 4,2x100	4.20	100.00	6.90	100	0,98	40	973 17 0




Steel nail, bright zinc plated, smooth, countersunk head (KS111) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
KS111 2,5x16	2.50	16.00	4.60	1.659	1,00	25	949 49 6
KS111 2,5x20	2.50	20.00	4.60	1.326	1,00	25	949 48 8
KS111 2,5x25	2.50	25.00	4.60	1.052	1,00	25	949 51 7
KS111 2,5x30	2.50	30.00	4.60	884	1,00	25	949 50 9
KS111 2,5x40	2.50	40.00	4.60	649	1,00	25	949 53 3
KS111 2,5x50	2.50	50.00	4.60	530	1,00	25	949 54 1
KS111 3x40	3.00	40.00	5.40	474	1,00	25	949 64 8
KS111 3x50	3.00	50.00	5.40	370	1,00	25	949 65 6
KS111 3x60	3.00	60.00	5.40	316	1,00	25	949 66 4
KS111 3,5x40	3.50	40.00	6.20	344	1,00	25	949 68 0
KS111 3,5x50	3.50	50.00	6.20	275	1,00	25	949 69 9
KS111 3,5x60	3.50	60.00	6.20	225	1,00	25	949 73 6
KS111 3,5x70	3.50	70.00	6.20	193	1,00	25	949 74 4



Steel nail, bright zinc plated, smooth, countersunk head (KS111) 2,5kg

To fasten hardwood or softwood in concrete or stone.


Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
KS111 3,4x60	3.40	60.00	6.20	562	2,50	12	949 73 9
KS111 3,4x70	3.40	70.00	6.20	482	2,50	12	949 74 0

Steel nail, mechanical zinc plated, smooth, countersunk head, ballistic point (KS148) pcs.

To fasten hard or soft wood in concrete or stone.
Steel, Hardened Mechanical zinc plated

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS148 2,5x30	2.50	30.00	4.60	100	0,11	200	964 20 7
KS148 2,5x30	2.50	30.00	4.60	250	0,28	40	964 41 8
KS148 2,5x40	2.50	40.00	4.60	100	0,15	120	964 21 5
KS148 2,5x40	2.50	40.00	4.60	250	0,38	40	964 42 6
KS148 2,5x50	2.50	50.00	4.60	100	0,19	80	964 22 3
KS148 2,5x50	2.50	50.00	4.60	250	0,47	40	964 43 4
KS148 3x30	3.00	30.00	5.40	250	0,40	70	964 44 2
KS148 3x40	3.00	40.00	5.40	100	0,21	120	964 25 8
KS148 3x40	3.00	40.00	5.40	250	0,53	40	964 45 0
KS148 3x50	3.00	50.00	5.40	100	0,26	70	964 26 6
KS148 3x50	3.00	50.00	5.40	250	0,66	40	964 46 9
KS148 3x60	3.00	60.00	5.40	100	0,32	70	964 27 4
KS148 3x60	3.00	60.00	5.40	250	0,79	40	964 47 7




Fastening and supporting

Steel nail, grooved

CHARACTERISTICS:

- Manufactured from special high carbon steel
- Hardened and annealed on modern, fully automatic furnaces
- Corrosion protection : bright zinc plated or mechanical zinc plated
- High hardness with extremely high flexibility to ensure absolute safety
- Grooved shank gives higher pull-out value



250 St./Pcs. 1 kg



Steel nail, bright zinc plated, grooved, countersunk head (KS153/KS002) pcs.

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS153 2,7x20	2.70	20.00	4.60	250	0,19	120	956 60 2
KS153 2,7x25	2.70	25.00	4.60	250	0,24	120	956 61 0
KS153 2,7x30	2.70	30.00	4.60	250	0,30	120	956 62 9
KS002 2,7x35	2.70	35.00	4.60	250	0,33	40	983 72 3
KS002 2,7x40	2.70	40.00	4.60	250	0,38	40	983 70 7
KS002 2,7x50	2.70	50.00	4.60	250	0,48	40	983 68 6
KS002 2,7x60	2.70	60.00	4.60	250	0,57	40	983 65 1
KS002 2,7x70	2.70	70.00	4.60	250	0,67	40	983 63 5
KS002 3,5x35	3.50	35.00	6.20	250	0,64	40	943 20 3
KS002 3,5x40	3.50	40.00	6.20	250	0,73	40	983 56 3
KS002 3,5x45	3.50	45.00	6.20	250	0,82	40	983 54 7
KS002 3,5x50	3.50	50.00	6.20	250	0,91	40	983 52 0
KS002 3,5x55	3.50	55.00	6.20	250	1,00	40	983 50 4
KS002 3,5x60	3.50	60.00	6.20	250	1,12	40	983 48 3
KS002 3,5x65	3.50	65.00	6.20	250	1,19	40	983 46 7
KS002 3,5x70	3.50	70.00	6.20	250	1,28	16	983 44 0
KS002 3,5x75	3.50	75.00	6.20	250	1,43	16	983 42 4
KS002 3,5x80	3.50	80.00	6.20	250	1,46	16	983 40 8
KS002 4,5x30	4.50	30.00	6.90	250	0,74	40	983 38 7
KS002 4,5x40	4.50	40.00	6.90	250	0,98	40	983 36 0
KS002 4,5x50	4.50	50.00	6.90	250	1,23	40	983 34 4
KS002 4,5x55	4.50	55.00	6.90	250	1,34	40	983 32 8
KS002 4,5x60	4.50	60.00	6.90	250	1,47	16	983 29 9
KS002 4,5x65	4.50	65.00	6.90	250	1,59	16	983 27 2
KS002 4,5x70	4.50	70.00	6.90	250	1,71	16	983 25 6
KS002 4,5x80	4.50	80.00	6.90	250	1,95	16	983 22 1
KS002 4,5x90	4.50	90.00	6.90	250	2,20	16	983 20 5
KS002 4,5x100	4.50	100.00	6.90	250	2,60	16	983 18 4



250 St./Pcs. 1 kg



Steel nail, bright zinc plated, grooved, countersunk head (KS153/KS002) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS153 2,7x20	2.70	20.00	4.60	1.316	1,00	25	956 70 9
KS153 2,7x25	2.70	25.00	4.60	1.062	1,00	25	956 71 7
KS153 2,7x30	2.70	30.00	4.60	826	1,00	25	956 72 5
KS002 2,7x35	2.70	35.00	4.60	752	1,00	25	931 91 5
KS002 2,7x40	2.70	40.00	4.60	658	1,00	25	931 92 3
KS002 2,7x50	2.70	50.00	4.60	526	1,00	25	931 93 1

Steel nail, bright zinc plated, grooved, countersunk head (KS153/KS002) 1kg

To fasten hardwood or softwood in concrete or stone.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS002 3,5x30	3.50	30.00	6.20	457	1,00	25	931 97 4
KS002 3,5x35	3.50	35.00	6.20	391	1,00	25	983 59 8
KS002 3,5x40	3.50	40.00	6.20	342	1,00	25	931 99 0
KS002 3,5x45	3.50	45.00	6.20	304	1,00	25	932 08 8
KS002 3,5x50	3.50	50.00	6.20	274	1,00	25	932 09 6
KS002 3,5x55	3.50	55.00	6.20	249	1,00	25	932 11 0
KS002 3,5x60	3.50	60.00	6.20	224	1,00	25	932 11 7
KS002 3,5x65	3.50	65.00	6.20	210	1,00	25	932 12 5
KS002 3,5x70	3.50	70.00	6.20	195	1,00	25	932 13 3
KS002 3,5x80	3.50	80.00	6.20	171	1,00	25	932 16 8
KS002 4,5x50	4.50	50.00	6.90	204	1,00	25	932 17 6
KS002 4,5x60	4.50	60.00	6.90	170	1,00	25	932 18 4
KS002 4,5x70	4.50	70.00	6.90	146	1,00	25	932 19 2
KS002 4,5x80	4.50	80.00	6.90	128	1,00	25	932 20 5
KS002 4,5x90	4.50	90.00	6.90	113	1,00	25	932 21 3
KS002 4,5x100	4.50	100.00	6.90	102	1,00	25	932 22 1



250 St./Pcs. 1 kg



Fastening and supporting

Steel nail, bright zinc plated, grooved with 15mm washer head (KS112) pcs.

To fix roofing, insulation plates, plastic sheets or wire mesh on concrete or masonry.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Contents PU	Weight	Shipping box	Item No.
	mm	mm	pcs	kg/PU	PU	
KS112 3,5x20	3.50	20.00	250	0,69	25	980 42 6
KS112 3,5x25	3.50	25.00	250	0,79	25	972 92 8
KS112 3,5x30	3.50	30.00	250	0,87	25	944 51 5
KS112 3,5x35	3.50	35.00	250	0,97	12	972 94 4
KS112 3,5x40	3.50	40.00	250	1,06	12	972 71 1
KS112 3,5x50	3.50	50.00	250	1,24	12	972 71 3
KS112 3,5x60	3.50	60.00	250	1,42	12	972 71 5
KS112 3,5x70	3.50	70.00	250	1,60	9	972 71 7
KS112 3,5x80	3.50	80.00	250	1,77	9	972 71 9
KS112 3,5x100	3.50	100.00	125	1,07	9	972 72 1



125 St./Pcs. 250 St./Pcs.



CHARACTERISTIC:

- For (almost) invisible fastening
- The thin pin with its small head is ideal for fastening skirting boards or connecting frames without the nail being visible



Panel pin, black, lost head (KS076) 1kg

To fix skirting boards and picture frames.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS076 1,5x20	1.50	20.00	2.10	3.293	1,00	25	972 69 6
KS076 1,5x25	1.50	25.00	2.10	2.634	1,00	25	938 24 4
KS076 1,5x30	1.50	30.00	2.10	2.195	1,00	25	938 25 2
KS076 1,5x35	1.50	35.00	2.10	1.882	1,00	25	949 70 1
KS076 1,5x40	1.50	40.00	2.10	1.646	1,00	25	949 75 2
KS076 1,5x45	1.50	45.00	2.10	1.463	1,00	25	949 72 8
KS076 2x30	2.00	30.00	2.70	1.392	1,00	25	940 83 8
KS076 2x35	2.00	35.00	2.70	1.194	1,00	25	969 52 6
KS076 2x40	2.00	40.00	2.70	1.044	1,00	25	938 29 5



Panel pin, bright zinc plated, smooth, lost head (KS150) pcs.

To fix skirting boards and picture frames.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS150 1,5x20	1.50	20.00	2.10	100	0,03	200	992 75 0
KS150 1,5x25	1.50	25.00	2.10	100	0,04	200	967 20 5
KS150 1,5x30	1.50	30.00	2.10	100	0,05	200	992 75 1
KS150 1,5x35	1.50	35.00	2.10	100	0,05	200	973 88 3
KS150 1,5x45	1.50	45.00	2.10	100	0,07	120	973 86 7



Panel pin, bright zinc plated, smooth, lost head (KS150) 1kg

To fix skirting boards and picture frames.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS150 1,5x25	1.50	25.00	2.10	2.634	1,00	25	989 04 0
KS150 1,5x30	1.50	30.00	2.10	2.195	1,00	25	989 04 2
KS150 1,5x40	1.50	40.00	2.10	1.646	1,00	25	989 05 2

NK drive pin, mechanical zinc plated, ballistic point, 12mm washer (KG001) pcs.

To fix metal clips and strips on concrete and steel underground.

Steel, Hardened Mechanical zinc plated

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG001 3,75x22	3.75	22.00	5.60	100	0,31	40	962 80 7
KG001 3,75x27	3.75	27.00	5.60	100	0,35	40	961 81 5
KG001 3,75x32	3.75	32.00	5.60	100	0,39	40	961 82 3
KG001 3,75x37	3.75	37.00	5.60	100	0,44	40	961 83 1
KG001 3,75x42	3.75	42.00	5.60	100	0,48	40	961 85 8
KG001 3,75x47	3.75	47.00	5.60	100	0,52	40	961 86 6
KG001 3,75x54	3.75	54.00	5.60	100	0,59	40	961 87 4
KG001 3,75x62	3.75	62.00	5.60	100	0,65	40	961 88 2
KG001 3,75x72	3.75	72.00	5.60	50	0,37	40	961 88 9
KG001 3,75x82	3.75	82.00	5.60	50	0,41	40	961 92 0
KG001 3,75x97	3.75	97.00	5.60	50	0,46	40	961 92 2



50 St./Pcs. 100 St./Pcs. U I I I

Capping nail, bright zinc plated, 8,5mm washer (KG003) pcs.

To fix steel-channeling, plastic sheets and cable trays.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG003 2,5x25	2.50	25.00	5.20	200	0,31	50	953 03 7
KG003 2,5x30	2.50	30.00	5.20	200	0,33	50	953 03 6



200 St./Pcs. U I I I

Hook nail



Steel hook, black, smooth, square (KS132) pcs.

To fix pipes, cables or frames.

Steel, Hardened Bright

Type	Shank-Ø mm	Nail length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS132 3x30	3.00	30.00	100	0,19	70	928 37 5
KS132 3x50	3.00	50.00	100	0,28	70	928 38 5
KS132 3x60	3.00	60.00	100	0,33	40	928 39 3
KS132 4x60	4.00	60.00	100	0,69	40	928 42 2
KS132 4x70	4.00	70.00	100	0,79	40	994 41 4
KS132 4x80	4.00	80.00	100	0,89	40	994 41 3
KS132 4x100	4.00	100.00	100	1,08	40	994 41 5




Hook nail, black, smooth, round, not hardened (B058) pcs.

To fix pipes, cables or frames.

Steel, Unhardened Bright

Type	Shank-Ø mm	Nail length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
B058 3,0x30	3.00	30.00	250	0,46	25	917 92 8
B058 3,0x40	3.00	40.00	250	0,70	25	917 92 9
B058 3,0x50	3.00	50.00	250	0,83	25	917 93 0
B058 3,0x60	3.00	60.00	250	1,00	12	917 93 1
B058 3,0x70	3.00	70.00	250	1,15	12	917 93 2
B058 3,4x50	3.40	50.00	250	1,13	12	917 93 3
B058 3,4x60	3.40	60.00	250	1,23	12	917 93 4
B058 3,4x70	3.40	70.00	250	1,53	12	917 93 5
B058 3,4x80	3.40	80.00	100	0,68	12	917 93 6
B058 3,4x90	3.40	90.00	100	0,75	12	917 93 7
B058 3,4x100	3.40	100.00	100	0,82	12	917 93 8



Hook nail, bright zinc plated, smooth, round, not hardened (B059) pcs.

To fix pipes, cables or frames.

Steel, Unhardened Electrogalvanised


Type	Shank-Ø mm	Nail length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
B059 3x40	3.00	40.00	250	0,78	25	927 67 0
B059 3x50	3.00	50.00	250	0,91	25	927 67 2
B059 3x60	3.00	60.00	250	1,04	12	927 67 4
B059 3x70	3.00	70.00	250	1,17	12	927 67 6
B059 3,4x40	3.40	40.00	250	1,00	25	927 66 6
B059 3,4x50	3.40	50.00	250	1,18	25	927 66 7
B059 3,4x70	3.40	70.00	250	1,54	12	927 66 9
B059 3,4x80	3.40	80.00	100	0,68	12	927 67 1

Steel hook, bright zinc plated, grooved, round (KS138) pcs.

To fix pipes, cables or frames.

Steel, Hardened Electrogalvanised

Type	Shank-Ø mm	Nail length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS138 4x40	4.00	40.00	100	0,51	40	927 53 5
KS138 4x50	4.00	50.00	100	0,45	40	927 53 7
KS138 4x60	4.00	60.00	100	0,56	40	927 53 9
KS138 4x75	4.00	75.00	100	0,66	40	927 54 5



Impu-Steel nail

CHARACTERISTIC:

- Hardened steel nail for fixing in concrete
- Vulcanised fibre disc prevents cable damage
- Two versions: Black or bright zinc plated
- 10 plastic bags each with 100 pieces in a packaging unit (PU)



1.000
St./Pcs.



Impu steel nail, black (KG010)

To fix ribbon conductors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG010 2x12	2.00	12.00	4.10	1.000	0,40	20	904 45 9
KG010 2x16	2.00	16.00	4.10	1.000	0,49	20	904 46 0
KG010 2x18	2.00	18.00	4.10	1.000	0,55	20	904 46 1
KG010 2x23	2.00	23.00	4.10	1.000	0,62	10	904 46 2
KG010 2x30	2.00	30.00	4.10	1.000	0,81	10	904 46 3
KG010 2x40	2.00	40.00	4.10	1.000	1,08	12	904 46 4
KG010 2x50	2.00	50.00	4.10	1.000	1,28	12	904 46 5
KG010 2x60	2.00	60.00	4.10	1.000	1,15	12	904 46 6



1.000
St./Pcs.



Impu steel nail, bright zinc plated (KG011)

To fix ribbon conductors.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG011 2x12	2.00	12.00	4.10	1.000	0,40	20	904 46 7
KG011 2x16	2.00	16.00	4.10	1.000	0,46	20	904 46 8
KG011 2x18	2.00	18.00	4.10	1.000	0,58	20	904 46 9
KG011 2x23	2.00	23.00	4.10	1.000	0,68	10	904 47 0
KG011 2x30	2.00	30.00	4.10	1.000	0,85	10	904 47 1
KG011 2x40	2.00	40.00	4.10	1.000	1,08	12	904 47 2
KG011 2x50	2.00	50.00	4.10	1.000	1,28	12	904 47 3
KG011 2x60	2.00	60.00	4.10	1.000	1,50	12	904 47 4

CHARACTERISTIC:

- Hardened steel nail for fixing in concrete
- With polyethylene safety head
- Two versions: Black or bright zinc plated
- 10 plastic bags each with 100 pieces in a packaging unit (PU)

Siku nail, black (KG012)

To fix ribbon conductors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG012 2x12	2.00	12.00	4.10	1.000	0,40	25	904 47 5
KG012 2x16	2.00	16.00	4.10	1.000	0,46	25	904 47 6
KG012 2x18	2.00	18.00	4.10	1.000	0,55	25	904 47 7
KG012 2x23	2.00	23.00	4.10	1.000	0,64	25	904 47 8
KG012 2x30	2.00	30.00	4.10	1.000	0,81	25	904 47 9
KG012 2x40	2.00	40.00	4.10	1.000	1,04	12	904 48 0
KG012 2x50	2.00	50.00	4.10	1.000	1,34	12	904 48 1
KG012 2x60	2.00	60.00	4.10	1.000	1,54	12	904 48 2

1.000
St./Pcs.**Siku nail , bright zinc plated (KG013)**

To fix ribbon conductors.

Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KG013 2x12	2.00	12.00	4.10	1.000	0,42	25	904 48 3
KG013 2x16	2.00	16.00	4.10	1.000	0,49	25	904 48 4
KG013 2x18	2.00	18.00	4.10	1.000	0,52	25	904 48 5
KG013 2x23	2.00	23.00	4.10	1.000	0,64	25	904 48 6
KG013 2x30	2.00	30.00	4.10	1.000	0,81	25	904 48 7
KG013 2x40	2.00	40.00	4.10	1.000	1,04	12	904 48 8
KG013 2x50	2.00	50.00	4.10	1.000	1,54	12	904 48 9

1.000
St./Pcs.

Screw nail

CHARACTERISTIC:

- The diameter given is measured on the profile

Fastening and supporting



Screw nail, bright zinc plated, 60° thread (PR189)

To fix wood connectors.
Steel, Unhardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
PR189 3,4x35	3.40	35.00	6.60	250	0,45	25	993 48 9
PR189 3,4x40	3.40	40.00	6.60	250	0,51	25	994 58 8
PR189 3,4x45	3.40	45.00	6.60	250	0,58	25	993 58 5
PR189 3,4x50	3.40	50.00	6.60	250	0,64	1	994 59 6
PR189 3,4x60	3.40	60.00	6.60	250	0,78	25	993 61 4
PR189 3,4x65	3.40	65.00	6.60	250	0,85	12	997 93 0
PR189 4x80	4.00	80.00	7.70	250	1,55	200	993 68 1
PR189 4x70	4.00	70.00	7.70	250	1,35	200	993 65 7
PR189 4,5x100	4.50	100.00	8.40	250	2,32	200	994 51 0
PR189 4,8x90	4.80	90.00	8.00	250	2,10	200	994 50 2

CHARACTERISTIC:

- Lost head: Head can be fixed completely into the underground
- Round head: Attractive completion for visible fastenings, wide support surface
- Chequered head: Prevents slipping of the hammer

Brass nail, round head (ME004)

To fix picture frames, strips or laths on soft underground.

Brass

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
ME004 1x10	1.00	10.00	1.90	16.660	1,00	25	983 76 6
ME004 1x15	1.00	15.00	1.90	11.096	1,00	25	983 78 2
ME004 1,2x15,5	1.20	15.50	2.50	6.369	1,00	25	983 81 1
ME004 1,2x20	1.20	20.00	2.50	4.782	1,00	25	983 84 6
ME004 1,5x20	1.50	20.00	3.30	2.700	1,00	25	983 88 9
ME004 1,5x25	1.50	25.00	3.30	2.161	1,00	25	983 91 8
ME004 1,6x25	1.60	25.00	3.30	2.161	1,00	25	983 93 4
ME004 1,8x30	1.80	30.00	3.80	1.323	1,00	25	983 97 7
ME004 2x40	2.00	40.00	4.20	826	1,00	25	984 01 3
ME004 2,4x45	2.40	45.00	5.00	513	1,00	25	984 04 8
ME004 2,7x50	2.70	50.00	5.50	383	1,00	25	984 06 4
ME004 2,7x55	2.70	55.00	5.50	348	1,00	25	984 08 0
ME004 3x65	3.00	65.00	6.40	238	1,00	25	984 10 1



Brass nail, lost head (ME003)

To fix picture frames, strips or laths on soft underground.

Brass

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
ME003 1,2x20	1.20	20.00	1.80	4.782	1,00	25	983 51 2
ME003 1,5x20	1.50	20.00	2.30	2.700	1,00	25	983 55 5
ME003 1,5x25	1.50	25.00	2.30	2.161	1,00	25	983 57 1
ME003 1,6x25	1.60	25.00	2.30	2.161	1,00	25	983 60 0
ME003 1,8x30	1.80	30.00	2.60	1.323	1,00	25	983 62 7
ME003 2x40	2.00	40.00	2.85	826	1,00	25	983 67 8
ME003 2,7x50	2.70	50.00	3.60	383	1,00	25	983 71 5



Stainless steel nail

CHARACTERISTIC:

- Stainless steel, in quality A2 (AISI 304)
- The combination of profile and groove gives a very high pull-out value




Stainless steel nail, grooved, round head A2 [AISI 304] (RV 039)

For exterior wood work, side boards, Yacht constructions etc.

Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
RV039 2,5x25	2.50	25.00	4.50	1.024	1,00	25	970 27 9
RV039 2,9x50	2.90	50.00	5.30	394	1,00	25	970 30 8



Stainless steel nail, smooth, round head A2 [AISI 304] (RV 001)

For exterior wood work, side boards, Yacht constructions etc

Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
RV001 1,6x20	1.60	20.00	3.20	2.857	1,00	25	967 67 8
RV001 1,6x25	1.60	25.00	3.20	2.250	1,00	25	997 95 7
RV001 1,8x32	1.80	32.00	3.70	1.493	1,00	25	997 60 7
RV001 3x65	3.00	65.00	6.00	280	1,00	25	941 52 3
RV001 3,4x65	3.40	65.00	7.00	214	1,00	25	973 07 4
RV001 3,4x65	3.40	65.00	7.00	215	1,00	25	977 74 5
RV001 3,4x65	3.40	65.00	7.00	212	1,00	25	995 12 6
RV001 3,4x80	3.40	80.00	7.00	172	1,00	25	971 11 6
RV001 3,4x80	3.40	80.00	7.00	172	1,00	25	973 08 2
RV001 3,4x80	3.40	80.00	7.00	172	1,00	25	977 72 9



Stainless steel nail, smooth, lost head, A2 [AISI 304] (RV 014)

For exterior wood work, side boards, Yacht constructions etc

Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
RV014 1,6x20	1.60	20.00	2.30	2.857	1,00	25	973 09 0
RV014 1,6x25	1.80	25.00	2.30	2.381	1,00	25	973 10 3
RV014 1,8x32	1.80	32.00	2.60	1.493	1,00	25	967 46 7
RV014 2,1x40	2.10	40.00	2.90	943	1,00	25	967 47 5
RV014 2,4x45	2.40	45.00	3.30	637	1,00	25	967 48 3
RV014 2,8x50	2.80	50.00	3.70	418	1,00	25	967 49 1
RV014 2,8x55	2.80	55.00	3.70	380	1,00	25	973 23 4

Stainless steel nail, smooth, flat head A2 [AISI 304] (RV013)

For exterior wood work, side boards, Yacht constructions etc
Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
RV013 1,6x20	1.60	20.00	3.60	2.857	1,00	25	967 30 1
RV013 1,6x25	1.60	25.00	3.60	2.381	1,00	25	967 32 8



Fastening and supporting

CHARACTERISTIC:

- Stainless steel, in quality A4 (AISI 316)
- The combination of profile and groove gives a very high pull-out value



Polyhead stainless steel nail ring shank grooved, with polymeer head A4 [AISI 316] (RV 038)

To fix wood in fascias, soffits, skirting or panelling.
Stainless steel, grade 316

Type	Shank-Ø	Nail length	Head Ø	Colour	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm		pcs	kg/PU	PU	
RV038 2x30	2.00	30.00	6.75	White	100	0,08	25	973 41 5
RV038 2x30	2.00	30.00	6.75	White	500	0,41	10	973 40 0
RV038 2x40	2.00	40.00	6.75	White	100	0,11	25	973 41 7
RV038 2x40	2.00	40.00	6.75	White	500	0,54	10	973 40 1
RV038 2x30	2.00	30.00	6.75	Beige grey	100	0,08	25	973 44 1
RV038 2x40	2.00	40.00	6.75	Beige grey	100	0,11	25	973 44 2
RV038 2,65x50	2.65	50.00	9.64	White	100	0,23	25	973 43 0
RV038 2,65x50	2.65	50.00	9.64	White	500	1,16	10	973 41 0
RV038 2,65x50	2.65	50.00	9.64	Beige grey	100	0,23	25	973 44 0
RV038 3,35x65	3.35	65.00	12.40	White	200	0,91	10	973 26 6
RV038 3,35x65	3.35	65.00	12.40	Beige grey	100	0,23	25	973 44 3

CHARACTERISTIC:

- Stainless steel, in quality A4 (AISI 316)
- The combination of profile and groove gives a very high pull-out value

Stainless steel ring shank coil nails, round head A4 [AISI 316] (RV 046)

To fix facades, soffits, skirting or panelling

Stainless steel, 316L

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
RV046 2,3x45	2.30	45.00	5.50	7.000	1,95	1	999 91 2
RV046 2,3x50	2.30	50.00	5.50	7.000	1,77	1	999 91 0
RV046 2,3x55	2.30	55.00	5.50	5.600	1,95	1	999 91 1
RV046 2,3x60	2.30	60.00	5.50	4.800	2,50	1	999 91 3
RV046 2,5x65	2.50	65.00	5.50	9.000	2,56	1	999 91 5
RV046 2,5x70	2.50	70.00	5.50	4.800	2,75	1	999 91 6
RV046 2,8x80	2.80	80.00	5.50	2.500	2,75	1	999 91 7
RV046 3.1x90	3.10	90.00	5.50	2.250	5,68	1	999 91 8



Stainless steel nail, according to construction products regulation

CHARACTERISTIC:

- Stainless steel, in quality A2 (AISI304)
- The combination of profile and groove gives a very high pull-out value
- Articles are labelled according to the CPR 305/2011 CE



Stainless steel nail, smooth, round head A2 [AISI 304] according to CPR (RV 001)

For exterior wood work, side boards, Yacht constructions etc
Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
RV001 2,1x40	2.10	40.00	4.40	943	1,00	25	997 62 3
RV001 2,4x45	2.40	45.00	5.10	637	1,00	25	997 63 1
RV001 2,8x50	2.80	50.00	6.00	418	1,00	25	997 67 4
RV001 2,8x55	2.80	55.00	6.00	380	1,00	25	997 68 2



Stainless steel nail, smooth, flat head A2 [AISI 304] according to CPR (RV 013)

For exterior wood work, side boards, Yacht constructions etc
Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
RV013 2,1x40	2.10	40.00	4.80	943	1,00	25	967 34 4
RV013 2,8x50	2.80	50.00	6.30	418	1,00	25	967 45 9
RV013 2,8x55	2.80	55.00	6.30	380	1,00	25	967 36 0



Stainless steel nail, ring grooved, half round head A2 [AISI 304] according to CPR (RV 034)

To fix wood in protected outdoor areas.
Stainless steel, grade 304

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight kg/PU	Shipping box PU	Item No.
	mm	mm	mm	pcs			
RV034 1,9x25	1.90	25.00	4.40	1.759	1,00	10	973 24 0
RV034 1,9x30	1.90	30.00	4.40	1.525	1,00	10	973 24 2
RV034 1,9x35	1.90	35.00	4.40	1.300	1,00	10	973 24 4
RV034 2,5x35	2.50	35.00	5.60	727	1,00	10	973 25 0
RV034 2,5x45	2.50	45.00	5.60	566	1,00	10	973 25 4
RV034 2,5x50	2.50	50.00	5.60	522	1,00	10	973 25 3
RV034 2,5x50	2.50	50.00	5.60	1.044	2,00	10	973 25 7
RV034 2,5x60	2.50	60.00	5.60	418	1,00	10	973 25 5
RV034 2,5x60	2.50	60.00	5.60	868	2,00	10	973 25 8
RV034 3,1x50	3.10	50.00	7.40	308	1,00	10	973 26 0
RV034 3,1x60	3.10	60.00	7.40	270	1,00	10	973 26 4
RV034 3,1x75	3.10	75.00	7.40	211	1,00	10	973 26 8

Stainless steel nail, according to construction products regulation

Stainless steel nail, ring grooved, half round head A4 [AISI 316] according to CPR (RV 037)

For exterior wood work, side boards, Yacht constructions etc

Stainless steel, grade 316

Type	Shank-Ø mm	Nail length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
RV037 1,9x30	1.90	30.00	4.40	1.453	1,00	10	973 27 2
RV037 1,9x35	1.90	35.00	4.40	1.260	1,00	10	973 27 4
RV037 1,90x35	1.90	35.00	4.40	1.000	0,77	10	973 32 0
RV037 2,30x35	2.30	35.00	5.60	1.000	1,33	10	973 32 1
RV037 2,30x45	2.30	45.00	5.60	500	0,86	10	973 32 2
RV037 2,5x45	2.50	45.00	5.60	566	1,00	10	973 27 8
RV037 2,5x50	2.50	50.00	5.60	490	1,00	10	973 28 0
RV037 2,30x50	2.30	50.00	5.60	500	0,96	10	973 32 3
RV037 2,5x50	2.50	50.00	5.60	1.044	2,00	10	973 30 5
RV037 2,30x60	2.30	60.00	5.60	250	0,58	10	973 32 4
RV037 2,5x60	2.50	60.00	5.60	418	1,00	10	973 28 4
RV037 2,5x60	2.50	60.00	5.60	868	2,00	10	973 30 6
RV037 3,1x75	3.10	75.00	7.40	211	1,00	10	973 29 0
RV037 3,10x75	3.10	75.00	7.40	250	1,17	10	973 32 5



Fastening and supporting

Clamp nail

INSTRUCTIONS FOR USE:

- Drill a 4 mm hole through the clamp into the concrete and knock in
- To remove, knock the clamp and the nail will break at the predetermined breaking point

Fastening and supporting



Clamp nail, bright zinc plated, countersunk head (KS258, KS259)

To fix panels on concrete.
Steel, Hardened Electrogalvanised

Type	Shank-Ø	Nail length	Head Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	pcs	kg/PU	PU	
KS258 4x40	4.00	40.00	7.30	100	0,43	25	949 71 9
KS259 4x50	4.00	50.00	7.30	100	0,54	25	949 72 0

CHARACTERISTIC:

- With wood screw thread approx. 20 mm
- Can also be used with plugs

Ceiling hook (SC019)

For universal use with plugs on the ceiling or wall or without plugs in wood.

Steel Electrogalvanised

Type	Diameter	Length	Contents PU	Weight	Shipping box	Item No.
	mm	mm	pcs	kg/PU	PU	
SC019 3,9x50	3.90	50.00	100	0,72	12	904 44 3
SC019 3,9x60	3.90	60.00	100	0,80	12	904 44 4
SC019 3,9x70	3.90	70.00	100	0,88	12	904 44 5
SC019 3,9x80	3.90	80.00	100	0,91	12	904 44 6




100
St./Pcs.

Hex-head wood screw

CHARACTERISTIC:

- Can also be used with plugs

Fastening and supporting



20
St./Pcs.

25
St./Pcs.

50
St./Pcs.

Hex-head wood screw DIN 571 (SC018)

For universal use with plugs or without plugs in wood.

Steel Electrogalvanised

Type	Diameter		Length	Contents PU	Weight	Shipping box	Item No.
	mm		mm	pcs	kg/PU	PU	
SC018 6x40	6.00		40.00	50	0,83	24	904 42 7
SC018 6x50	6.00		50.00	50	0,96	20	904 42 8
SC018 6x60	6.00		60.00	50	1,12	20	904 42 9
SC018 6x80	6.00		80.00	50	1,38	18	904 43 0
SC018 8x40	8.00		40.00	50	1,56	6	904 43 1
SC018 8x50	8.00		50.00	50	1,82	6	904 43 2
SC018 8x60	8.00		60.00	50	2,10	12	904 43 3
SC018 8x70	8.00		70.00	50	2,36	12	904 43 4
SC018 8x80	8.00		80.00	50	2,65	12	904 43 5
SC018 8x100	8.00		100.00	50	3,20	6	904 43 6
SC018 10x60	10.00		60.00	25	3,65	12	904 43 7
SC018 10x70	10.00		70.00	25	4,05	10	904 43 8
SC018 10x80	10.00		80.00	25	4,51	12	904 43 9
SC018 10x100	10.00		100.00	25	5,40	10	904 44 0
SC018 12x70	12.00		70.00	20	5,75	12	904 44 1

CHARACTERISTIC:

- Chipboard screws for universal use
- Suitable for wood, chipboard, plugs

Chipboard screw, countersunk head with cross recess (SC015)

For universal use with plugs or without plugs in wood.

Steel Electrogalvanised, yellow passivated

Type	Diameter mm	Length mm	Screw system	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC015 3,5x25	3.50	25.00	Pozidrive 2	200	0,21	30	904 34 6
SC015 3,5x30	3.50	30.00	Pozidrive 2	200	0,24	30	904 34 7
SC015 3,5x35	3.50	35.00	Pozidrive 2	200	0,28	20	904 34 8
SC015 3,5x40	3.50	40.00	Pozidrive 2	200	0,32	16	904 34 9
SC015 3,5x45	3.50	45.00	Pozidrive 2	200	0,36	16	904 35 0
SC015 3,5x50	3.50	50.00	Pozidrive 2	200	0,41	16	904 35 1
SC015 4x25	4.00	25.00	—	200	0,25	30	904 35 2
SC015 4x30	4.00	30.00	—	200	0,33	20	904 35 3
SC015 4x35	4.00	35.00	—	200	0,38	16	904 35 4
SC015 4x40	4.00	40.00	—	200	0,42	16	904 35 5
SC015 4x45	4.00	45.00	—	200	0,56	16	904 35 6
SC015 4x50	4.00	50.00	—	200	0,52	12	904 35 7
SC015 4,5x30	4.50	30.00	—	200	0,58	20	904 35 8
SC015 4,5x35	4.50	35.00	—	200	0,60	16	904 35 9
SC015 4,5x40	4.50	40.00	—	200	0,60	16	904 36 0
SC015 4,5x45	4.50	45.00	—	200	0,70	16	904 36 1
SC015 4,5x50	4.50	50.00	—	200	0,73	12	904 36 2
SC015 5x30	5.00	30.00	—	200	0,61	16	904 36 3
SC015 5x35	5.00	35.00	—	200	0,83	16	904 36 4
SC015 5x40	5.00	40.00	—	200	0,76	16	904 36 5
SC015 5x45	5.00	45.00	—	200	0,59	12	904 36 6
SC015 5x50	5.00	50.00	—	200	0,96	12	904 36 7
SC015 6x40	6.00	40.00	Pozidrive 3	200	1,14	12	904 36 8
SC015 6x50	6.00	50.00	Pozidrive 3	200	1,36	12	904 36 9
SC015 6x60	6.00	60.00	Pozidrive 3	200	1,92	12	904 37 0




Chipboard screw, panhead with combi cross recess (SC016)

For universal use with plugs or without plugs in wood.

Steel Electrogalvanised, yellow passivated

Type	Diameter mm	Length mm	Screw system	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC016 3,5x15	3.50	15.00	Combi Pozi 2	200	0,14	30	904 37 1
SC016 3,5x20	3.50	20.00	Combi Pozi 2	200	0,18	30	904 37 2
SC016 3,5x25	3.50	25.00	Combi Pozi 2	200	0,24	30	904 37 3
SC016 3,5x30	3.50	30.00	Combi Pozi 2	200	0,33	30	904 37 4
SC016 3,5x35	3.50	35.00	Combi Pozi 2	200	0,34	20	904 37 5
SC016 3,5x40	3.50	40.00	Combi Pozi 2	200	0,42	16	904 37 6
SC016 3,5x50	3.50	50.00	Combi Pozi 2	200	0,48	16	904 37 8
SC016 4x15	4.00	15.00	Combi Pozi 2	200	0,20	30	904 37 9
SC016 4x20	4.00	20.00	Combi Pozi 2	200	0,28	30	904 38 0
SC016 4x25	4.00	25.00	Combi Pozi 2	200	0,35	30	904 38 1
SC016 4x30	4.00	30.00	Combi Pozi 2	200	0,44	20	904 38 2
SC016 4x35	4.00	35.00	Combi Pozi 2	200	0,50	16	904 38 3
SC016 4x40	4.00	40.00	Combi Pozi 2	200	0,54	16	904 38 4
SC016 4x45	4.00	45.00	Combi Pozi 2	200	0,56	16	904 38 5
SC016 4x50	4.00	50.00	Combi Pozi 2	200	0,62	12	904 38 6



Chipboard screw



Chipboard screw, panhead with combi cross recess (SC016)

For universal use with plugs or without plugs in wood.

Steel Electrogalvanised, yellow passivated

Type	Diameter mm	Length mm	Screw system	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC016 4,5x25	4.50	25.00	Combi Pozi 2	200	0,47	20	904 38 7
SC016 4,5x30	4.50	30.00	Combi Pozi 2	200	0,58	20	904 38 8
SC016 4,5x35	4.50	35.00	Combi Pozi 2	200	0,60	16	904 38 9
SC016 4,5x40	4.50	40.00	Combi Pozi 2	200	0,62	16	904 39 0
SC016 4,5x50	4.50	50.00	Combi Pozi 2	200	0,79	12	904 39 2
SC016 5x30	5.00	30.00	Combi Pozi 2	200	0,75	16	904 39 3
SC016 5x35	5.00	35.00	Combi Pozi 2	200	0,83	16	904 39 4
SC016 5x40	5.00	40.00	Combi Pozi 2	200	0,91	16	904 39 5
SC016 5x45	5.00	45.00	Combi Pozi 2	200	0,99	12	904 39 6
SC016 5x50	5.00	50.00	Combi Pozi 2	200	1,07	12	904 39 7
SC016 5x60	5.00	60.00	Combi Pozi 2	200	1,20	12	904 39 8
SC016 6x30	6.00	30.00	Combi Pozi 3	200	1,20	16	904 39 9
SC016 6x40	6.00	40.00	Combi Pozi 3	200	1,44	12	904 40 0
SC016 6x50	6.00	50.00	Combi Pozi 3	200	1,66	12	904 40 1
SC016 6x60	6.00	60.00	Combi Pozi 3	200	1,92	12	904 40 2



Chipboard screw, panhead with Torx (SC017)

For universal use with plugs or without plugs in wood.

Steel Electrogalvanised, yellow passivated

Type	Diameter mm	Length mm	Screw system	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC017 3,5x15	3.50	15.00	Torx 15	200	0,14	30	904 40 3
SC017 3,5x20	3.50	20.00	Torx 15	200	0,22	30	904 40 4
SC017 3,5x25	3.50	25.00	Torx 15	200	0,33	30	904 40 5
SC017 3,5x30	3.50	30.00	Torx 15	200	0,33	30	904 40 6
SC017 3,5x35	3.50	35.00	Torx 15	200	0,34	20	904 40 7
SC017 3,5x40	3.50	40.00	Torx 15	200	0,42	30	904 40 8
SC017 4x15	4.00	15.00	Torx 20	200	0,24	30	904 40 9
SC017 4x20	4.00	20.00	Torx 20	200	0,32	30	904 41 0
SC017 4x25	4.00	25.00	Torx 20	200	0,37	30	904 41 1
SC017 4x30	4.00	30.00	Torx 20	200	0,43	20	904 41 2
SC017 4x35	4.00	35.00	Torx 20	200	0,49	16	904 41 3
SC017 4x40	4.00	40.00	Torx 20	200	0,53	16	904 41 4
SC017 4x45	4.00	45.00	Torx 20	200	0,58	16	904 41 5
SC017 4x50	4.00	50.00	Torx 20	200	0,65	12	904 41 6
SC017 4,5x30	4.50	30.00	Torx 20	200	0,52	20	904 41 7
SC017 4,5x35	4.50	35.00	Torx 20	200	0,60	16	904 41 8
SC017 4,5x40	4.50	40.00	Torx 20	200	0,66	16	904 41 9
SC017 4,5x45	4.50	45.00	Torx 20	200	0,71	16	904 42 0
SC017 4,5x50	4.50	50.00	Torx 20	200	0,79	12	904 42 1
SC017 5x30	5.00	30.00	Torx 25	200	0,74	16	904 42 2
SC017 5x35	5.00	35.00	Torx 25	200	0,82	16	904 42 3
SC017 5x40	5.00	40.00	Torx 25	200	0,90	16	904 42 4
SC017 5x45	5.00	45.00	Torx 25	200	0,98	12	904 42 5
SC017 5x50	5.00	50.00	Torx 25	200	1,06	12	904 42 6

CHARACTERISTIC:

- With self-tapping thread
- With combi cross recess drive, offers more options for screwdriver selection
- Special slot drive prevents lateral slipping

Device screw, countersunk head, with combi cross recess (SC024)

For device fastening of switching inserts and sockets in concealed or cavity wall boxes. Also for lid fastening.

Steel Electrogalvanised

Type	Diameter	Length	Head Ø	Screw system	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm		pcs	kg/PU	PU	
SC024 3,2x15	3.20	15.00	5.50	Combi Pozi 1	100	0,09	1	930 20 0
SC024 3,2x25	3.20	25.00	5.50	Combi Pozi 1	100	0,10	1	930 20 1
SC024 3,2x40	3.20	40.00	5.50	Combi Pozi 1	100	0,16	1	930 20 2



Device screw box

Steel Electrogalvanised

Type	Diameter	Head Ø	Screw system	Contents PU	Weight	Shipping box	Item No.
	mm	mm		pcs	kg/PU	PU	
SC024 BOX	3.20	5.50	Combi Pozi 1	300	0,37	10	930 20 9



M6 dowel

INSTRUCTIONS FOR USE:

- The M6 dowel is knocked in by using a special settings tool without hand protection (KS170)



M6-dowel, bright zinc plated (KS324)

To fix clips into wood or concrete without a plug.

Steel, Hardened Electrogalvanised

Type	Shank-Ø mm	Nail length mm	Head Ø mm	collar Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS324 8x15	4.00	15.00	5.20	8.80	100	0,31	70	957 10 6
KS324 8x18	4.00	18.00	5.20	8.80	100	0,37	70	957 09 4
KS324 8x25	4.00	25.00	5.20	8.80	100	0,43	70	957 11 0
KS324 8x30	4.00	30.00	5.20	8.80	100	0,49	70	957 11 2
KS324 8x40	4.00	40.00	5.20	8.80	100	0,59	70	957 11 6
KS324 8x55	4.00	55.00	5.20	8.80	100	0,69	70	957 11 8
KS324 8x70	4.00	70.00	5.20	8.80	100	0,84	40	957 12 0



Setting tool without hand protection (KS170)

Item 903512:

For knocking in M6 dowels, painted red.

The red colour allows easy detection of the grip area.

The unpainted end contains the 10 mm-deep opening for the head of the M6 dowel.

Item 903516:

Not painted.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS170 M6	Red	M6	1	0,15	1	903 51 2
KS170 M6	—	M6	1	0,16	1	903 51 6

For knocking in M6-dowels.

Depth of the opening: 20 mm plus sleeve.

Steel Electrogalvanised



Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS221 M6	—	M6	1	0,16	1	903 51 8

Fixpin

The easy and quick way for fixing



Four good reasons for using Fixpin

1. Accurate mounting

The countersunk collar adjusts itself automatically to the fixed part

2. Perfect ballistic point

The ballistic point simplifies fixing even in the hardest concrete

3. Solid fixing thanks to the countersunk collar


4. Simple, safe fixing with special designed tool

No power supply or other tool required

Application / assembly



Pipe fixation by using fixpin and mounting strip



Pipe fixation by using fixpin with removable head and fabric strip

CHARACTERISTIC:

- Manufactured from special carbon steel
- Hardened and annealed on modern, fully-automatic furnaces
- High hardness with extremely high flexibility to ensure absolute safety
- The Fixpin tool is made from high-quality tool steel and is hardened according to the DIN 7255 safety standard, according to the recommendations of the employment insurance companies
- The Fixpin tool has hand protection, thus allowing safe knocking in

INSTRUCTIONS FOR USE:

- Insert the Fixpin nail into the tool (black grip) up to the collar. If inserted correctly, the Fixpin will remain in the tool.
- Knock in with a hammer (1kg). Always use a tool (black grip).
- Fixpin SFP/FP 14 and 18: Fixing clips and mounting strip on concrete for electrical and heating installation
- Fixpin SFP/FP 18: Fixing of glue, spring or storm ties
- Fixing SFP/FP 35 and 40: Fixing laths where higher fixing values are required



Fixpin, black, smooth, small collar ø7,9mm (KS233)

For quick and cost-saving fixing of pipes on concrete floors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	collar Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	mm	pcs	kg/PU	PU	
FP 4/9x14	4.00	14.00	4.00	7.90	200	0,47	50	950 88 4
FP 4/9x18	4.00	18.00	4.00	7.90	200	0,57	50	950 89 2
FP 4/9x22	4.00	22.00	4.00	7.90	200	0,64	50	950 98 0
FP 4/9x27	4.00	27.00	4.00	7.90	100	0,36	50	950 99 9
FP 4/9x35	4.00	35.00	4.00	7.90	100	0,43	50	950 86 8
FP 4/9x40	4.00	40.00	4.00	7.90	100	0,48	50	950 87 6



Fixpin, black, grooved, wide collar ø10,5mm (KS199)

For quick and cost-saving fixing of pipes on concrete floors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	collar Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	mm	pcs	kg/PU	PU	
SFP 4x14	4.00	14.00	4.20	10.50	200	0,61	50	950 80 0
SFP 4x18	4.00	18.00	4.20	10.50	200	0,67	50	950 81 0
SFP 4x22	4.00	22.00	4.20	10.50	200	0,73	50	950 82 0
SFP 4x27	4.00	27.00	4.20	10.50	100	0,43	50	950 82 5
SFP 4x35	4.00	35.00	4.20	10.50	100	0,52	50	950 82 8



Setting tool with hand protection (KS207)

For knocking in a Fixpin with ø 4 mm. The setting tool with a black grip is not suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU	Weight	Shipping box	Item No.
			pcs	kg/PU	PU	
KS207 4	Black	4	1	0,49	1	903 00 9

Setting tool with hand protection and rubber ring (KS354)

For knocking in a Fixpin with $\varnothing$ 4 mm. The setting tool with a black grip is not suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS354 4	Black	4	1	0,42	1	903 01 4



Fixpin box, black, grooved, wide collar $\varnothing$ 10,5 mm

Box consists of:

- 1 box
- 1 Fixpin setting tool with hand protection, black
- 1 hammer (1 kg)
- 10 boxes, each containing 200 units of Fixpin SFP 18 mm

Steel, Hardened Bright

Type	Shank- $\varnothing$ mm	Nail length mm	Head $\varnothing$ mm	collar $\varnothing$ mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SFP 18	4.00	18.00	4.20	10.50	2.000	10,50	1	950 80 4




Fixpin box, black, grooved, wide collar $\varnothing$ 10,5mm, box inkl. mounting strip

Box consists of:

- 1 box
- 1 Fixpin setting tool with hand protection, black
- 1 hammer (1 kg)
- 10 boxes, each containing 200 units of Fixpin SFP 18 mm
- 2 rolls of 10 metres of galvanised metal mounting strip, plastic covered

Steel, Hardened Bright

Type	Shank- $\varnothing$ mm	Nail length mm	Head $\varnothing$ mm	collar $\varnothing$ mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SFP 18	4.00	18.00	4.20	10.50	1	12,00	1	950 79 5



Fixpin, grooved with removable head

CHARACTERISTIC:

- Manufactured from special carbon steel
- Hardened and annealed on modern, fully-automatic furnaces
- High -hardness with extremely high flexibility to ensure absolute safety
- The Fixpin tool is made from high-quality tool steel and is haredned according to the DIN 7255 safety standard, according to the recommendations of the emplyment insurance companies
- The Fixpin tool has hand protection, thus allowing safe knocking in

INSTRUCTIONS FOR USE:

- Insert the Fixpin nail into the tool (black grip) up to the colar. If inserted correctly, the Fixpin will remain in the tool.
- Knock in with a hammer (1kg). Always use a tool (black grip).
- Fixpin SFP/FP 14 and 18: Fixing clips and mounting stripson concrete for electrical and heating installation
- Fixpin SFP/FP 18: Fixing of glue, spring or storm ties
- Fixing SFP/FP 35 and 40: Fixing laths where higher fixing values are required



Fixpin, black, grooved, small collar ø8,3mm, removable head (KS243)

For quick and cost-saving fixing of pipes on concrete floors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	collar ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	mm	pcs	kg/PU	PU	
FPG 4x18	4.00	18.00	4.00	8.30	200	0,54	50	950 93 0



Fixpin, black, grooved, wide collar ø10,5mm, removable head (KS284)

For quick and cost-saving fixing of pipes on concrete floors.

Steel, Hardened Bright

Type	Shank-Ø	Nail length	Head Ø	collar ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	mm	mm	pcs	kg/PU	PU	
FPG 4x18	4.00	18.00	4.30	10.50	200	0,70	50	950 93 2



Setting tool with hand protection (KS246)

For knocking in a Fixpin with ø 4 mm. The setting tool with a red grip is only suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU	Weight	Shipping box	Item No.
			pcs	kg/PU	PU	
KS246 4	Red	4	1	0,53	1	903 01 0

CHARACTERISTIC:

- High-quality plug
- High pull-out value
- Halogen and silicone-free

Solid material plug without collar (PG037)

High-quality nylon plug for secure screw retention. Lips prevent the plug from turning.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
PG037 5x25	Grey	5.00	25.00	100	0,03	50	955 00 1
PG037 6x30	Grey	6.00	30.00	100	0,06	50	955 02 8
PG037 8x40	Grey	8.00	40.00	100	0,14	25	955 03 6
PG037 10x50	Grey	10.00	50.00	50	0,13	25	955 04 4
PG037 12x60	Grey	12.00	60.00	25	0,12	25	955 05 2
PG037 14x60	Grey	14.00	60.00	25	0,08	25	955 05 4



Solid material plug with collar (PG038)

High-quality nylon plug for secure screw retention. Lips prevent the plug from turning. The collar prevents the plug from slipping.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
PG038 5x25	Grey	5.00	25.00	100	0,04	50	905 12 1
PG038 6x30	Grey	6.00	30.00	100	0,05	50	905 12 2
PG038 8x40	Grey	8.00	40.00	100	0,12	25	905 12 3
PG038 10x50	Grey	10.00	50.00	50	0,11	25	905 12 4
PG038 12x60	Grey	12.00	60.00	25	0,08	25	905 12 5



Multi-purpose plug without collar (PG039)

For multi-purpose fixing in concrete, masonry, hollow brick or plasterboard plate.

Polypropylene

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
PG039 5x30	Grey	5.00	30.00	100	0,02	50	905 12 6
PG039 6x34	Grey	6.00	34.00	100	0,05	50	905 12 7
PG039 8x48	Grey	8.00	48.00	100	0,11	25	905 12 8
PG039 10x60	Grey	10.00	60.00	50	0,10	25	905 12 9
PG039 12x67	Grey	12.00	67.00	25	0,08	25	905 13 0
PG039 14x72	Grey	14.00	72.00	25	0,11	25	905 13 1





Multi-purpose plug with collar (PG040)


For multi-purpose fixing in concrete, masonry, hollow brick or plasterboard plate.
The collar prevents the plug from slipping.

Polypropylene

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
PG040 5x32	Grey	5.00	30.00	100	0,03	50	905 13 2
PG040 6x36	Grey	6.00	34.00	100	0,05	50	905 13 3
PG040 8x50	Grey	8.00	48.00	100	0,11	50	905 13 4
PG040 10x60	Grey	10.00	60.00	50	0,10	25	905 13 5
PG040 12x70	Grey	12.00	67.00	25	0,08	25	905 13 6
PG040 14x75	Grey	14.00	72.00	25	0,11	25	905 13 7

Speedplug

The perfect combination of functionality and quality



Six decisive arguments for the Speedplug nail anchor

1. Easy knocking-in

- Thanks to precise nail guidance

2. Nylon plug

- Crack-resistant, heat and cold-resistant
- Resistant to aging

3. Galvanised nail

- For a high level of corrosion resistance

4. Impact-protected cross recess drive

- No distortion to the drive after knocking-in

5. No pre-expansion

- Inside ring prevents pre-expansion

6. Special Don Quichotte plug profile

- Maximum contact area = Maximum pull-out value

Nail anchor

Plug material:	Polyamide (PA-6)
Nail material:	Steel, tensile strength 500–700 N/mm ²
Nail surface:	Electrogalvanised

Diameter [mm]	Pull-Out value [KN]
5	0.9–1.3
6	1.6–1.8
8	2.4–2.9
10	3.0–3.5

CAUTION: These are average pull-out values in concrete or stone with a safety factor of between 4.5 and 5.



Speedplug SP, flat collar, cylinder head (PL017)

Nail plug for electrical engineers, sanitary installation engineers, drywall builders and roofers. Pre-assembled for the fixing of clips, profiles or slats on concrete stone or masonry.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SP 4x25	Natural	4.00	25.00	6.80	200	0,35	10	998 70 5
SP 5x25	Natural	5.00	25.00	7.70	200	0,54	10	998 71 0
SP 5x30	Natural	5.00	30.00	7.70	200	0,50	10	998 70 6
SP 5x35	Natural	5.00	35.00	7.70	200	0,73	10	999 10 0
SP 5x45	Natural	5.00	45.00	7.70	200	0,84	10	999 11 9
SP 6x40	Natural	6.00	40.00	8.00	200	0,85	10	999 38 9
SP 6x35	Natural	6.00	35.00	8.00	200	0,75	10	999 39 0
SP 6x55	Natural	6.00	55.00	8.00	200	1,16	10	999 39 7
SP 6x70	Natural	6.00	70.00	8.00	100	0,76	10	998 26 3
SP 6x80	Natural	6.00	80.00	8.00	100	0,84	10	998 26 4
SP 8x55	Natural	8.00	55.00	10.00	100	0,97	10	998 27 1
SP 8x70	Natural	8.00	70.00	10.00	100	1,25	10	998 29 8
SP 8x100	Natural	8.00	100.00	10.00	100	1,65	10	998 30 0



Speedplug SP-E, flat collar, cylinder head (PL064)

Nail plug especially for electrical installation. Pre-assembled for the fixing of clips, profiles or slats on concrete, stone or masonry.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SP-E 6x35	Natural	6.00	35.00	8.00	200	0,77	10	998 76 0
SP-E 6x40	Natural	6.00	40.00	8.00	200	0,91	10	998 76 6
SP-E 6x55	Natural	6.00	55.00	8.00	200	1,16	10	998 76 4
SP-E 6x70	Natural	6.00	70.00	8.00	100	0,76	10	998 76 2

Speedplug SPKK, countersunk collar, countersunk head (PL053)

Nail plug for electrical engineers, sanitary installation engineers, drywall builders and roofers. Pre-assembled for the fixing of clips, profiles or slats on concrete, stone or masonry.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPKK 5x35	Natural	5.00	35.00	7.70	200	0,63	10	951 00 0
SPKK 5x45	Natural	5.00	45.00	7.70	200	0,79	10	951 01 9
SPKK 6x40	Natural	6.00	40.00	7.90	200	0,91	10	931 70 4
SPKK 6x60	Natural	6.00	60.00	7.90	200	1,17	10	931 71 2
SPKK 6x70	Natural	6.00	70.00	7.90	100	0,76	10	931 72 0
SPKK 6x80	Natural	6.00	80.00	7.90	100	0,84	10	931 72 3
SPKK 8x60	Natural	8.00	60.00	9.60	100	1,01	10	931 73 9
SPKK 8x80	Natural	8.00	80.00	9.60	100	1,43	10	931 74 7
SPKK 8x100	Natural	8.00	100.00	9.60	100	1,58	10	931 75 5
SPKK 8x120	Natural	8.00	120.00	9.60	100	1,94	10	943 91 3



Speedplug SPKK, countersunk collar, countersunk head (PL053)

Nail plug for electrical engineers, sanitary installation engineers, drywall builders and roofers. Pre-assembled for the fixing of clips, profiles or slats on concrete, stone or masonry.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPKK 5x45	Grey	5.00	45.00	7.70	100	0,40	10	951 02 1
SPKK 6x40	Grey	6.00	40.00	7.90	100	0,46	10	931 70 8
SPKK 6x60	Grey	6.00	60.00	7.90	100	0,59	10	931 72 5
SPKK 6x70	Grey	6.00	70.00	7.90	50	0,38	10	931 72 6
SPKK 8x60	Grey	8.00	60.00	9.60	50	0,51	10	931 74 1
SPKK 8x80	Grey	8.00	80.00	9.60	50	0,65	10	931 74 6
SPKK 8x100	Grey	8.00	100.00	9.60	50	0,79	10	931 75 3



Speedplug SPM M6, countersunk collar, threaded head (PL029)

Nail anchor for electrical engineers or sanitary installation engineers for fixing clips with an M6 thread.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Thread size M	Thread pitch mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPM 6x40	Natural	6.00	40.00	6.00	1.00	200	1,33	10	960 00 3
SPM 6x80	Natural	6.00	80.00	6.00	1.00	100	0,96	10	943 11 5





Speedplug SPM M7, countersunk collar, threaded head (PL027)

Nail plug for electrical engineers or sanitary installation engineers for fixing clips with an M7 thread.
Polyamide


Type	Colour	Plug Ø mm	Plug length mm	Thread size M	Thread pitch mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPM 7/1,0 6x40	Natural	6.00	40.00	7.00	1.00	200	1,19	10	960 30 2
SPM 7/1,5 6x40	Natural	6.00	40.00	7.00	1.50	200	1,40	10	962 69 0



Speedplug SPM M8, countersunk collar, threaded head (PL028)

Nail plug for electrical engineers or sanitary installation engineers for fixing clips with an M8 thread.
Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Thread size M	Thread pitch mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPM 8x45	Natural	8.00	45.00	8.00	1.00	100	1,08	10	960 04 6
SPM 8x60	Natural	8.00	60.00	8.00	1.00	100	1,26	10	943 88 7
SPM 8x80	Natural	8.00	80.00	8.00	1.00	100	1,54	10	943 89 5



Speedplug SPP, countersunk collar, countersunk head (PL055)

To fix skirting boards.
Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPP 5x35	Brown	5.00	35.00	7.70	200	0,72	10	970 02 5
SPP 5x45	Brown	5.00	45.00	7.70	200	0,84	10	970 03 3



Speedplug SPP, countersunk collar, countersunk head (PL066)

To fix skirting boards.
Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Head Ø mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPP 5x35	White	5.00	35.00	7.70	200	0,72	10	970 04 1
SPP 5x45	White	5.00	45.00	7.70	200	0,84	10	970 08 4

Speedplug SPHZ, wide collar, countersunk head (PL042)

To fix wood connectors.

Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
SPHZ 8x50	Natural	8.00	50.00	10.00	200	1,79	10	999 40 2



Speedplug SPTB, mushroom collar, mushroom head (PL017)

To fix wall signs, cable conduits, steel, aluminium or plastic sheets.

Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
SPTB 6x40	Natural	6.00	40.00	8.00	200	0,80	10	999 40 2
SPTB 6x50	Natural	6.00	50.00	8.00	200	0,99	10	999 40 1
SPTB 6x60	Natural	6.00	60.00	8.00	200	1,17	10	999 40 0



Speedplug SP stainless steel A2 (AISI 304), flat collar, cylinder head (RV028)

Nail plug for electrical engineers, sanitary installation engineers, drywall builders and roofers. Pre-assembled for the fixing of clips, profiles or slats on concrete stone or masonry.

Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
SP 5x30	Natural	5.00	30.00	7.70	200	0,55	10	999 40 3
SP 5x35	Natural	5.00	35.00	7.70	200	0,72	10	999 39 4
SP 6x40	Natural	6.00	40.00	8.00	200	0,91	10	999 40 6
SP 6x55	Natural	6.00	55.00	8.00	200	1,16	10	999 40 7
SP 6x70	Natural	6.00	70.00	8.00	100	0,76	10	999 40 8
SP 8x70	Natural	8.00	70.00	10.00	100	1,17	10	999 41 1



Hammer plug KPA, countersunk collar, countersunk head (PL069)

To fix window and door frames.

Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
KPA 8x120	Natural	8.00	120.00	9.60	100	1,94	10	943 90 9
KPA 8x140	Natural	8.00	140.00	9.60	100	2,30	10	943 91 9
KPA 10x100	Natural	10.00	100.00	12.50	50	1,39	10	943 91 7
KPA 10x120	Natural	10.00	120.00	12.50	50	1,63	10	943 92 5
KPA 10x140	Natural	10.00	140.00	12.50	50	1,96	10	943 92 0
KPA 10x160	Natural	10.00	160.00	12.50	50	2,23	10	943 92 1







Hammer plug KPA, countersunk collar, countersunk head (PL069)

To fix window and door frames.
Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
KPA 8x120	Grey	8.00	120.00	9.60	50	0,97	10	945 13 4
KPA 10x100	Grey	10.00	100.00	12.50	25	0,70	10	945 16 3
KPA 10x120	Grey	10.00	120.00	12.50	25	0,81	10	945 19 0
KPA 10x140	Grey	10.00	140.00	12.50	25	0,98	10	945 19 8
KPA 10x160	Grey	10.00	160.00	12.50	25	1,11	10	945 20 8

Total-Fixx

More than just a nail anchor



Four arguments for "one for all":

1. Fixing in all kinds of different undergrounds

- E.g. in cellular concrete, hollow bricks, plasterboard, etc.

2. Time savings

- Pre-assembled and suitable for pass-through fixing

3. Galvanised nail with pozidriv head

- For a high level of corrosion resistance and easy dismantling


4. Nylon anchors with flat collar

- Crack-resistant, heat and cold-resistant
- Resistant to aging


Application / assembly



Hammer in concrete




Screwing in plasterboard




Screwing in hollow brick



Hammer in cellular concrete



Screwing in sand limestone



Hammer in brick

Screw and nail anchor Total-Fixx

CHARACTERISTIC:

- A nail anchor for knocking in or screwing into all kinds of different undergrounds, such as plasterboard, hollow brick and cellular concrete
- Especially suitable for fixing in electrical installations and drywall or partitioning
- To be used for a thickness up to 5 mm
- Total-Fixx is pre-assembled and is suitable for pass-through fixing

Plug material:	Polyamide (PA-6)
Nail material:	Steel, tensile strength 500 – 700 N/mm ²
Nail surface:	Electrogalvanised
Drive:	Pozi 2 (PZ 2)

Drill hole	TF 5x30 [mm]	TF 6x40 [mm]
Depth	35	45
Diameter	5	6

Underground	TF 5x30 [KN]	TF 6x40 [KN]
Concrete	0.15	0.25
Hollow brick	0.07	0.10
Plasterboard plate	0.07	0.10
Cellular concrete	0.13	0.14

CAUTION: These are average pull-out values with a minimum safety factor of 5.



Total-Fixx TF, flat collar, cylinder head (PL067)

For fixing in all kinds of different underground.

Polyamide

Type	Colour	Plug Ø	Plug length	Head Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	mm	pcs	kg/PU	PU	
TF 5x30	Red	5.00	30.00	7.70	200	0,55	10	970 12 2
TF 6x40	Red	6.00	40.00	8.00	200	0,84	10	970 16 5

CHARACTERISTIC:

- No special tool is required for Gips-Fixx – simple knock it in horizontally with a hammer
- The ZAMAK drywall anchor can be turned in simply using a screwdriver without pre-drilling, self-tapping thread
- Suitable for various drywall panels or plasterboard

Gips-Fixx, metal L (MZ026)

For fixing in all standard plasterboard or gypsum panels. Type L up to 12 mm material thickness. Suitable for screws with a ϕ of 3.5 to 4.5 mm.

Steel Galvanised

Type	Dimension	Plug ϕ	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
MZ026 L	12	12.00	30.00	100	0,19	70	970 18 2



Gips-Fixx, metal XL (MZ028)

For fixing in all standard plasterboard or gypsum panels. Type XL up to 24 mm material thickness. Suitable for screws with a ϕ of 4.0 to 5.0 mm.

Steel Galvanised

Type	Dimension	Plug ϕ	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
MZ028 XL	24	16.00	43.00	100	0,50	12	970 18 4



Plasterboard anchor, ZAMAK, turn-in (PG042)

Simply screw into the plasterboard plate with a cross recess drive. The thread is self-tapping. The object can be fastened using a screw (ϕ 4–5 mm).

Die-cast zinc

Type	Colour	Plug ϕ	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
PG042	—	12.60	31.00	100	0,45	20	905 13 9



Plasterboard anchor, ZAMAK, turn-in incl. screw (MZ052)

Simply screw into the plasterboard plate with a cross recess drive. The thread is self-tapping. The object can be fastened using the included screw (4,5*35mm, included).

Steel Mechanical zinc plated

Type	Colour	Plug ϕ	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
MZ052	Grey	12.60	31.00	100	0,70	20	999 11 6





Plasterboard anchor, plastic, turn-in (PG041)

Simply screw into the plasterboard plate with a cross recess drive.
The thread is self-tapping.
The object can be fastened using a screw (ø 4-5 mm).

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
PG041	Grey	12.40	37.80	100	0,18	40	905 13 8

CHARACTERISTIC:

- Easy to knock in
- Corrosion-free
- Can be used in concrete, full brick, calcareous sandstone, wood and other solid materials
- Quick, solid and decorative fastening

TECHNICAL DATA:

- Plastic PA-6 is halogen and silicone-free
- Temperature resistance: 80 °C long-term, 130 °C short-term
- Plastic, flame-resistant acc. to UL 94 HB
- UV-resistant. The product can be used under UV-radiation in both dry warm, and humid warm, climates for at least 5 years, without any loss in the use properties
- Max. pull-out value: 400 Nm
- Max. shear value: 600 Nm

Full nylon plug VK, white RAL9010 (VK001)

To fix wooden panels, skirting boards, cable ducts, plasterboard plates, windowsills, etc.

Polyamide

Type	Colour	Plug Ø	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
VK 6x40	White	6.00	40.00	200	0,19	16	955 09 3



Full nylon plug VK, grey RAL7035 (VK001)

To fix wooden panels, skirting boards, cable ducts, plasterboard plates, windowsills, etc.

Polyamide

Type	Colour	Plug Ø	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
VK 6x40	Grey	6.00	40.00	200	0,19	16	955 09 5



Full nylon plug VK, black RAL9011 (VK001)

To fix wooden panels, skirting boards, cable ducts, plasterboard plates, windowsills, etc.

Polyamide

Type	Colour	Plug Ø	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
VK 6x40	Black	6.00	40.00	200	0,19	16	955 09 7





Full nylon plug VK, brown RAL8004 (VK001)

To fix wooden panels, skirting boards, cable ducts, plasterboard plates, windowsills, etc.
Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
VK 6x40	Brown	6.00	40.00	200	0,19	16	955 09 4

CHARACTERISTIC:

- Easy to knock in
- Corrosion-free
- Can be used in concrete, full brick, calcareous sandstone, wood and other solid materials
- Quick and solid fastening
- For cable ties of up to 9 mm
- Drill hole $\varnothing$ 6 mm or $\varnothing$ 8 mm (depending on version)

Full nylon plug for cable ties VKKL (VK002/VK005)

To fix pipes or cables with a cable tie (9 mm).

Polyamide

Type	Colour	Plug $\varnothing$	Plug length	Contents PU	Weight	Shipping box	Item No.
		mm	mm	pcs	kg/PU	PU	
VK002 6x40	Black	6.00	40.00	200	0,33	12	955 09 8
VK005 8x40	Black	8.00	40.00	100	0,19	16	955 10 1



Spring anchor

CHARACTERISTIC:

- With threaded rod, washer and nut
- Available with or without ceiling hook



50
St./Pcs.

Spring anchor with ceiling hook (SC023)

For rapid fastening in false ceilings.

Steel Electrogalvanised

Type	Length mm	Drill hole Ø mm	Thread size M	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC023 M4x70	70.00	14	4.00	50	0,98	10	904 45 1



50
St./Pcs.

Spring anchor without ceiling hook (SC022)

For rapid fastening in false ceilings.

Steel Electrogalvanised

Type	Length mm	Drill hole Ø mm	Thread size M	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC022 M4x95	95.00	14	4.00	50	0,88	10	904 45 0

CHARACTERISTIC:

- With threaded rod, washer and nut
- Available with or without ceiling hook

Tilting anchor with ceiling hook (SC021)

For rapid fastening in false ceilings.

Steel Electrogalvanised

Type	Length mm	Drill hole Ø mm	Thread size M	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC021 M4x55	55.00	13	4.00	50	1,63	8	904 45 3
SC021 M5x65	65.00	13	5.00	50	1,93	6	904 44 8
SC021 M6x100	100.00	16	6.00	50	2,13	6	904 44 9



50
St./Pcs.

Tilting anchor without ceiling hook (SC020)

For rapid fastening in false ceilings.

Steel Electrogalvanised

Type	Length mm	Drill hole Ø mm	Thread size M	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SC020 M4x100	100.00	13	4.00	50	1,66	8	904 45 4
SC020 M5x100	100.00	13	5.00	50	1,91	8	904 45 2
SC020 M6x100	100.00	16	6.00	50	2,63	6	904 44 7



50
St./Pcs.

CHARACTERISTIC:

- Internal toothing
- Cable tie for use in the electrical installation according to DIN EN 62275 VDE 0604-201:2010-07
- With plastic tongue/tab

TECHNICAL DATA:

- Polyamide 6.6, halogen-free
- UL approval 94, Class V2
- Application temperature: -40 °C to +85 °C
- Mounting temperature: -10 °C to +60 °C
- Melting point at 256 °C



Cable tie, standard, natural (OZ090)

Polyamide

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ090 2,5X75	Natural	2.40	75.00	13.00	80.00	1.00	100	0,02	10	905 61 0
OZ090 2,5X100	Natural	2.50	100.00	35.00	80.00	1.00	100	0,03	10	905 61 1
OZ090 2,5X150	Natural	2.50	150.00	35.00	80.00	1.30	100	0,05	10	905 61 2
OZ090 2,5X200	Natural	2.50	203.00	50.00	80.00	1.30	100	0,07	10	905 61 3
OZ090 3,6X150	Natural	3.60	150.00	33.00	180.00	1.40	100	0,07	10	905 61 4
OZ090 3,6X200	Natural	3.60	203.00	47.00	180.00	1.40	100	0,11	10	905 61 5
OZ090 3,6X292	Natural	3.60	292.00	75.00	180.00	1.40	100	0,14	10	905 61 6
OZ090 3,6X368	Natural	3.60	368.00	96.00	180.00	1.40	100	0,18	10	905 61 7
OZ090 4,8X120	Natural	4.80	120.00	24.00	220.00	1.50	100	0,09	10	905 61 8
OZ090 4,8X160	Natural	4.80	160.00	35.00	280.00	1.60	100	0,11	10	905 61 9
OZ090 4,8X203	Natural	4.80	203.00	47.00	220.00	1.60	100	0,15	10	905 62 0
OZ090 4,8X300	Natural	4.80	300.00	76.00	220.00	1.60	100	0,23	10	905 62 1
OZ090 4,8X368	Natural	4.80	368.00	96.00	220.00	1.50	100	0,27	10	905 62 2
OZ090 4,8X432	Natural	4.80	430.00	115.00	220.00	1.50	100	0,33	10	905 62 3
OZ090 7,6X203	Natural	7.60	203.00	47.00	530.00	1.80	100	0,27	10	905 62 4
OZ090 7,6X300	Natural	7.60	301.00	73.00	530.00	1.60	100	0,39	10	905 62 5
OZ090 7,6X380	Natural	7.60	380.00	96.00	530.00	2.00	100	0,58	10	905 62 6
OZ090 8X450	Natural	8.00	450.00	117.00	530.00	1.90	100	0,75	10	905 62 7
OZ090 9X762	Natural	9.00	762.00	208.00	800.00	2.00	100	1,41	1	905 62 8

Cable tie, standard, UV-resistant, black (OZ090)


The addition of carbon, means that it is UV-resistant according to EN ISO 4890, corresponds to approx. 3 years of sunlight, with plastic tongue/tab, according to DIN EN 62275 VDE 0604-201:2010-07
UL approval 94, Class V2

Use temperature -40 °C to 85 °C, mounting temperature -10 °C to 60 °C

Melting point at 256 °C

Oxygen index [LOI]: 27%, moisture intake 2.7% at 50% relative humidity

Polyamide



Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ090 2,5X75	Black	2.40	75.00	13.00	80.00	1.00	100	0,02	10	905 62 9
OZ090 2,5X100	Black	2.50	100.00	20.00	80.00	1.00	100	0,03	10	905 63 0
OZ090 2,5X150	Black	2.50	150.00	35.00	80.00	1.30	100	0,05	10	905 63 1
OZ090 2,5X200	Black	2.50	203.00	50.00	80.00	1.30	100	0,07	10	905 63 2
OZ090 3,6X150	Black	3.60	150.00	33.00	180.00	1.40	100	0,07	10	905 63 3
OZ090 3,6X200	Black	3.60	203.00	47.00	180.00	1.40	100	0,11	10	905 63 4
OZ090 3,6X292	Black	3.60	292.00	75.00	180.00	1.40	100	0,14	10	905 63 5
OZ090 3,6X368	Black	3.60	368.00	96.00	180.00	1.40	100	0,18	10	905 63 6
OZ090 4,8X120	Black	4.80	120.00	24.00	220.00	1.50	100	0,09	10	905 63 7
OZ090 4,8X160	Black	4.80	160.00	35.00	280.00	1.60	100	0,11	10	905 63 8
OZ090 4,8X203	Black	4.80	203.00	47.00	220.00	1.60	100	0,15	10	905 63 9
OZ090 4,8X300	Black	4.80	300.00	76.00	220.00	1.60	100	0,23	10	905 64 0
OZ090 4,8X368	Black	4.80	368.00	96.00	220.00	1.50	100	0,27	10	905 64 1
OZ090 4,8X432	Black	4.80	430.00	115.00	220.00	1.50	100	0,33	10	905 64 2
OZ090 7,6X203	Black	7.60	203.00	47.00	530.00	1.80	100	0,27	10	905 64 3
OZ090 7,6X300	Black	7.60	301.00	73.00	530.00	1.60	100	0,39	10	905 64 4
OZ090 7,6X380	Black	7.60	380.00	96.00	530.00	2.00	100	0,58	10	905 64 5
OZ090 8X450	Black	8.00	450.00	117.00	530.00	1.90	100	0,75	10	905 64 6
OZ090 9X762	Black	9.00	762.00	208.00	800.00	2.00	100	1,41	1	905 64 7

CHARACTERISTIC:

- Self-adhesive
- 2-way fastening (horizontal or vertical)
- Simply stick the base to a flat surface and fasten the required object using cable ties
- Maximum cable tie size for
 - 19 x 19 mm: Width 4.1 mm, height 4 mm
 - 27 x 27 mm: Width 4.8 mm, height 6 mm

TECHNICAL DATA:

- Material ABS (acrylonitrile butadiene styrene)
- UL approval 94, Class HB
- For loads up to 0.36 kg/cm³ at +15 °C to +40 °C
- Application temperature: -10 °C to +60 °C



2-way fastening base for cable ties, natural (OZ067)

Self-adhesive, made of ABS (acrylonitrile butadiene styrene)
for loads of up to 0.36 kg/cm³ at 15 °C to 40 °C
Application temperature between -10 °C and 60 °C, UL approval 94-HB

Type	Colour	Width mm	Length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ067 19x19	Natural	19.00	19.00	100	0,07	1	904 63 0
OZ067 27x27	Natural	27.00	27.00	100	0,18	1	904 63 2



2-way fastening base for cable ties, black (OZ067)

Self-adhesive, made of ABS (acrylonitrile butadiene styrene)
for loads of up to 0.36 kg/cm³ at 15 °C to 40 °C
Application temperature between -10 °C and 60 °C, UL approval 94-HB

Type	Colour	Width mm	Length mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ067 19x19	Black	19.00	19.00	100	0,07	1	904 63 1
OZ067 27x27	Black	19.00	19.00	100	0,18	1	904 63 3

CHARACTERISTIC:

- Outer toothing to avoid cable damage
- Flat head, also for temporary installation for preliminary work
- The flat head means the cable tie fits tightly
- With plastic tongue/tab

TECHNICAL DATA:

- Polyamide 6.6, halogen-free
- UL approval 94, Class HB
- The addition of carbon means that the cable tie is UV-resistant to EN ISO 4890 (corresponds to approx. 3 years of sunlight)
- Application temperature: -45 °C to +85 °C
- Mounting temperature: -30 °C to +60 °C
- Melting point: 256 °C

Flat head cable tie (OZ077)

With plastic tongue/lug, according to DIN EN 50146. The addition of carbon means that the cable tie is UV-resistant to EN ISO 4890 (corresponds to approx. 3 years of sunlight), oxygen index [LOI]: 22%

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ077 9X132	Black	9.00	132.00	27.00	390.00	1.90	100	0,23	1	904 59 0
OZ077 9X180	Black	9.00	180.00	40.00	390.00	1.90	100	0,35	1	904 59 1



Double flat-head cable tie (OZ077)


With plastic tongue/lug, according to DIN EN 50146. The addition of carbon means that the cable tie is UV-resistant to EN ISO 4890 (corresponds to approx. 3 years of sunlight), oxygen index [LOI]: 22%

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ077 9X260	Black	9.00	260.00	62.00	540.00	1.90	100	0,58	1	904 59 2
OZ077 9X360	Black	9.00	360.00	93.00	540.00	1.90	100	0,77	1	904 59 3



Universal cable tie with hole

simple, quick, reclosable



To help reduce cable clutter:

- | | |
|--|------------------------------------|
| 1. Fixing on wall or roof | 4. Diameter hole 3,5 mm |
| 2. Material PA 6.6, UV resistant, halogen-free | 5. Inside and outside interlocking |
| 3. Tensile Strength at 23C: 844kg/cm ² acc. to ASIM D-638 | 6. reclosable |

Application / assembly



Fixing on the wall or roof, insert the cables and fasten cable tie

CHARACTERISTICS:

Available in the following models:

- With Plastic Lip
- With Plastic Lip, tension resistant
- With Plastic Lip, reclosable
- Lengths 200-280-385cm

TECHNICAL DATA:

- Material: PA 6.6, UV-resistant, halogenfree
- Colour: black
- Flame-resistant: UL 94V-2
- Application temperature: -40°C to +85°C
- Tensile strength: at 23°C; 84kg/cm³ acc. ASTM D-638
- Further specification: ASTM-D4066 PA181
- Hole diameter: 3,5mm
- Toothing: internal and external, reclosable version only external

Universal cable tie with hole (OZ091)

for bundling cables and easy installation via a screw or nail to wall or ceiling.

Polyamide

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ091 10x200	Black	10.00	200.00	50.00	220.00	1.60	100	0,31	10	905 21 0
OZ091 10x280	Black	10.00	280.00	75.00	220.00	1.60	100	0,41	10	905 21 3
OZ091 10x385	Black	10.00	385.00	100.00	220.00	1.60	100	0,45	10	905 21 6



Universal cable tie with hole, tension resistant (OZ091)

for bundling cables and easy installation via a screw or nail to wall or ceiling.

Polyamide

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ091 10x200	Black	10.00	200.00	50.00	450.00	1.60	100	0,31	10	905 21 2
OZ091 10x280	Black	10.00	280.00	75.00	450.00	1.60	100	0,41	10	905 21 5
OZ091 10x385	Black	10.00	385.00	100.00	450.00	1.60	100	0,45	10	905 21 8



Universal cable tie with hole



Universal cable tie with hole, reclosable (OZ091)

for bundling cables and easy installation via a screw or nail to wall or ceiling.
Polyamide

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ091 10x200	Black	10.00	200.00	50.00	220.00	1.60	100	0,31	10	905 21 1
OZ091 10x280	Black	10.00	280.00	75.00	220.00	1.60	100	0,41	10	905 21 4
OZ091 10x385	Black	10.00	385.00	100.00	220.00	1.60	100	0,45	10	905 21 7

CHARACTERISTIC:

- Internal toothing
- With plastic tongue/tab
- Minimum retaining force: 360 N
- Fastening using anchor and screw M6/M7

TECHNICAL DATA:

- Polyamide 6.6, halogen-free
- UL approval 94, Class V2
- Application temperature: -40 °C to +85 °C
- Mounting temperature: -15 °C to +60 °C
- Colour grey (RAL7035)

Fastening tie, screw-on (OZ073)

For quick and flexible fastening of pipes or cables with an integrated cable tie. Fixing use M7 thread or appropriate screw.

Polyamide

Type	Colour	Width mm	Length mm	Bundle ø, max. mm	Minimum retaining force N	Thickness mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ073 16-32	Grey	7.50	180.00	32.00	360.00	1.45	100	0,60	1	991 50 5
OZ073 40-63	Grey	7.50	280.00	63.00	360.00	1.45	100	0,90	1	991 50 7



Push-in anchor for fastening tie M6/M7 (VK003)

Push-in anchor for ø 8 mm drill hole.

With M7 thread for fastening to fastening tie, incl. base (OZ073).

Polyamide

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
VK003 M7 10x43	Grey	10x37	100	0,20	1	991 53 0



Speedplug SPM M7, countersunk collar, countersunk head

Nail plug for electrical engineers or sanitary installation engineers for fixing clips with an M7 thread.

Polyamide

Type	Colour	Plug Ø mm	Plug length mm	Thread size M	Thread pitch mm	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
SPM 7/1,5 6x40	Natural	6.00	40.00	7.00	1.50	200	1,40	10	962 69 0



CHARACTERISTIC:

- Suitable for use with Fixpin
- Length: 10 Meter




Metal mounting strip, straight (MZ023)

To fasten pipes on concrete.

Steel Galvanised

Type	Width	Height	Length	Hole- Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	m	mm	pcs	kg/PU	PU	
MZ023 12x0,75	12.00	0.75	10.00	5.20	1	0.54	10	900 92 5
MZ023 17x0,75	17.00	0.75	10.00	6.50	1	0.96	10	900 93 6
MZ023 25x0,75	25.00	0.75	10.00	8.50	1	1.30	10	900 94 8



Metal mounting strip, straight, in plastic cassette (MZ029)

To fasten pipes on concrete.

Steel Galvanised

Type	Width	Height	Length	Hole- Ø	Contents PU	Weight	Shipping box	Item No.
	mm	mm	m	mm	pcs	kg/PU	PU	
MZ029 12x0,75	12.00	0.75	10.00	5.10	1	0.55	10	900 92 7
MZ029 17x0,75	17.00	0.75	10.00	6.50	1	0.93	10	900 93 4
MZ029 25x0,75	25.00	0.75	10.00	8.50	1	1.40	10	900 93 5



Metal mounting strip, plastic-covered (MZ024)

To fix pipes and cables on concrete.

Steel Galvanised

Type	Colour	Width	Height	Length	Hole- Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	m	mm	pcs	kg/PU	PU	
MZ024 14x3	Black	14.00	3.00	10.00	5.20	1	0.67	10	900 92 6
MZ024 19x2	Black	19.00	2.00	10.00	6.50	1	0.89	10	900 93 7
MZ024 27x3	Black	27.00	3.00	10.00	8.50	1	1.40	10	900 94 7



Metal mounting strip, plastic-covered, in carton box (MZ024)

To fix pipes and cables on concrete.

Steel Galvanised

Type	Colour	Width	Height	Length	Hole- Ø	Contents PU	Weight	Shipping box	Item No.
		mm	mm	m	mm	pcs	kg/PU	PU	
MZ024 14x3	Black	14.00	3.00	10.00	5.20	1	0.82	10	900 94 0
MZ024 19x2	Black	19.00	2.00	10.00	6.50	1	1.23	10	900 93 8

CHARACTERISTIC:

- Suitable for fastening with Fixpin or other nails and screws
- Multiple use as tear-resistant
- High-quality polypropylene (PP), UV-lasting

Fabric strip, plastic, black (MZ027)

To fix pipes and cables on concrete.

Polypropylene

Type	Colour	Width mm	Height mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
MZ027 15x1,3	Black	15.00	1.30	10.00	10	0,07	10	900 72 7
MZ027 15x1,3	Black	15.00	1.30	15.00	10	0,12	10	900 92 8
MZ027 15x1,3	Black	15.00	1.30	25.00	10	0,18	10	900 73 0



Fabric strip, plastic, grey (MZ027)

To fix pipes and cables on concrete.

Polypropylene

Type	Colour	Width mm	Height mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
MZ027 15x1,3	Grey	15.00	1.30	10.00	10	0,07	10	900 72 6
MZ027 15x1,3	Grey	15.00	1.30	15.00	10	0,15	10	900 72 8
MZ027 15x1,3	Grey	15.00	1.30	25.00	10	0,18	10	900 72 9



Cassette for fabric strip, plastic (MZ030)

Plastic cassette for fabric strip up to 15 m.
The fabric strip is not included!


Polypropylene

Type	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
MZ030 15	15	1	0,09	1	900 93 9



CHARACTERISTIC:

- For all standard insulation work in the electrical field
- Can also be used universally as colour coding or for bundling
- High-quality soft PVC film
- Best results are achieved at a processing temperature of 20 up to 24 °C



Insulating tape, electrical, standard (EM027)

Suitable for all standard insulation work in the electrical field. It can also be used universally for repairs, colour-coding and bundling.

Polyvinylchloride

Type	Colour	Width mm	Material thickness mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
EM027 15x10	Black	15.00	0.15	10.00	20	0,06	12	942 00 0
EM027 15x10	Red	15.00	0.15	10.00	20	0,06	12	942 00 1
EM027 15x10	Blue	15.00	0.15	10.00	20	0,06	12	942 00 2
EM027 15x10	Brown	15.00	0.15	10.00	20	0,06	12	942 00 3
EM027 15x10	Yellow green	15.00	0.15	10.00	20	0,06	12	942 00 4



Insulating tape, electrical, weatherproof (EM028)

Particularly suitable for insulation and repair work during bad weather conditions.

Type	Colour	Width mm	Material thickness mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
EM028 15x10W	Black	15.00	0.20	10.00	10	0,69	12	942 00 5

CHARACTERISTIC, self-sealing natural rubber adhesive tape:

- Quick sealing on overlapping under tension
- Watertight, permanently elastic and very malleable

CHARACTERISTIC, double-sided viscose woven adhesive tape:

- Double-sided viscose woven tape with strong adhesive
- Satisfies requirements according to DIN EN 60454-2
- Carrier material is air-permeable

CHARACTERISTIC, PTFE thread sealing tape:

- Usable for fine thread (FRp)
- Lubricating, sealing and operating material for gas and water installation
- DIN-DVGW test mark according to NV 5143 available

Natural rubber adhesive tape, self-sealing (EM029)

Suitable for all electrical installation and repair work.

Type	Colour	Width mm	Material thickness mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
EM029 19x5	Black	15.00	1.00	5.00	5	0,60	24	942 00 6



IIR

Viscose adhesive tape, double-sided (EM030)

Suitable for the mounting of cable sleeves and for the repair of damaged cable jacketing. Also used to seal hoses and cables.

Type	Colour	Width mm	Material thickness mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
EM030 45x25	Black	45.00	0.30	25.00	10	3,86	1	942 00 7



VISKOSE

PTFE thread sealing tape (EM031)

The Teflon woven sealing tape is suitable for sealing pipe glands.

Type	Colour	Width mm	Length m	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
EM031 12x12	White	12.00	12.00	10	0,18	10	942 00 8



PTFE

Knotted chain and accessories

CHARACTERISTIC:

- Chain according to DIN 5686, not certified



Knotted chain (MZ050)

For the suspension of elements such as lighting and signs.

Steel Electrogalvanised

Type	Dimension	Length	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
		m				
MZ050 2,0x28	2,0x28	30,00	1	2,40	1	981 67 0
MZ050 2,5x35	2,5x35	30,00	1	4,20	1	981 67 1
MZ050 3,1x41	3,1x41	30,00	1	6,00	1	981 67 2



S hook (MZ051)

Can be used in conjunction with chains.

Steel Electrogalvanised

Type	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
MZ051 3,0x25	3,0x25	100	0,47	10	981 67 3

APPLICATION:

- **Fixpin setting tool with hand protection (black grip)**
Suitable for knocking in Fixpin (not suitable for Fixpin with removable head)
- **Fixpin setting tool with hand protection (red grip)**
Suitable for Fixpin with removable head
- **M6 setting tool (without grip)**
Suitable for M6 dowel

CHARACTERISTIC:

- For use with 1 kg hammer
- Manufactured from tool steel of very high quality (corresponds to DIN 7255 safety standard)

Setting tool with hand protection (KS207)

For knocking in a Fixpin with $\varnothing$ 4 mm. The setting tool with a black grip is not suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS207 4	Black	4	1	0,49	1	903 00 9

**Setting tool with hand protection for Fixpin with removable head (KS246)**

For knocking in a Fixpin with $\varnothing$ 4 mm. The setting tool with a red grip is only suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS246 4	Red	4	1	0,53	1	903 01 0

**Setting tool with hand protection (KS354)**

For knocking in a Fixpin with $\varnothing$ 4 mm. The setting tool with a black grip is not suitable for Fixpins with removable head.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS354 4	Black	4	1	0,42	1	903 01 4





Setting tool without hand protection (KS170)

Item 903512:
For knocking in M6 dowels, painted red.
The red colour allows easy detection of the grip area.
The unpainted end contains the 10 mm-deep opening for the head of the M6 dowel.

Item 903516:
Not painted.
Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS170 M6	Red	M6	1	0,15	1	903 51 2
KS170 M6	—	M6	1	0,16	1	903 51 6



Setting tool without hand protection with sleeve (KS221)

For knocking in M6-dowels.
Depth of the opening: 20 mm plus sleeve.

Steel Electrogalvanised

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
KS221 M6	—	M6	1	0,16	1	903 51 8

CHARACTERISTIC:

- Robust metal housing
- Ergonomic design
- Process-safe clamping

2 Versions

- Depending on the version with automatic cutting for plastic cable ties of widths between 2.2 and 4.8 mm
- Including adjustable tightening tension or with manual cutting for plastic cable ties of widths between 3.6 and 13 mm
- With cutting button for controlled cutting

Cable tie pliers, automatic cut-off (OZ068)

For automatic tensioning and cutting of cable ties with max. width 5 mm.

Steel

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ068	Red	2,2-4,8	1	0,31	1	903 60 1



Cable tie pliers, manual cut-off (OZ069)

For simple tensioning and cutting of cable ties with max. width 13 mm.

Steel

Type	Colour	Dimension	Contents PU pcs	Weight kg/PU	Shipping box PU	Item No.
OZ069	Red	3,6-13	1	0,26	1	903 60 0





5 Appendix

Pictogram explanation	174
-----------------------	-----

Alphabetical table of contents	178
--------------------------------	-----

Numeric directory	182
-------------------	-----

Type listing	188
--------------	-----

Terms and conditions of sale and delivery	199
---	-----

General information

	Do not use continuously outdoors
	Can be used outdoors
	New products
	Halogen-free
	UV-resistant

Conformity symbol

	Communautés Européennes, EC declaration of conformity according to EC directives
	RoHS-conformant

Nail head

	Flat head, embossed
	Flat head, smooth
	Rounded head
	Half rounded head
	Half rounded head, flat
	Flat rounded head
	Countersunk head
	Countersunk head, embossed
	Compression head
	Panel head
	Panhead
	Washer head
	Head for shot nails
	Plastic head
	M4 thread
	M6 thread
	M7 thread
	M8 thread

Nail shank

	Smooth shank
	Fluted shank
	Interrupted fluted shaft
	Embossed shank
	Fluted shaft (ring shaft)

Nail shank

	Screw shank with 5° inclination
	Screw shank with 27.5° inclination
	Screw shank with 60° inclination
	Screw shank with 65° inclination

Nail tip

	Diamond tip
	Ballistic tip
	Round tip

Screw drive

	Philips screw (Pozi 2)
	Combination Philips
	Slot
	Torx
	Hexagon head

Anchor collar

	Without collar
	Narrow collar
	Wide collar
	Mushroom collar
	Countersunk collar
	Wide countersunk collar
	Narrow countersunk collar

Shrink rate

	Shrink rate 2:1
	Shrink rate 3:1
	Shrink rate 4:1
	Shrink rate with inner adhesive 2:1
	Shrink rate with inner adhesive 3:1
	Shrink rate with inner adhesive 4:1

Protection type

	Protection rating IP54
---	------------------------

Voltage

	Nominal voltage 250V
	Nominal voltage 380 V

Voltage

	Nominal voltage 400 V
	Nominal voltage 450 V
	Nominal voltage 600 V
	Nominal voltage 650 V

Rail

	Slot width 11 mm for C profile
	Slot width 16.5 mm for C profile
	Hammerhead foot for C profile

Material

	Polyamide
	Polyamide 6.6
	Polycarbonate
	Polyethylene
	Polyethylene High Density (HDPE)
	Polyolefin
	Polypropylene
	Polystyrene
	Polytetrafluoroethylene (Teflon)
	Polyvinylchloride
	Acrylonitrile butadiene styrene
	Butyl rubber
	Viscose fabric

Test marks

	Österreichischer Verband für Elektrotechnik
	Verband der Elektrotechnik, Elektronik und Informationstechnik
	Keuring van Elektrotechnische Materialen te Arnhem
	KIWA quality mark
	Eidgenössisches Starkstrominspektorat ESTI
	Svenska Elektriska Materielkontrollanstalten (SEMKO)
	Norme Française (AFAQ AFNOR)
	Norges Elektriske Materielkontroll (NEMKO)
	Finlands Material Kontroll (FIMKO)
	Elektrotechnický Zkušební Ústav

Test marks

	Dansk Elektrisk Materiel Kontrol (DEMKO)
	Comité Electrotechnique Belge/Belgisch Elektrotechnisch Comité (CEBEC)
	Stowarzyszenie Elektryków Polskich (BBJ-SEP)
	Asociación Española de Normalización y Certificación (AENOR)
	Государственные стандарты Российской Федерации (ГОСТ-Р) Gosudarstvennyi standarty Rossiiskoi Federatsii (GOST-R)
	Underwriters Laboratories
	UL Recognized Component Mark
	European Norms Electrical Certification (ENEC) 11 = Country code for ÖVE (Austria)
	American Bureau of Shipping
	Germanischer Lloyd
	Lloyd's Register

Contents, packing unit (PU)

	0.4 kg
	1 kg
	2 kg
	2.5 kg
	5 kg
	1 piece
	10 pieces
	20 pieces
	25 pieces
	30 pieces
	40 pieces
	50 pieces
	100 pieces
	125 pieces
	150 pieces
	175 pieces
	200 pieces
	250 pieces

Pictogram explanation

Contents, packing unit (PU)

	300 pieces
	400 pieces
	500 pieces
	700 pieces
	1,000 pieces
	1.425 pieces

2

2:1 heat-shrinkable tubing, thin-walled, , 92
 black/coloured, in assorted box (OZ071)
 2:1 heat-shrinkable tubing, thin-walled, black/yellow-, 91
 green, in assorted box (OZ071)
 2:1 heat-shrinkable tubing, thin-walled, in dispensing, 90-91
 box (OZ071)
 2-way fastening base for cable ties, black (OZ067), 64
 2-way fastening base for cable ties, natural (OZ067), 64

3

3:1 heat-shrinkable tubing, double-walled, 1 m length, 94
 (OZ070)
 3:1 heat-shrinkable tubing, thin-walled, 1 m length, 92
 (OZ070)
 3:1 heat-shrinkable tubing, thin-walled, , 93
 black/coloured, in assorted box (OZ071)

4

4:1 heat-shrinkable tubing, double-walled, 1 m length, 94
 (OZ070)

A

Adapter M18 - M16 (GE008), 98

B

Brass nail, lost head (ME003), 27
 Brass nail, round head (ME004), 27

C

C profile rail, slot width 11 mm, with perforation, strip, 155
 galvanised (MZ046)
 C profile rail, slot width 16.5 mm, with perforation,, 156
 hot-dip galvanised (MZ048)
 C profile rail, slot width 16.5 mm, with perforation,, 156
 strip galvanised (MZ046)
 C profile rail, slot width 16.5 mm, without perforation,, 155
 hot-dip galvanised (MZ049)
 C profile rail, slot width 16.5 mm, without perforation,, 155
 strip galvanised (MZ047)
 Cable clamp for max. 15 cables KKM15 (MZ044), 149
 Cable clamp for max. 30 cables KKM30 (MZ044), 149
 Cable clamp with nail plug, max. 15 cables KKS15, 147
 (OZ009)
 Cable clamp with nail plug, max. 30 cables KKS30, 147
 (OZ009)
 Cable clamp, flame-resistant, max., 147
 30 cables KKS30F (OZ009)
 Cable clamp, flame-resistant, max. 15 cables KKS15F, 147-148
 (OZ009)
 Cable clamp, flame-resistant, max. 30 cables KKS30F, 148
 (OZ009)
 Cable clamp, max. 15 cables KKS15 (OZ009), 146
 Cable clamp, max. 30 cables KKS30 (OZ009), 146
 Cable clip WKK-PE for cellular concrete (CC018), 112
 Cable fastening clip (CC017), 144
 Cable tie pliers, automatic cut-off (OZ068), 77
 Cable tie pliers, manual cut-off (OZ069), 77
 Cable tie, standard, natural (OZ090), 62
 Cable tie, standard, UV-resistant, black (OZ090), 63
 Capping nail, bright zinc plated, 8,5mm washer, 21
 (KG003) pcs.
 Cassette for fabric strip, plastic (MZ030), 71
 Cavity wall boxes with membrane Depth 47mm, 95
 (EM035)
 Cavity wall boxes with membrane Depth 61mm, 95
 (EM036)
 Ceiling hook (SC019), 35
 Centring drill (GE009), 98
 Centring drill, conical (GE010), 98
 Centring tip for suction unit (GE005), 97
 Chipboard screw, countersunk head with cross, 37
 recess (SC015)
 Chipboard screw, panhead with combi cross recess, 37-38
 (SC016)

C

Chipboard screw, panhead with Torx (SC017), 38
 Clamp nail, bright zinc plated, countersunk head, 34
 (KS258, KS259)
 Clip, double, 1-hole, ø 5.5 mm, (MZ019), 141
 Clip, single, 1-hole, ø 5.5 mm, width 15 mm (MZ020), 139
 Clip, single, 1-hole, ø 5.5 mm, width 20 mm (MZ020), 139
 Clip, single, 1-hole, ø 6.5 mm, (MZ031), 139
 Clip, single, 2-hole, ø6.5 mm (MZ032), 140
 Connection earthing clip for the bathroom (EM015), 166
 Connector for earthing rod (EM014), 169
 Counter-trough for clamp clip made of plastic, 158
 (MZ043)
 Crossconnector flat/flat (EM062), 171
 Crossconnector round/flat (EM062), 171

D

Device screw box, 39
 Device screw, countersunk head, with combi cross, 39
 recess (SC024)
 Diamond cutting disc MATRIX (GE013), 99
 Diamond cutting disc PREMIUM (GE012), 99
 Diamond cutting disc UNI (GE011), 99
 Diamond dry core drill MATRIX (GE003), 96
 Diamond dry core drill PREMIUM (GE002), 96
 Diamond dry core drill UNIT (GE001), 96
 DKS clip disc with nail (KG014), 118
 Double flat-head cable tie (OZ077), 65
 Double-WKK-PE cable clip without nail (CC016), 111

E

Earth grounding clip for pipes (EM018), 165
 Earthing rod, cross profile, with connection strap, 168
 (EM023)
 Earthing rod, cross profile, with round conductor lug, 168
 (EM024)
 Earthing rod, cross profile, with strip steel lug, 168
 (EM025)
 Earthing strip HDG (EM050), 170
 Empty pipe socket "Connect-ring" (OZ056), 89
 Equipotential bonding rail (EM021), 167
 Expansion joint set for pipe clip KPA (M005), 126

F

Fabric strip, plastic, black (MZ027), 71
 Fabric strip, plastic, grey (MZ027), 71
 Fastening clip SCO (OZ004), 133
 Fastening tie, screw-on (OZ073), 69
 Fixpin box, black, grooved, wide collar Ø 10,5 mm, 43
 Fixpin box, black, grooved, wide collar Ø 10,5mm,, 43
 box inkl. mounting strip
 Fixpin, black, grooved, small collar ø8,3mm,, 44
 removable head (KS243)
 Fixpin, black, grooved, wide collar ø10,5mm (KS199), 42
 Fixpin, black, grooved, wide collar ø10,5mm,, 44
 removable head (KS284)
 Fixpin, black, smooth, small collar ø7,9mm (KS233), 42
 Flat head cable tie (OZ077), 65
 Full nylon plug for cable ties VKKL (VK002/VK005), 59
 Full nylon plug VK, black RAL9011 (VK001), 57
 Full nylon plug VK, brown RAL8004 (VK001), 58
 Full nylon plug VK, grey RAL7035 (VK001), 57
 Full nylon plug VK, white RAL9010 (VK001), 57

G

Gips-Fixx, metal L (MZ026), 55
 Gips-Fixx, metal XL (MZ028), 55

H

Hammer plug KPA, countersunk collar, countersunk, 51-52
 head (PL069)
 Hat profile rail, perforated, height 15 mm (MZ070), 154
 Hat profile rail, perforated, height 7.5 mm (MZ069), 154

H

Hat profile rail, unperforated, height 15 mm, (MZ072), 154
 Hat profile rail, unperforated, height 7.5 mm (MZ071), 154
 Hex-head wood screw DIN 571 (SC018), 36
 Hook nail, black, smooth, round, not hardened, 22 (B058) pcs.
 Hook nail, bright zinc plated, smooth, round, not, 22 hardened (B059) pcs.

I

IDC terminal, I type (EM022), 88
 IDC terminal, T type (EM022), 88
 Impu steel nail, black (KG010), 24
 Impu steel nail, bright zinc plated (KG011), 24
 Insulating tape, electrical, standard (EM027), 72
 Insulating tape, electrical, weatherproof (EM028), 72
 ISO grip clip for 1 cable (OZ062), 131
 ISO grip clip for 2 cables (OZ063), 131
 ISO pressure clip for 1 cable (OZ060), 130
 ISO pressure clip for 2 cables (OZ061), 130

J

Junction box K12 (EM011), 81
 Junction box K16 (EM020), 81
 Junction box K6 (EM009), 80
 Junction box K8 (EM010), 80

K

KLS clip disc with nail (KG006), 116
 KLS clip disc without nail (KG005), 116
 Knotted chain (MZ050), 74

M

M6 dowel (KS324), 136
 M6 sleeve for pipe clip UNO-LB/-LBD (M007), 128
 M6-dowel, bright zinc plated (KS324), 40
 Metal mounting strip, plastic-covered (MZ024), 70
 Metal mounting strip, plastic-covered, in carton box, 70 (MZ024)
 Metal mounting strip, straight (MZ023), 70
 Metal mounting strip, straight, in plastic cassette, 70 (MZ029)
 Multi-purpose plug with collar (PG040), 46
 Multi-purpose plug without collar (PG039), 45

N

Nail anchor SP 8/70 MZ for pipe clamp UNO-LB/-, 129 LBD (OZ023)
 Nail anchor SPM M6 (PL029), 130-131, 136
 Nail anchor SPS 8*100 (OZ011), 125
 Natural rubber adhesive tape, self-sealing (EM029), 73
 NK drive pin, mechanical zinc plated, ballistic point,, 21
 12mm washer (KG001) pcs.

O

OKS clip disc with nail (KG008), 117

P

Panel pin, black, lost head (KS076) 1kg, 20
 Panel pin, bright zinc plated, smooth, lost head, 20 (KS150) 1kg
 Panel pin, bright zinc plated, smooth, lost head, 20 (KS150) pcs.
 Pipe clamp UNO-LB (OZ035), 128
 Pipe clip Clip-Fixx (CC019), 124
 Pipe clip KPA grey (OZ006), 125
 Pipe clip KPA white (OZ006), 125
 Pipe clip UNO-LBD with rubber layer (OZ034), 128
 Pipe clip, nylon with dowel ø6 mm SCP (CP000), 120-121
 Pipe clip, nylon with dowel SCP DUO (CP000), 122
 Pipe clip, nylon without dowel SCP-M6 (CP000), 120
 Pipe clip, nylon without dowel SCP-M6 DUO (CP000), 122

P

Plasterboard anchor, plastic, turn-in (PG041), 56
 Plasterboard anchor, ZAMAK, turn-in (PG042), 55
 Plasterboard anchor, ZAMAK, turn-in incl. screw, 55 (MZ052)
 Polyhead stainless steel nail ring shank grooved, with, 30 polymeer head A4 [AISI 316] (RV 038)
 Pressure clip with nail anchor, flame-resistant, max., 153
 16 cables KKB-F 10/16 (OZ002)
 Pressure clip with nail anchor, flame-resistant, max. 8, 153
 cables KKB-F 8 (OZ002)
 Pressure clip with nail anchor, max. 16 cables KKB, 152
 10/16 (OZ002)
 Pressure clip with nail anchor, max. 8 cables KKB 8, 152
 (OZ002)
 Pressure clip, flame-resistant, max. 16 cables KKB-F, 152
 10/16 (OZ003)
 Pressure clip, flame-resistant, max. 8 cables KKB-F 8, 152
 (OZ003)
 Pressure clip, max. 16 cables KKB 10/16 (OZ003), 151
 Pressure clip, max. 8 cables KKB 8 (OZ003), 151
 PTFE thread sealing tape (EM031), 73
 Push-in anchor for fastening tie M6/M7 (VK003), 69
 Push-in clip STD (OZ054), 102
 Push-in clip STH ø6 mm (OZ065), 103
 Push-in clip STH ø8 mm (OZ078), 103
 Push-in clip STHD ø6 mm (OZ064), 103
 Push-in clip STHD ø8 mm (OZ078), 104
 Push-in clip STS, curved (OZ050), 105
 Push-in clip STS, straight (OZ050), 105
 Push-in dowel (PG045), 107
 Push-in dowel (PG046), 107
 Push-through dowel (PG047), 108
 Push-through dowel (PG048), 108

R

RKK cable clip, grey (CC012), 109
 RKK cable clip, white (CC012), 109
 RKS clip disc with nail (KG007), 115
 RKS clip disc without nail (KG007), 115
 Row clip for C-profile rail (OZ098), 159

S

S hook (MZ051), 74
 Screw nail, bright zinc plated, 60° thread (PR189), 26
 Screw terminal (EM003 to EM006), 82
 Screw terminal, open on one side (EM007), 83
 Screwless terminal, 2-pin (EM034), 85
 Screwless terminal, 3-pin (EM001), 84
 Screwless terminal, 3-pin (EM034), 85
 Screwless terminal, 5-pin (EM002), 84
 Screwless terminal, 5-pin (EM034), 86
 Setting tool with hand protection (KS207), 42, 75
 Setting tool with hand protection (KS246), 44
 Setting tool with hand protection (KS354), 75
 Setting tool with hand protection and rubber ring, 43 (KS354)
 Setting tool with hand protection for Fixpin with, 75 removable head (KS246)
 Setting tool without hand protection (KS170), 40, 76
 Setting tool without hand protection with sleeve, 76 (KS221)
 Siku nail, bright zinc plated (KG013), 25
 Siku nail, black (KG012), 25
 SKK cable clip (CC008), 113
 SKKD cable clip (CC009), 113
 Snap-On pipe clip OPDZ STP (OZ040), 137
 Snap-On pipe clip OPDZ TF (OZ055), 138
 Snap-On pipe clip, OPDZ 5 mm grey (OZ052), 135
 Snap-On pipe clip, OPDZ 6 mm cream KEMA, 135 (OZ043)
 Snap-On pipe clip, OPDZ 6 mm dark grey KEMA, 135 (OZ043)

S

Snap-On pipe clip, OPDZ 6 mm grey (OZ048), 134
 Snap-On pipe clip, OPDZ 6 mm grey KEMA (OZ043), 135
 Solid material plug with collar (PG038), 45
 Solid material plug without collar (PG037), 45
 Spacer clip aluminium (MZ076), 142
 Spacer clip metal (MZ033), 142
 Spacer clip thread M6 (MZ034), 143
 Spacer for pipe clip KPA grey (OZ011), 126
 Spacer for pipe clip KPA white (OZ011), 126
 SPC cable clip (CC010), 114
 SPCD cable clip (CC011), 114
 Speedplug SP stainless steel A2 (AISI 304), flat, 51
 collar, cylinder head (RV028)
 Speedplug SP, flat collar, cylinder head (PL017), 48
 Speedplug SP-E, flat collar, cylinder head (PL064), 48
 Speedplug SPHZ, wide collar, countersunk head, 51
 (PL042)
 Speedplug SPKK, countersunk collar, countersunk, 49
 head (PL053)
 Speedplug SPM M6, countersunk collar, threaded, 49
 head (PL029)
 Speedplug SPM M7, countersunk collar, countersunk, 69
 head
 Speedplug SPM M7, countersunk collar, threaded, 50
 head (PL027)
 Speedplug SPM M8, countersunk collar, threaded, 50
 head (PL028)
 Speedplug SPM, countersunk collar, countersunk, 143
 head
 Speedplug SPP, countersunk collar, countersunk, 50
 head (PL055)
 Speedplug SPP, countersunk collar, countersunk, 50
 head (PL066)
 Speedplug SPTB, mushroom collar, mushroom head, 51
 (PL017)
 Spring anchor with ceiling hook (SC023), 60
 Spring anchor without ceiling hook (SC022), 60
 Srew terminal, open on both sides (EM008), 83
 Stainless steel nail, grooved, round head A2 [AISI, 28
 304] (RV 039)
 Stainless steel nail, ring grooved, half round head A2, 32
 [AISI 304] according to CPR (RV 034)
 Stainless steel nail, ring grooved, half round head A4, 33
 [AISI 316] according to CPR (RV 037)
 Stainless steel nail, smooth, flat head A2 [AISI 304], 29
 (RV013)
 Stainless steel nail, smooth, flat head A2 [AISI 304], 32
 according to CPR (RV 013)
 Stainless steel nail, smooth, lost head, A2 [AISI 304], 28
 (RV 014)
 Stainless steel nail, smooth, round head A2 [AISI, 28
 304] (RV 001)
 Stainless steel nail, smooth, round head A2 [AISI, 32
 304] according to CPR (RV 001)
 Stainless steel ring shank coil nails, round head A4, 31
 [AISI 316] (RV 046)
 Steel hook, black, smooth, square (KS132) pcs., 22
 Steel hook, bright zinc plated, grooved, round, 23
 (KS138) pcs.
 Steel nail, black, smooth, countersunk head (KS006), 15
 1kg
 Steel nail, black, smooth, countersunk head (KS006), 15
 2,5kg
 Steel nail, black, smooth, countersunk head (KS006), 14
 pcs.
 Steel nail, black, smooth, round head (KS004) 1kg, 12-13
 Steel nail, black, smooth, round head (KS004) 2,5kg, 13
 Steel nail, black, smooth, round head (KS004) pcs., 12
 Steel nail, black, smooth, TLB-head (KS008) 1kg, 14
 Steel nail, bright zinc plated, grooved with 15mm, 19
 washer head (KS112) pcs.
 Steel nail, bright zinc plated, grooved, countersunk, 18-19
 head (KS153/KS002) 1kg
 Steel nail, bright zinc plated, grooved, countersunk, 18
 head (KS153/KS002) pcs.

S

Steel nail, bright zinc plated, smooth, countersunk, 16
 head (KS111) 1kg
 Steel nail, bright zinc plated, smooth, countersunk, 16
 head (KS111) 2,5kg
 Steel nail, bright zinc plated, smooth, countersunk, 15-16
 head (KS111) pcs.
 Steel nail, bright zinc plated, smooth, round head, 14
 (KS014) pcs.
 Steel nail, bright zinc plated, smooth, round head, 13
 (KS110) pcs.
 Steel nail, mechanical zinc plated, smooth, , 17
 countersunk head, ballistic point (KS148) pcs.
 Strip earthing clip brass for pipes (EM033), 164
 Strip earthing clip stainless steel for pipes (EM019), 164
 Strip for pipe clip UNO-LB/-LBD (OZ023), 128
 Suction unit (GE004), 97
 Support clamp for cables and pipes (MZ045), 160
 Support clamp for knocking in UNI (MZ080), 161
 Support shaft SDS+ (GE007), 97
 Support shaft, hexagonal (GE006), 97

T

Tilting anchor with ceiling hook (SC021), 61
 Tilting anchor without ceiling hook (SC020), 61
 Total-Fixx TF, flat collar, cylinder head (PL067), 54

U

U-clamp with hammerhead foot for C-profile rail, 157
 (MZ042)
 Universal cable tie with hole (OZ091), 67
 Universal cable tie with hole, reclosable (OZ091), 68
 Universal cable tie with hole, tension resistant, 67
 (OZ091)

V

Viscose adhesive tape, double-sided (EM030), 73

W

WKK cable clip with nail (CC006), 110
 WKK cable clip without nail (CC005), 110
 WKK-PE cable clip with nail (CC015), 111
 WKK-PE cable clip without nail (CC014), 111

Numeric directory

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page
8003410	900 34 1		85	8036012	903 60 1		77	8043157	904 31 5		143	8044055	904 40 6		38
8003427	900 34 2		85					8043164	904 31 6		143	8044079	904 40 7		38
8003434	900 34 3		86	8038108	903 81 0		111	8043171	904 31 7		143	8044086	904 40 8		38
				8038115	903 81 1		111	8043188	904 31 8		143	8044093	904 40 9		38
8007265	900 72 6		71	8038122	903 81 2		111	8043195	904 31 9		143	8044109	904 41 0		38
8007272	900 72 7		71	8038139	903 81 3		111	8043201	904 32 0		143	8044116	904 41 1		38
8007289	900 72 8		71	8038146	903 81 4		111	8043218	904 32 1		143	8044123	904 41 2		38
8007296	900 72 9		71	8038153	903 81 5		111	8043225	904 32 2		143	8044130	904 41 3		38
8007302	900 73 0		71	8038160	903 81 6		111	8043232	904 32 3		143	8044147	904 41 4		38
				8038177	903 81 7		111	8043249	904 32 4		143	8044154	904 41 5		38
8008996	900 89 9		139	8038184	903 81 8		111	8043256	904 32 5		143	8044161	904 41 6		38
				8038191	903 81 9		111	8043263	904 32 6		143	8044178	904 41 7		38
8009009	900 90 0		139	8038207	903 82 0		111	8043270	904 32 7		143	8044185	904 41 8		38
8009016	900 90 1		139		903 82 1		111	8043287	904 32 8		143	8044192	904 41 9		38
8009023	900 90 2		139	8038221	903 82 2		111	8043294	904 32 9		143	8044208	904 42 0		38
8009030	900 90 3		139	8038238	903 82 3		111	8043300	904 33 0		143	8044215	904 42 1		38
8009047	900 90 4		139	8038245	903 82 4		111	8043317	904 33 1		143	8044222	904 42 2		38
8009054	900 90 5		141	8038252	903 82 5		111	8043324	904 33 2		84	8044239	904 42 3		38
8009078	900 90 7		141	8038269	903 82 6		111	8043331	904 33 3		84	8044246	904 42 4		38
8009092	900 90 9		139	8038276	903 82 7		144	8043362	904 33 6		82	8044253	904 42 5		38
8009108	900 91 0		141	8038283	903 82 8		144	8043379	904 33 7		82	8044260	904 42 6		38
8009115	900 91 1		141	8038290	903 82 9		144	8043386	904 33 8		82	8044277	904 42 7		36
8009139	900 91 3		141	8038306	903 83 0		144	8043393	904 33 9		82	8044284	904 42 8		36
8009184	900 91 8		139	8038320	903 83 2		112	8043409	904 34 0		83	8044291	904 42 9		36
8009191	900 91 9		139	8038337	903 83 3		159	8043416	904 34 1		83	8044307	904 43 0		36
8009207	900 92 0		139	8038412	903 84 1		171	8043430	904 34 3		80	8044314	904 43 1		36
8009214	900 92 1		141	8038849	903 88 4		170	8043430	904 34 4		80	8044321	904 43 2		36
8009221	900 92 2		141	8038856	903 88 5		124	8043454	904 34 5		81	8044338	904 43 3		36
8009238	900 92 3		141	8038924	903 89 2		171	8043461	904 34 6		37	8044345	904 43 4		36
8009245	900 92 4		141					8043478	904 34 7		37	8044352	904 43 5		36
8009252	900 92 5		70	8040002	904 00 0		158	8043485	904 34 8		37	8044369	904 43 6		36
8009269	900 92 6		70	8040019	904 00 1		158	8043492	904 34 9		37	8044376	904 43 7		36
8009276	900 92 7		70	8040026	904 00 2		158	8043508	904 35 0		37	8044383	904 43 8		36
8009283	900 92 8		71	8040033	904 00 3		158	8043515	904 35 1		37	8044390	904 43 9		36
8009344	900 93 4		70	8040040	904 00 4		158	8043522	904 35 2		37	8044406	904 44 0		36
8009351	900 93 5		70	8040057	904 00 5		158	8043539	904 35 3		37	8044413	904 44 1		36
8009368	900 93 6		70	8040064	904 00 6		158	8043546	904 35 4		37	8044437	904 44 3		35
8009375	900 93 7		70	8040071	904 00 7		158	8043553	904 35 5		37	8044444	904 44 4		35
8009382	900 93 8		70	8040088	904 00 8		158	8043560	904 35 6		37	8044451	904 44 5		35
8009391	900 93 9		71	8040095	904 00 9		158	8043577	904 35 7		37	8044468	904 44 6		35
8009405	900 94 0		70	8040101	904 01 0		158	8043584	904 35 8		37	8044475	904 44 7		61
8009474	900 94 7		70	8040118	904 01 1		158	8043591	904 35 9		37	8044482	904 44 8		61
8009481	900 94 8		70	8040125	904 01 2		158	8043607	904 36 0		37	8044499	904 44 9		61
8009610	900 96 1		89	8040132	904 01 3		158	8043614	904 36 1		37	8044505	904 45 0		60
8009658	900 96 5		89	8040149	904 01 4		158	8043621	904 36 2		37	8044512	904 45 1		60
8009696	900 96 9		89	8040354	904 03 5		157	8043638	904 36 3		37	8044529	904 45 2		61
8009719	900 97 1		89	8040361	904 03 6		157	8043645	904 36 4		37	8044536	904 45 3		61
				8040378	904 03 7		157	8043652	904 36 5		37	8044543	904 45 4		61
8010005	901 00 0		139	8040385	904 03 8		157	8043669	904 36 6		37	8044550	904 45 5		130
8010012	901 00 1		139	8040392	904 03 9		157	8043676	904 36 7		37	8044567	904 45 6		130
8010029	901 00 2		139	8040408	904 04 0		157	8043683	904 36 8		37	8044574	904 45 7		131
8010036	901 00 3		139	8040415	904 04 1		157	8043690	904 36 9		37	8044581	904 45 8		131
8010043	901 00 4		139	8040422	904 04 2		157	8043706	904 37 0		37	8044598	904 45 9		24
8010050	901 00 5		139	8040439	904 04 3		157	8043713	904 37 1		37	8044604	904 46 0		24
8010067	901 00 6		139	8040446	904 04 4		157	8043720	904 37 2		37	8044611	904 46 1		24
8010074	901 00 7		139	8040453	904 04 5		157	8043737	904 37 3		37	8044628	904 46 2		24
8010081	901 00 8		139	8040460	904 04 6		157	8043744	904 37 4		37	8044635	904 46 3		24
8010098	901 00 9		139	8040477	904 04 7		157	8043751	904 37 5		37	8044642	904 46 4		24
8010104	901 01 0		139	8040484	904 04 8		157	8043768	904 37 6		37	8044659	904 46 5		24
8010111	901 01 1		139	8040491	904 04 9		157	8043782	904 37 8		37	8044666	904 46 6		24
8010128	901 01 2		139					8043799	904 37 9		37	8044673	904 46 7		24
8010135	901 01 3		139	8042501	904 25 0		88	8043805	904 38 0		37	8044680	904 46 8		24
8010401	901 04 0		140	8042518	904 25 1		88	8043812	904 38 1		37	8044697	904 46 9		24
8010418	901 04 1		140	8042525	904 25 2		88	8043829	904 38 2		37	8044703	904 47 0		24
8010425	901 04 2		140	8042532	904 25 3		88	8043836	904 38 3		37	8044710	904 47 1		24
8010432	901 04 3		140	8042549	904 25 4		88	8043843	904 38 4		37	8044727	904 47 2		24
8010449	901 04 4		140	8042600	904 26 0		88	8043850	904 38 5		37	8044734	904 47 3		24
8010456	901 04 5		140	8042617	904 26 1		88	8043867	904 38 6		37	8044741	904 47 4		24
8010463	901 04 6		140	8042624	904 26 2		88	8043874	904 38 7		38	8044758	904 47 5		25
8010470	901 04 7		140	8042631	904 26 3		88	8043881	904 38 8		38	8044765	904 47 6		25
8010487	901 04 8		140	8042648	904 26 4		88	8043898	904 38 9		38	8044772	904 47 7		25
								8043904	904 39 0		38	8044789	904 47 8		25
8026556	902 65 5		95	8043003	904 30 0		142	8043928	904 39 2		38	8044796	904 47 9		25
8026563	902 65 6		95	8043010	904 30 1		142	8043935	904 39 3		38	8044802	904 48 0		25
8026846	902														

GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page
8045939	904 59 3		65	8054863	905 48 6		92	8056256	905 62 5		62	8302025	930 20 2		39
				8054870	905 48 7		92	8056263	905 62 6		62	8302094	930 20 9		39
8046301	904 63 0		64	8054887	905 48 8		92	8056270	905 62 7		62	8302506	930 25 0		12
8046318	904 63 1		64	8054894	905 48 9		92	8056287	905 62 8		62	8302698	930 26 9		15
8046325	904 63 2		64	8054900	905 49 0		92	8056294	905 62 9		63	8302773	930 27 7		15
8046332	904 63 3		64	8054917	905 49 1		92	8056300	905 63 0		63	8302858	930 28 5		15
				8054924	905 49 2		92	8056317	905 63 1		63	8302933	930 29 3		15
8047001	904 70 0		160	8054931	905 49 3		92	8056324	905 63 2		63				
8047018	904 70 1		160	8054948	905 49 4		92	8056331	905 63 3		63	8303145	930 31 4		15
8047025	904 70 2		160	8054955	905 49 5		92	8056348	905 63 4		63	8303220	930 32 2		15
8047032	904 70 3		160	8054962	905 49 6		92	8056355	905 63 5		63	8303305	930 33 0		15
8047049	904 70 4		160	8054979	905 49 7		92	8056362	905 63 6		63	8303572	930 35 7		15
8047056	904 70 5		160	8054993	905 49 9		92	8056379	905 63 7		63	8303732	930 37 3		15
8047063	904 70 6		160					8056386	905 63 8		63	8303817	930 38 1		15
8047070	904 70 7		160	8055006	905 50 0		92	8056393	905 63 9		63				
				8055013	905 50 1		92	8056409	905 64 0		63	8304104	930 41 0		15
8051015	905 10 1		164	8055020	905 50 2		92	8056416	905 64 1		63	8304371	930 43 7		15
8051022	905 10 2		164	8055037	905 50 3		92	8056423	905 64 2		63	8304531	930 45 3		15
8051039	905 10 3		164	8055044	905 50 4		94	8056430	905 64 3		63	8304616	930 46 1		15
8051053	905 10 5		166	8055051	905 50 5		94	8056447	905 64 4		63	8304883	930 48 8		12
8051060	905 10 6		169	8055068	905 50 6		94	8056454	905 64 5		63	8304968	930 49 6		12
8051077	905 10 7		167	8055075	905 50 7		94	8056461	905 64 6		63				
8051107	905 11 0		165	8055082	905 50 8		94	8056478	905 64 7		63	8305095	930 50 9		12
8051114	905 11 1		165	8055099	905 50 9		94					8305170	930 51 7		12
8051121	905 11 2		165	8055105	905 51 0		94	8057727	905 77 2		91	8305255	930 52 5		12
8051138	905 11 3		165	8055112	905 51 1		94					8305338	930 53 3		12
8051145	905 11 4		165	8055129	905 51 2		94	8179283	917 92 8		22	8305415	930 54 1		12
8051152	905 11 5		165	8055136	905 51 3		90	8179290	917 92 9		22	8305682	930 56 8		12
8051213	905 12 1		45	8055143	905 51 4		90	8179306	917 93 0		22	8305842	930 58 4		12
8051220	905 12 2		45	8055150	905 51 5		90	8179313	917 93 1		22				
8051237	905 12 3		45	8055167	905 51 6		90	8179320	917 93 2		22	8306054	930 60 5		12
8051244	905 12 4		45	8055174	905 51 7		90	8179337	917 93 3		22	8306139	930 61 3		12
8051251	905 12 5		45	8055181	905 51 8		90	8179344	917 93 4		22	8306481	930 64 8		12
8051268	905 12 6		45	8055198	905 51 9		90	8179351	917 93 5		22	8306641	930 66 4		12
8051275	905 12 7		45	8055204	905 52 0		90	8179368	917 93 6		22	8306801	930 68 0		12
8051282	905 12 8		45	8055211	905 52 1		90	8179375	917 93 7		22	8306993	930 69 9		12
8051299	905 12 9		45	8055228	905 52 2		90	8179382	917 93 8		22				
8051305	905 13 0		45	8055235	905 52 3		90	8179771	917 97 7		142	8307792	930 77 9		14
8051312	905 13 1		45	8055242	905 52 4		90	8179788	917 97 8		142	8307877	930 78 7		14
8051329	905 13 2		46	8055259	905 52 5		90	8179795	917 97 9		142	8307952	930 79 5		14
8051336	905 13 3		46	8055266	905 52 6		90	8179801	917 98 0		142				
8051343	905 13 4		46	8055273	905 52 7		90	8179818	917 98 1		142	8308089	930 80 8		14
8051350	905 13 5		46	8055297	905 52 9		90	8179825	917 98 2		142	8308324	930 83 2		14
8051367	905 13 6		46	8055471	905 54 7		90	8179832	917 98 3		142	8308409	930 84 0		14
8051374	905 13 7		46	8055488	905 54 8		92					8308591	930 85 9		14
8051381	905 13 8		56	8055495	905 54 9		92	8251798	925 17 9		13	8308676	930 86 7		14
8051398	905 13 9		55	8055617	905 56 1		92					8308836	930 88 3		14
				8055624	905 56 2		92	8275350	927 53 5		23				
8052005	905 20 0		107	8055730	905 57 3		93	8275374	927 53 7		23	8309123	930 91 2		14
8052012	905 20 1		107	8055747	905 57 4		92	8275398	927 53 9		23	8309390	930 93 9		14
8052029	905 20 2		108	8055815	905 58 1		91	8275459	927 54 5		23	8309550	930 95 5		14
8052036	905 20 3		108	8055822	905 58 2		91					8309635	930 96 3		14
8052104	905 21 0		67	8055839	905 58 3		91	8276661	927 66 6		22				
8052111	905 21 1		68	8055846	905 58 4		91	8276678	927 66 7		22	8317043	931 70 4		49
8052128	905 21 2		67	8055853	905 58 5		91	8276692	927 66 9		22	8317081	931 70 8		49
8052135	905 21 3		67	8055860	905 58 6		91	8276708	927 67 0		22	8317128	931 71 2		49
8052142	905 21 4		68	8055877	905 58 7		91	8276715	927 67 1		22	8317203	931 72 0		49
8052159	905 21 5		67	8055884	905 58 8		91	8276722	927 67 2		22	8317234	931 72 3		49
8052166	905 21 6		67	8055891	905 58 9		91	8276746	927 67 4		22	8317258	931 72 5		49
8052173	905 21 7		68	8055907	905 59 0		91	8276760	927 67 6		22	8317265	931 72 6		49
8052180	905 21 8		67	8055914	905 59 1		91					8317395	931 73 9		49
				8055921	905 59 2		91	8283751	928 37 5		22	8317418	931 74 1		49
8054306	905 43 0		109	8055938	905 59 3		91	8283850	928 38 5		22	8317463	931 74 6		49
8054313	905 43 1		109	8055945	905 59 4		91	8283935	928 39 3		22	8317470	931 74 7		49
8054320	905 43 2		109	8055952	905 59 5		91					8317531	931 75 3		49
8054337	905 43 3		109	8055969	905 59 6		91	8284222	928 42 2		22	8317555	931 75 5		49
8054344	905 43 4		109	8055976	905 59 7		90								
8054351	905 43 5		109	8055983	905 59 8		90	8298151	929 81 5		12	8319153	931 91 5		18
8054368	905 43 6		109	8055990	905 59 9		90	8298236	929 82 3		12	8319238	931 92 3		18
8054375	905 43 7		109					8298311	929 83 1		12	8319313	931 93 1		18
8054382	905 43 8		109	8056003	905 60 0		90	8298588	929 85 8		12	8319740	931 97 4		19
8054399	905 43 9		109	8056010	905 60 1		90	8298748	929 87 4		12	8319900	931 99 0		19
8054405	905 44 0		109	8056102	905 61 0		62	8298823	929 88 2		12				
8054412	905 44 1		109	8056119	905 61 1		62	8298908	929 89 0		12	8320005	932 00 0		125
8054429	905 44 2		109	8056126	905 61 2		62					8320012	932 00 1		125
8054436	905 44 3		109	8056133	905 61 3		62	8299035	929 90 3		12	8320029	932 00 2		125
8054443	905 44 4		109	8056140	905 61 4		62	8299110	929 91 1		12	8320074	932 00 7		125
8054450	905 44 5		109	8056157	905 61 5										

Numeric directory

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page
8321101	932 11 0		19	8434146	943 41 4		13	8952299	954 90 4		116	8626909	962 69 0		50
8321170	932 11 7		19	8434221	943 42 2		13	8952305	954 90 6		116				
8332121	932 12 5		19	8434498	943 44 9		13	8549086	954 90 8		116	8628071	962 80 7		21
8321330	932 13 3		19	8434573	943 45 7		13	8549109	954 91 0		116				
8321682	932 16 8		19					8549123	954 91 2		116	8630524	963 05 2		120
8321767	932 17 6		19	8435372	943 53 7		13	8549147	954 91 4		116	8630609	963 06 0		120
8321842	932 18 4		19					8549161	954 91 6		116	8630791	963 07 9		120
8321927	932 19 2		19	8943884	943 88 7		50	8549222	954 92 2		102	8630876	963 08 7		120
				8943891	943 89 5		50	8549260	954 92 6		118				
8322054	932 20 5		19					8549277	954 92 7		118	8631675	963 16 7		120
8322139	932 21 3		19	8439097	943 90 9		51	8549284	954 92 8		118				
8322214	932 22 1		19	8439134	943 91 3		49	8549291	954 92 9		118	8632559	963 25 5		128
				8439172	943 91 7		51	8549345	954 93 4		117	8632627	963 26 2		128
8330202	933 02 0		128	8439196	943 91 9		51	8549383	954 93 8		117	8632641	963 26 4		128
				8439202	943 92 0		51	8549420	954 94 2		117				
8331797	933 17 9		12	8439219	943 92 1		51	8549468	954 94 6		117	8633006	963 30 0		122
8331872	933 18 7		13	8439257	943 92 5		51					8633198	963 31 9		122
8331957	933 19 5		13					8550013	955 00 1		45	8633273	963 32 7		122
				8445159	944 51 5		19	8550280	955 02 8		45	8633358	963 33 5		122
8332084	933 20 8		13					8550365	955 03 6		45				
8332169	933 21 6		13	8447832	944 78 3		15	8550440	955 04 4		45	8634157	963 41 5		120
8332244	933 22 4		13					8550525	955 05 2		45	8634317	963 43 1		120
8332329	933 23 2		13	8448471	944 84 7		15	8550549	955 05 4		45	8634584	963 45 8		120
				8448983	944 89 8		15	8550938	955 09 3		57				
8366010	936 60 1		13					8550945	955 09 4		58	8635116	963 51 1		122
				8451341	945 13 4		52	8550952	955 09 5		57	8635468	963 54 6		122
8378907	937 89 0		12	8451631	945 16 3		52	8550976	955 09 7		57				
				8451907	945 19 0		52	8550983	955 09 8		59	8642077	964 20 7		17
8382447	938 24 4		20	8451983	945 19 8		52					8642152	964 21 5		17
8382522	938 25 2		20					8551010	955 10 1		59	8642237	964 22 3		17
8382959	938 29 5		20	8452089	945 20 8		52	8551195	955 11 9		103	8642589	964 25 8		17
								8551201	955 12 0		103	8642664	964 26 6		17
8391678	939 16 7		15	8480716	948 07 1		13	8551218	955 12 1		103	8642749	964 27 4		17
8391753	939 17 5		15					8551225	955 12 2		103				
8391838	939 18 3		15	8486534	948 65 3		13	8551270	955 12 7		103	8644187	964 41 8		17
8391913	939 19 1		15					8551287	955 12 8		103	8644262	964 42 6		17
				8494881	949 48 8		16	8551294	955 12 9		104	8644347	964 43 4		17
8392040	939 20 4		15	8494966	949 49 6		16	8551300	955 13 0		104	8644422	964 44 2		17
8392125	939 21 2		15					8551331	955 13 3		103	8644507	964 45 0		17
8392200	939 22 0		15	8495093	949 50 9		16	8551344	955 13 4		103	8644699	964 46 9		17
8392392	939 23 9		15		949 51 7		16	8551393	955 13 9		103	8644774	964 47 7		17
8392477	939 24 7		15	8495338	949 53 3		16	8551409	955 14 0		103				
8392552	939 25 5		15	8495413	949 54 1		16	8551447	955 14 4		114	8661658	966 16 5		121
8392750	939 27 5		16					8551454	955 14 5		114	8661726	966 17 2		121
				8496489	949 64 8		16	8551461	955 14 6		114	8661849	966 18 4		121
8394235	939 42 3		15	8496564	949 65 6		16	8551478	955 14 7		114				
8394310	939 43 1		15	8496649	949 66 4		16	1561482	955 14 8		114	8672050	967 20 5		20
8394587	939 45 8		15	8496809	949 68 0		16	8551492	955 14 9		114	8672388	967 23 8		14
8394662	939 46 6		15	8496991	949 69 9		16					8672425	967 24 2		14
8394747	939 47 4		15					8566021	956 60 2		18	8672463	967 24 6		14
8394822	939 48 2		15	8497011	949 70 1		20	8566106	956 61 0		18				
8394907	939 49 0		15	8497196	949 71 9		34	8566298	956 62 9		18	8673019	967 30 1		29
				8497202	949 72 0		34					8673286	967 32 8		29
8395119	939 51 1		16	8497288	949 72 8		20	8567097	956 70 9		18	8673446	967 34 4		32
				8497363	949 73 6		16	8567172	956 71 7		18	8673606	967 36 0		32
8403609	940 36 0		14	8497394	949 73 9		16	8567257	956 72 5		18				
				8497400	949 74 0		16					8674597	967 45 9		32
8408383	940 83 8		20	8497448	949 74 4		16	8570943	957 09 4		40	8674672	967 46 7		28
				8497523	949 75 2		20					8674757	967 47 5		28
8415237	941 52 3		28					8571063	957 10 6		40	8674832	967 48 3		28
				8507956	950 79 5		43	8571100	957 11 0		40	8674917	967 49 1		28
8420002	942 00 0		72					8571124	957 11 2		40				
8420019	942 00 1		72	8508007	950 80 0		42	8571162	957 11 6		40	8676782	967 67 8		28
8420026	942 00 2		72	8508045	950 80 4		43	8571186	957 11 8		40				
8420035	942 00 3		72	8508106	950 81 0		42	8571209	957 12 0		40	8695264	969 52 6		20
8420042	942 00 4		72	8508205	950 82 0		42								
8420059	942 00 5		72	8508250	950 82 5		42	8600039	960 00 3		49	8700258	970 02 5		50
8420066	942 00 6		73	8508281	950 82 8		42	8960041	960 04 6		50	8700333	970 03 3		50
8420103	942 00 7		73	8508687	950 86 8		42					8700418	970 04 1		50
8420080	942 00 8		73	8508762	950 87 6		42	8603023	960 30 2		50	8700845	970 08 4		50
				8508847	950 88 4		42								
8431152	943 11 5		49	8508922	950 89 2		42	8607830	960 78 3		13	8701217	970 12 2		54
												8701651	970 16 5		54
8432036	943 20 3		18	8509301	950 93 0		44	8610007	961 00 0		129	8701828	970 18 2		55
8432975	943 29 7		13	8509325	950 93 2		44					8701842	970 18 4		55
				8509806	950 98 0		42	8618157	961 81 5		21				
8433187	943 31 8		13	8509998	950 99 9		42	8618232	961 82 3		21	8702795	970 27 9		28
8433262	943 32 6		13					8618317	961 83 1		21				
8433507	943 35 0		13	8510000	951 00 0		49	8618584	961 85 8		21	8703082	970 30 8		28
8433699	943 36 9		13	8510192	951 01 9		49	8961864	961 86 6		21				
8433859	943 38 5		13	8510215	951 02 1		49	8618744	961 87 4		21	8711162	971 11 6		28
8433866	943 38 6		13					8618829	961 88 2		21				
8433873	943 38 7		13	8530367	953 03 6		21	8618898	961 88 9		21				

GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page	GTIN	Item no.	Price	Page
8727170	972 71 7		19	8816638	981 66 3		154	8837824	983 78 2		27	8912156	991 21 5		149
8727194	972 71 9		19	8816690	981 66 9		154					8912163	991 21 6		149
8727217	972 72 1		19	8816706	981 67 0		74	8838111	983 81 1		27				
				8816713	981 67 1		74	8838463	983 84 6		27	1914035	991 40 3		110
8729280	972 92 8		19	8816720	981 67 2		74	8838890	983 88 9		27				
8729440	972 94 4		19	8816737	981 67 3		74					8915058	991 50 5		69
								8839187	983 91 8		27	8915072	991 50 7		69
8730668	973 06 6		16	8818601	981 86 0		135	8839347	983 93 4		27	8915300	991 53 0		69
8730743	973 07 4		28	8818618	981 86 1		135	8839774	983 97 7		27				
8730828	973 08 2		28	8818625	981 86 2		135					8922797	992 27 9		81
8730903	973 09 0		28	8818632	981 86 3		135	8840138	984 01 3		27				
				8818649	981 86 4		135	8840480	984 04 8		27	1923204	992 32 0		16
				8818656	981 86 5		135	8840640	984 06 4		27	1923396	992 33 9		16
8731030	973 10 3		28	8818663	981 86 6		135	8840800	984 08 0		27	1923471	992 34 7		16
8731702	973 17 0		16	8818861	981 88 6		135					8923558	992 35 5		16
								8841012	984 10 1		27	8923633	992 36 3		16
8732341	973 23 4		28									8923718	992 37 1		16
8732402	973 24 0		32	8819004	981 90 0		135								
8732426	973 24 2		32	8819028	981 90 2		134	8862543	986 25 4		14				
8732440	973 24 4		32	8819103	981 91 0		134					8924197	992 41 9		16
8732501	973 25 0		32	8819141	981 91 4		135	8864493	986 44 9		15	8924906	992 49 0		16
8732532	973 25 3		32	8819172	981 91 7		135	8864738	986 47 3		15	8924944	992 49 4		16
8732549	973 25 4		32	8819189	981 91 8		135								
8732556	973 25 5		32	8819240	981 92 4		134	8865292	986 52 9		15	8927501	992 75 0		20
	973 25 7		32	8819370	981 93 7		134	8865889	986 58 8		12	8927518	992 75 1		20
	973 25 8		32	8819448	981 94 4		134								
8732600	973 26 0		32	8819493	981 94 9		138	8866091	986 60 9		12	8993483	993 48 9		26
8732648	973 26 4		32	8819509	981 95 0		134	8866411	986 64 1		12				
8732662	973 26 6		30	8819554	981 95 5		134	8866763	986 67 6		12	8935858	993 58 5		26
8732686	973 26 8		32	8819585	981 95 8		134	8866848	986 68 4		15				
8732723	973 27 2		33	8819608	981 96 0		134					8936145	993 61 4		26
8732747	973 27 4		33	8819851	981 98 5		138	8867647	986 76 4		12	8936572	993 65 7		26
8732785	973 27 8		33	8819868	981 98 6		138	8867807	986 78 0		13	8936817	993 68 1		26
8732808	973 28 0		33	8819875	981 98 7		138								
8732846	973 28 4		33	8819882	981 98 8		138	8868019	986 80 1		13	8944027	994 40 2		51
8732907	973 29 0		33	8819899	981 98 9		138	8868521	986 85 2		13	1944131	994 41 3		22
				8819974	981 99 7		137					1944148	994 41 4		22
	973 30 5		33	8819981	981 99 8		137	8869245	986 92 4		15	1944155	994 41 5		22
	973 30 6		33	8819998	981 99 9		137	7886991	986 99 1		13	8944188	994 41 8		16
8733201	973 32 0		33												
8733218	973 32 1		33	8820000	982 00 0		137	8870463	987 04 6		13	1945022	994 50 2		26
8733225	973 32 2		33	8820024	982 00 2		137	8870548	987 05 4		12	1945107	994 51 0		26
8733232	973 32 3		33	8820055	982 00 5		135	8870976	987 09 7		12	1945886	994 58 8		26
8733249	973 32 4		33	8820079	982 00 7		135					1945961	994 59 6		26
8733256	973 32 5		33	8820130	982 01 3		137	8871699	987 16 9		13				
												8946007	994 60 0		134
8734000	973 40 0		30	8830023	983 00 2		16	8874768	987 47 6		14	8946021	994 60 2		134
8734017	973 40 1		30	8830108	983 01 0		16					8946113	994 61 1		134
8734109	973 41 0		30					8875130	987 51 3		14	8946281	994 62 8		134
8734154	973 41 5		30	8831846	983 18 4		18					8946298	994 62 9		134
8734178	973 41 7		30					8890409	989 04 0		20				
8734307	973 43 0		30	8832058	983 20 5		18	8890423	989 04 2		20	8951261	995 12 6		28
8734406	973 44 0		30	8832218	983 22 1		18	8890522	989 05 2		20				
8734413	973 44 1		30	8832560	983 25 6		18					1952143	995 21 4		110
8734420	973 44 2		30	8832720	983 27 2		18	8909002	990 90 0		110	8952152	995 21 5		110
8734437	973 44 3		30	8832997	983 29 9		18	8909019	990 90 1		110	1952167	995 21 6		110
								8909033	990 90 3		110	8952190	995 21 9		110
8738671	973 86 7		20	8833284	983 32 8		18	8909057	990 90 5		110	8952206	995 22 0		110
8738831	973 88 3		20	8833444	983 34 4		18	8909064	990 90 6		110	1952273	995 22 7		115
				8833604	983 36 0		18	8909071	990 90 7		110	1952280	995 22 8		115
8739128	973 91 2		12	8833871	983 38 7		18	8909088	990 90 8		110	1952297	995 22 9		115
								8909095	990 90 9		110	1952303	995 23 0		115
8777298	977 72 9		28	8834083	983 40 8		18	8909101	990 91 0		110	1952310	995 23 1		115
8777458	977 74 5		28	8834243	983 42 4		18					1952327	995 23 2		115
				8834403	983 44 0		18	8911098	991 10 9		151	1952334	995 23 3		115
8804260	980 42 6		19	8834670	983 46 7		18	8911104	991 11 0		152	1952341	995 23 4		115
				8834830	983 48 3		18	8911111	991 11 1		153				
8816201	981 62 0		113					8911173	991 11 7		151	8958983	995 89 8		13
8816218	981 62 1		113	8835042	983 50 4		18	8911180	991 11 8		152				
8816225	981 62 2		113	8835127	983 51 2		27	8911197	991 11 9		153	8976073	997 60 7		28
8816232	981 62 3		113	8835202	983 52 0		18	8911357	991 13 5		146	8976233	997 62 3		32
8816249	981 62 4		113	8835479	983 54 7		18	8911364	991 13 6		146	8976318	997 63 1		32
8816256	981 62 5		113	8983552	983 55 5		27	8911388	991 13 8		147	8976745	997 67 4		32
8816263	981 62 6		113	8835639	983 56 3		18	8911395	991 13 9		148	8976820	997 68 2		32
8816270	981 62 7		113	8835714	983 57 1		27	8911418	991 14 1		147				
8816287	981 62 8		113	8835981	983 59 8		19	8911425	991 14 2		148	8979302	997 93 0		26
8816393	981 63 9		113					8911562	991 15 6		147	8979579	997 95 7		28
8816508	981 65 0		155	8836001	983 60 0		27	8911579	991 15 7		147				
8816515	981 65 1		156	8836278	983 62 7		27	8911685	991 16 8		152	8981505	998 15 0		96
8816522	981 65 2		156	8836353	983 63 5		18	8911760	991 17 6		152	8981512	998 15 1		96
8816539	981 65 3		155	8836513	983 65 1		18	8911777	991 17 7		151	8981529	998 15 2		96
8816546	981 65 4		155	8836780	983 67 8		27	8911784	991 17 8		152	8981536	998 15 3		

Numeric directory

GTIN	Item no.	Price	Page											
8981604	998 16 0		98											
8981611	998 16 1		98											
8981635	998 16 2		98											
8981635	998 16 3		99											
8981642	998 16 4		99											
8981659	998 16 5		99											
8981666	998 16 6		99											
8981673	998 16 7		99											
8981680	998 16 8		99											
8981697	998 16 9		99											
8981703	998 17 0		99											
8981710	998 17 1		99											
8982630	998 26 3		48											
8982647	998 26 4		48											
8998273	998 27 1		48											
8982982	998 29 8		48											
8983002	998 30 0		48											
8987055	998 70 5		48											
8987062	998 70 6		48											
8987109	998 71 0		48											
8987604	998 76 0		48											
8987628	998 76 2		48											
8987642	998 76 4		48											
8987666	998 76 6		48											
8990796	999 07 9		168											
8990802	999 08 0		168											
8990819	999 08 1		168											
8990826	999 08 2		168											
8990833	999 08 3		168											
8990840	999 08 4		168											
8990857	999 08 5		168											
8991007	999 10 0		48											
8991168	999 11 6		55											
8991199	999 11 9		48											
8993896	999 38 9		48											
8993902	999 39 0		48											
8993940	999 39 4		51											
8993971	999 39 7		48											
8994008	999 40 0		51											
8994015	999 40 1		51											
8994022	999 40 2		51											
8994039	999 40 3		51											
8994060	999 40 6		51											
8994077	999 40 7		51											
8994084	999 40 8		51											
8994114	999 41 1		51											
8999102	999 91 0		31											
8999116	999 91 1		31											
8999123	999 91 2		31											
8999133	999 91 3		31											
8999157	999 91 5		31											
8999164	999 91 6		31											
8999176	999 91 7		31											
8999188	999 91 8		31											

Type listing

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
OPDZ-TF 28-29	Grey 28-29	8819899	981 98 9		138	KS002 4,5x50	4,5/ G 8321767	932 17 6			19
OPDZ-TF 25-26x1	Grey 25-26	8819493	981 94 9		138	KS002 4,5x55	4,5/ G 8833284	983 32 8			18
OPDZ-TF 22-23	Grey 22-23	8819882	981 98 8		138	KS002 4,5x60	4,5/ G 8832997	983 29 9			18
OPDZ-TF 20-21	Grey 20-21	8819875	981 98 7		138	KS002 4,5x60	4,5/ G 8321842	932 18 4			19
OPDZ-TF 18-19x3/4	Grey 18-19	8819868	981 98 6		138	KS002 4,5x65	4,5/ G 8832720	983 27 2			18
OPDZ-TF 15-16x5/8	Grey 15-16	8819851	981 98 5		138	KS002 4,5x70	4,5/ G 8832560	983 25 6			18
						KS002 4,5x70	4,5/ G 8321927	932 19 2			19
SPE 6x35	Natural6	8987604	998 76 0		48	KS002 4,5x80	4,5/ G 8832218	983 22 1			18
SPE 6x40	Natural6	8987666	998 76 6		48	KS002 4,5x80	4,5/ G 8322054	932 20 5			19
SPE 6x55	Natural6	8987642	998 76 4		48	KS002 4,5x90	4,5/ G 8832058	983 20 5			18
SPE 6x70	Natural6	8987628	998 76 2		48	KS002 4,5x90	4,5/ G 8322139	932 21 3			19
OZ077 9X132	Black9	8045908	904 59 0		65	VK002 6x40	Black6 8550983	955 09 8			59
OZ077 9X180	Black9	8045915	904 59 1		65						
OZ077 9X260	Black9	8045922	904 59 2		65	EM003 4x12 pol	White 8043362	904 33 6			82
OZ077 9X360	Black9	8045939	904 59 3		65						
						GE003 M68	White 8981550	998 15 5			96
EM001 0,5-2,5x3	Grey	8043324	904 33 2		84	GE003 M82	White 8981543	998 15 4			96
GE001 UNI68	Red	8981505	998 15 0		96	KG003 2,5x25	2,5/ G 8530374	953 03 7			21
GE001 UNI82	Red	8981512	998 15 1		96	KG003 2,5x30	2,5/ G 8530367	953 03 6			21
KG001 3,75x22	3,75/ MVZ	8628071	962 80 7		21	ME003 1,2x20	1,2 8835127	983 51 2			27
KG001 3,75x27	3,75/ MVZ	8618157	961 81 5		21	ME003 1,5x20	1,5 8983552	983 55 5			27
KG001 3,75x32	3,75/ MVZ	8618232	961 82 3		21	ME003 1,5x25	1,5 8835714	983 57 1			27
KG001 3,75x37	3,75/ MVZ	8618317	961 83 1		21	ME003 1,6x25	1,6 8836001	983 60 0			27
KG001 3,75x42	3,75/ MVZ	8618584	961 85 8		21	ME003 1,8x30	1,8 8836278	983 62 7			27
KG001 3,75x47	3,75/ MVZ	8961864	961 86 6		21	ME003 2,7x50	2,7 8837152	983 71 5			27
KG001 3,75x54	3,75/ MVZ	8618744	961 87 4		21	ME003 2x40	2 8836780	983 67 8			27
KG001 3,75x62	3,75/ MVZ	8618829	961 88 2		21						
KG001 3,75x72	3,75/ MVZ	8618898	961 88 9		21	VK003 M7 10x43	Grey 8915300	991 53 0			69
KG001 3,75x82	3,75/ MVZ	8619208	961 92 0		21						
KG001 3,75x97	3,75/ MVZ	8619222	961 92 2		21	EM004 6x12 pol	White 8043379	904 33 7			82
RV001 1,6x20	1,6	8676782	967 67 8		28	FP 4/9x14	4/ BK 8508847	950 88 4			42
RV001 1,6x25	1,6	8979579	997 95 7		28	FP 4/9x18	4/ BK 8508922	950 89 2			42
RV001 1,8x32	1,8	8976073	997 60 7		28	FP 4/9x22	4/ BK 8509806	950 98 0			42
RV001 2,1x40	2,1	8976233	997 62 3		32	FP 4/9x27	4/ BK 8509998	950 99 9			42
RV001 2,4x45	2,4	8976318	997 63 1		32	FP 4/9x35	4/ BK 8508687	950 86 8			42
RV001 2,8x50	2,8	8976745	997 67 4		32	FP 4/9x40	4/ BK 8508762	950 87 6			42
RV001 2,8x55	2,8	8976820	997 68 2		32						
RV001 3,4x65	3,4	8730743	973 07 4		28	FPG 4x18	4/ BK 8509301	950 93 0			44
RV001 3,4x65	3,4	8777458	977 74 5		28	FPG 4x18	4/ BK 8509325	950 93 2			44
RV001 3,4x65	3,4	8951261	995 12 6		28						
RV001 3,4x80	3,4	8711162	971 11 6		28	GE004	Black 8981567	998 15 6			97
RV001 3,4x80	3,4	8730828	973 08 2		28						
RV001 3,4x80	3,4	8777298	977 72 9		28	KS004 2,5x25	2,5/ BK 8305415	930 54 1			12
RV001 3x65	3	8415237	941 52 3		28	KS004 2,5x25	2,5/ BK 8298823	929 88 2			12
						KS004 2,5x30	2,5/ BK 8298908	929 89 0			12
EM002 0,5-2,5x5	Grey	8043331	904 33 3		84	KS004 2,5x30	2,5/ BK 8305682	930 56 8			12
						KS004 2,5x35	2,5/ BK 8299035	929 90 3			12
GE002 NRS68	Green	8981529	998 15 2		96	KS004 2,5x40	2,5/ BK 8870463	987 04 6			13
GE002 NRS82	Green	8981536	998 15 3		96	KS004 2,5x40	2,5/ BK 8305842	930 58 4			12
						KS004 2,5x40	2,5/ BK 8299110	929 91 1			12
KS002 2,7x35	2,7/ G	8837237	983 72 3		18	KS004 2,5x50	2,5/ BK 7886991	986 99 1			13
KS002 2,7x35	2,7/ G	8319153	931 91 5		18	KS004 2,5x50	2,5/ BK 8306054	930 60 5			12
KS002 2,7x40	2,7/ G	8837077	983 70 7		18	KS004 2,5x50	2,5/ BK 8299462	929 94 6			12
KS002 2,7x40	2,7/ G	8319238	931 92 3		18	KS004 2,5x60	2,5/ BK 8306139	930 61 3			12
KS002 2,7x50	2,7/ G	8836865	983 68 6		18	KS004 2,5x60	2,5/ BK 8299547	929 95 4			12
KS002 2,7x50	2,7/ G	8319313	931 93 1		18	KS004 2x16	2/ BK 8304883	930 48 8			12
KS002 2,7x60	2,7/ G	8836513	983 65 1		18	KS004 2x16	2/ BK 8298151	929 81 5			12
KS002 2,7x70	2,7/ G	8836353	983 63 5		18	KS004 2x20	2/ BK 8304968	930 49 6			12
KS002 3,5x30	3,5/ G	8319740	931 97 4		19	KS004 2x20	2/ BK 8298236	929 82 3			12
KS002 3,5x35	3,5/ G	8432036	943 20 3		18	KS004 2x23	2/ BK 8302506	930 25 0			12
KS002 3,5x35	3,5/ G	8835981	983 59 8		19	KS004 2x25	2/ BK 8305095	930 50 9			12
KS002 3,5x40	3,5/ G	8835639	983 56 3		18	KS004 2x25	2/ BK 8298311	929 83 1			12
KS002 3,5x40	3,5/ G	8319900	931 99 0		19	KS004 2x30	2/ BK 8305170	930 51 7			12
KS002 3,5x45	3,5/ G	8835479	983 54 7		18	KS004 2x30	2/ BK 8298588	929 85 8			12
KS002 3,5x45	3,5/ G	8320883	932 08 8		19	KS004 2x35	2/ BK 8305255	930 52 5			12
KS002 3,5x50	3,5/ G	8835202	983 52 0		18	KS004 2x40	2/ BK 8871699	987 16 9			13
KS002 3,5x50	3,5/ G	8320968	932 09 6		19	KS004 2x40	2/ BK 8305338	930 53 3			12
KS002 3,5x55	3,5/ G	8835042	983 50 4		18	KS004 2x40	2/ BK 8298748	929 87 4			12
KS002 3,5x55	3,5/ G	8321101	932 11 0		19	KS004 3,4x50	3,4/ BK 8866763	986 67 6			12
KS002 3,5x60	3,5/ G	8834830	983 48 3		18	KS004 3,4x50	3,4/ BK 8331872	933 18 7			13
KS002 3,5x60	3,5/ G	8321170	932 11 7		19	KS004 3,4x60	3,4/ BK 8866411	986 64 1			12
KS002 3,5x65	3,5/ G	8834670	983 46 7		18	KS004 3,4x60	3,4/ BK 8331957	933 19 5			13
KS002 3,5x65	3,5/ G	8332121	932 12 5		19	KS004 3,4x70	3,4/ BK 8866091	986 60 9			12
KS002 3,5x70	3,5/ G	8834403	983 44 0		18	KS004 3,4x70	3,4/ BK 8332084	933 20 8			13
KS002 3,5x70	3,5/ G	8321330	932 13 3		19	KS004 3,4x80	3,4/ BK 8865889	986 58 8			12
KS002 3,5x75	3,5/ G	8834243	983 42 4		18	KS004 3,4x80	3,4/ BK 8332169	933 21 6			13
KS002 3,5x80	3,5/ G	8834083	983 40 8		18	KS004 3x30	3/ BK 8306481	930 64 8			12
KS002 3,5x80	3,5/ G	8321682	932 16 8		19	KS004 3x30	3/ BK 8299707	929 97 0			12
KS002 4,5x100	4,5/ G	8831846	983 18 4		18	KS004 3x40	3/ BK 8306641	930 66 4			12
KS002 4,5x100	4,5/ G	8322214	932 22 1		19	KS004 3x40	3/ BK 8868521	986 85 2			13
KS002 4,5x30	4,5/ G	8833871	983 38 7		18	KS004 3x40	3/ BK 8299974	929 99 7			12
KS002 4,5x40	4,5/ G	8833604	983 36 0		18	KS004 3x50	3/ BK 8868019	986 80 1			13
KS002 4,5x50	4,5/ G	8833444	983 34 4		18	KS004 3x50	3/ BK 8306801	930 68 0			12

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
KS004 3x50	3/ BK	8300151	930 01 5		12	KS006 2x16	2/ BK	8307792	930 77 9		14
KS004 3x60	3/ BK	8867807	986 78 0		13	KS006 2x16	2/ BK	8302698	930 26 9		15
KS004 3x60	3/ BK	8306993	930 69 9		12	KS006 2x20	2/ BK	8307877	930 78 7		14
KS004 3x60	3/ BK	8300236	930 02 3		12	KS006 2x20	2/ BK	8869245	986 92 4		15
KS004 3x70	3/ BK	8867647	986 76 4		12	KS006 2x20	2/ BK	8302773	930 27 7		15
KS004 3x70	3/ BK	8331797	933 17 9		12	KS006 2x25	2/ BK	8307952	930 79 5		14
KS004 4,2x100	4,2/ BK	8870548	987 05 4		12	KS006 2x25	2/ BK	8302858	930 28 5		15
KS004 4,2x100	4,2/ BK	8332329	933 23 2		13	KS006 2x30	2/ BK	8308089	930 80 8		14
KS004 4,2x70	4,2/ BK	8378907	937 89 0		12	KS006 2x30	2/ BK	8302933	930 29 3		15
KS004 4,2x80	4,2/ BK	8870976	987 09 7		12	KS006 2x40	2/ BK	8303145	930 31 4		15
KS004 4,2x90	4,2/ BK	8332244	933 22 4		13	KS006 3,4x70	3,4/ BK	8862543	986 25 4		14
						KS006 3x30	3/ BK	8309123	930 91 2		14
ME004 1,2x15,5	1,2	8838111	983 81 1		27	KS006 3x30	3/ BK	8304104	930 41 0		15
ME004 1,2x20	1,2	8838463	983 84 6		27	KS006 3x30	3/ BK	8865292	986 52 9		15
ME004 1,5x20	1,5	8838890	983 88 9		27	KS006 3x40	3/ BK	8309390	930 93 9		14
ME004 1,5x25	1,5	8839187	983 91 8		27	KS006 3x40	3/ BK	8864738	986 47 3		15
ME004 1,6x25	1,6	8839347	983 93 4		27	KS006 3x40	3/ BK	8304371	930 43 7		15
ME004 1,8x30	1,8	8839774	983 97 7		27	KS006 3x50	3/ BK	8864493	986 44 9		15
ME004 1x10	1	8837664	983 76 6		27	KS006 3x50	3/ BK	8309550	930 95 5		14
ME004 1x15	1	8837824	983 78 2		27	KS006 3x50	3/ BK	8304531	930 45 3		15
ME004 2,4x45	2,4	8840480	984 04 8		27	KS006 3x60	3/ BK	8309635	930 96 3		14
ME004 2,7x50	2,7	8840640	984 06 4		27	KS006 3x60	3/ BK	8304616	930 46 1		15
ME004 2,7x55	2,7	8840800	984 08 0		27						
ME004 2x40	2	8840138	984 01 3		27	RKK 6x2x25	White 6	8054351	905 43 5		109
ME004 3x65	3	8841012	984 10 1		27	RKK 6x2x25	Grey 6	8054344	905 43 4		109
RKK 4x2x18	White 4	8054368	905 43 6		109	SP 6x35	Natural 6	8993902	999 39 0		48
RKK 4x2x18	Grey 4	8054412	905 44 1		109	SP 6x40	Natural 6	8994060	999 40 6		51
						SP 6x40	Natural 6	8993896	999 38 9		48
SFP 4x14	4/ BK	8508007	950 80 0		42	SP 6x55	Natural 6	8994077	999 40 7		51
SFP 4x18	4/ BK	8508106	950 81 0		42	SP 6x55	Natural 6	8993971	999 39 7		48
SFP 4x22	4/ BK	8508205	950 82 0		42	SP 6x70	Natural 6	8994084	999 40 8		51
SFP 4x27	4/ BK	8508250	950 82 5		42	SP 6x70	Natural 6	8982630	998 26 3		48
SFP 4x35	4/ BK	8508281	950 82 8		42	SP 6x80	Natural 6	8982647	998 26 4		48
SP 4x25	Natural 4	8987055	998 70 5		48	SPKK 6x40	Grey 6	8317081	931 70 8		49
						SPKK 6x40	Natural 6	8317043	931 70 4		49
STD 4x12	Grey 4-12	8549222	954 92 2		102	SPKK 6x60	Grey 6	8317258	931 72 5		49
						SPKK 6x60	Natural 6	8317128	931 71 2		49
WKK 4-7	Grey 4-7	1952143	995 21 4		110	SPKK 6x70	Grey 6	8317265	931 72 6		49
WKK 4-7x2,0x18	Grey 4-7	1914035	991 40 3		110	SPKK 6x70	Natural 6	8317203	931 72 0		49
WKK 4-7x2,0x25	Grey 4-7	8909002	990 90 0		110	SPKK 6x80	Natural 6	8317234	931 72 3		49
WKK PE 4-7	Light grey 4-7	8038108	903 81 0		111						
WKK PE 4-7x2,0x18	Light grey 4-7	8038153	903 81 5		111	SPM 6x40	Natural 6	8600039	960 00 3		49
WKK PE 4-7x2,0x25	Light grey 4-7	8038160	903 81 6		111	SPM 6x40	Natural 6	8600039	960 00 3		130
						SPM 6x40	Natural 6	8600039	960 00 3		131
EM005 10x12 pol	White	8043386	904 33 8		82	SPM 6x40	Natural 6	8600039	960 00 3		136
GE005		8981574	998 15 7		97	SPM 6x40	Natural 6	8600039	960 00 3		143
						SPM 6x80	Natural 6	8431152	943 11 5		49
RKK 5x2x18	Grey 5	8054306	905 43 0		109	SPM 6x80	Natural 6	8431152	943 11 5		130
RKK 5x2x18	White 5	8054375	905 43 7		109	SPM 6x80	Natural 6	8431152	943 11 5		131
						SPM 6x80	Natural 6	8431152	943 11 5		136
SP 5x25	Natural 5	8987109	998 71 0		48	SPM 6x80	Natural 6	8431152	943 11 5		143
SP 5x30	Natural 5	8994039	999 40 3		51	SPTB 6x40	Natural 6	8994022	999 40 2		51
SP 5x30	Natural 5	8987062	998 70 6		48	SPTB 6x50	Natural 6	8994015	999 40 1		51
SP 5x35	Natural 5	8993940	999 39 4		51	SPTB 6x60	Natural 6	8994008	999 40 0		51
SP 5x35	Natural 5	8991007	999 10 0		48						
SP 5x45	Natural 5	8991199	999 11 9		48	TF 6x40	Red 6	8701651	970 16 5		54
SPKK 5x35	Natural 5	8510000	951 00 0		49	VK 6x40	White 6	8550938	955 09 3		57
SPKK 5x45	Grey 5	8510215	951 02 1		49	VK 6x40	Grey 6	8550952	955 09 5		57
SPKK 5x45	Natural 5	8510192	951 01 9		49	VK 6x40	Black 6	8550976	955 09 7		57
						VK 6x40	Brown 6	8550945	955 09 4		58
SPP 5x35	Brown 5	8700258	970 02 5		50						
SPP 5x35	White 5	8700418	970 04 1		50	EM007 2,5x12 pol	Black	8043416	904 34 1		83
SPP 5x45	Brown 5	8700333	970 03 3		50						
SPP 5x45	White 5	8700845	970 08 4		50	GE007		8981598	998 15 9		97
TF 5x30	Red 5	8701217	970 12 2		54	M007S M6	Dusty grey	8330202	933 02 0		128
VK005 8x40	Black 8	8551010	955 10 1		59	RKK 7x2x25	Grey 7	8054313	905 43 1		109
						RKK 7x2x25	White 7	8054382	905 43 8		109
EM006 16x12 pol	White	8043393	904 33 9		82						
GE006		8981581	998 15 8		97	SPM 7/1,0 6x40	Natural 6	8603023	960 30 2		50
						SPM 7/1,5 6x40	Natural 6	8626909	962 69 0		69
KS006 2,5x25	2,5/ BK	8308324	930 83 2		14	SPM 7/1,5 6x40	Natural 6	8626909	962 69 0		50
KS006 2,5x25	2,5/ BK	8303220	930 32 2		15	WKK 7-12	Grey 7-12	8952152	995 21 5		110
KS006 2,5x30	2,5/ BK	8308409	930 84 0		14	WKK 7-12x2,0x18	Grey 7-12	8909101	990 91 0		110
KS006 2,5x30	2,5/ BK	8303305	930 33 0		15	WKK 7-12x2,0x25	Grey 7-12	8909019	990 90 1		110
KS006 2,5x35	2,5/ BK	8308591	930 85 9		14	WKK 7-12x2,0x35	Grey 7-12	8909033	990 90 3		110
KS006 2,5x40	2,5/ BK	8866848	986 68 4		15	WKK 7-12x2,0x45	Grey 7-12	8909071	990 90 7		110
KS006 2,5x40	2,5/ BK	8308676	930 86 7		14	WKK PE 7-11	Light grey 7-11	8038115	903 81 1		111
KS006 2,5x40	2,5/ BK	8303572	930 35 7		15	WKK PE 7-11x2,0x18	Light grey 7-11	8038177	903 81 7		111
KS006 2,5x50	2,5/ BK	8308836	930 88 3		14	WKK PE 7-11x2,0x25	Light grey 7-11	8038184	903 81 8		111
KS006 2,5x50	2,5/ BK	8303732	930 37 3		15	WKK PE 7-11x2,0x35	Light grey 7-11	8038191	903 81 9		111

Type listing

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
WKK PE 7-11x2,0x45	Light grey 7-11	8038207	903 82 0		111	KPA 10x160	Natural 10	8439219	943 92 1		51
EM008 2,5x12 pol	sorted	8043409	904 34 0		83	RKK 10x2x30	White 10	8054443	905 44 4		109
GE008		8981604	998 16 0		98	RKK 10x2x30	Grey 10	8054450	905 44 5		109
KKB 8	Grey 8	8911098	991 10 9		151	SCP 10,12x6x40	Grey 6	8630524	963 05 2		120
KKB 8F	Stone grey 8	8911104	991 11 0		152	SPC 10,12x6x55	Grey 6	8633006	963 30 0		122
KKB 8Fx6x55	Stone grey 8	8911111	991 11 1		153						
KKB 8x6x55	Grey 8	8911760	991 17 6		152	WKK 10-14	Grey 10-14	1952167	995 21 6		110
KPA 8x100	Grey 8	8320289	932 02 8		125	WKK 10-14x2,0x25	Grey 10-14	8909088	990 90 8		110
KPA 8x120	Natural 8	8439097	943 90 9		51	WKK 10-14x2,0x30	Grey 10-14	8909057	990 90 5		110
KPA 8x120	Grey 8	8451341	945 13 4		52	WKK 10-14x2,0x40	Grey 10-14	8909064	990 90 6		110
KPA 8x140	Natural 8	8439196	943 91 9		51	WKK PE 10-14	Light grey 10-14	8038122	903 81 2		111
KS008 2,5x16	2,5/ BK	8875130	987 51 3		14	WKK PE 10-14x2,0x25	Light grey 10-14		903 82 1		111
KS008 2,5x25	2,5/ BK	8403609	940 36 0		14	WKK PE 10-14x2,0x30	Light grey 10-14	8038221	903 82 2		111
KS008 2,5x30	2,5/ BK	8874768	987 47 6		14	WKK PE 10-14x2,0x40	Light grey 10-14	8038238	903 82 3		111
RKK 8x2x25	White 8	8054399	905 43 9		109	CC011 16-19E	Transparent	1561482	955 14 8		114
RKK 8x2x25	Grey 8	8054320	905 43 2		109	CC011 16-19E	Grey	8551478	955 14 7		114
RKK 8x2x30	White 8	8054405	905 44 0		109	CC011 16-19E	Cream	8551492	955 14 9		114
RKK 8x2x30	Grey 8	8054337	905 43 3		109	EM011 12	Light grey	8043454	904 34 5		81
SKK 8-10	Grey 11-15	8816232	981 62 3		113	GE011 115	Red	8981635	998 16 3		99
SKK 8-10	White 11-15	8816249	981 62 4		113	GE011 125	Red	8981642	998 16 4		99
SP 8x100	Natural 8	8983002	998 30 0		48	GE011 150	Red	8981659	998 16 5		99
SP 8x55	Natural 8	8998273	998 27 1		48	KG011 2x12	2/ G	8044673	904 46 7		24
SP 8x70	Natural 8	8994114	999 41 1		51	KG011 2x16	2/ G	8044680	904 46 8		24
SP 8x70	Natural 8	8982982	998 29 8		48	KG011 2x18	2/ G	8044697	904 46 9		24
SPHZ 8x50	Natural 8	8944027	994 40 2		48	KG011 2x23	2/ G	8044703	904 47 0		24
SPKK 8x100	Grey 8	8317531	931 75 3		49	KG011 2x30	2/ G	8044710	904 47 1		24
SPKK 8x100	Natural 8	8317555	931 75 5		49	KG011 2x40	2/ G	8044727	904 47 2		24
SPKK 8x120	Natural 8	8439134	943 91 3		49	KG011 2x50	2/ G	8044734	904 47 3		24
SPKK 8x60	Grey 8	8317418	931 74 1		49	KG011 2x60	2/ G	8044741	904 47 4		24
SPKK 8x60	Natural 8	8317395	931 73 9		49	RKK 11x2x30	Grey 11	8054467	905 44 6		109
SPKK 8x80	Grey 8	8317463	931 74 6		49	SKK 11-15	Grey 11-15	8816263	981 62 6		113
SPKK 8x80	Natural 8	8317470	931 74 7		49	SKK 11-15	White 11-15	8816256	981 62 5		113
SPM 8x45	Natural 8	8960041	960 04 6		50	GE012 115	Green	8981666	998 16 6		99
SPM 8x60	Natural 8	8943884	943 88 7		50	GE012 125	Green	8981673	998 16 7		99
SPM 8x70	Natural	8610007	961 00 0		129	GE012 150	Green	8981680	998 16 8		99
SPM 8x80	Natural 8	8943891	943 89 5		50	KG012 2x12	2/ BK	8044758	904 47 5		25
EM009 10	Light grey	8043430	904 34 4		80	KG012 2x16	2/ BK	8044765	904 47 6		25
GE009		8981611	998 16 1		98	KG012 2x18	2/ BK	8044772	904 47 7		25
RKK 9x2x30	White 9	8054436	905 44 3		109	KG012 2x23	2/ BK	8044789	904 47 8		25
RKK 9x2x30	Grey 9	8054429	905 44 2		109	KG012 2x30	2/ BK	8044796	904 47 9		25
SCO 9x5x30	Grey 5	8912040	991 20 4		133	KG012 2x40	2/ BK	8044802	904 48 0		25
SCO 9x6x35	Grey 6	8912057	991 20 5		133	KG012 2x50	2/ BK	8044819	904 48 1		25
CC010 16-19E	Transparent	8551454	955 14 5		114	KG012 2x60	2/ BK	8044826	904 48 2		25
CC010 16-19E	Grey	8551447	955 14 4		114	OPDZ 12-13	Grey 12-13	8819004	981 90 0		135
CC010 16-19E	Cream	8551461	955 14 6		114	RKK 12x2x30	Grey 12	8054474	905 44 7		109
EM010 7	Light grey	8043430	904 34 3		80	GE013 115	White	8981697	998 16 9		99
GE010		8981635	998 16 2		98	GE013 125	White	8981703	998 17 0		99
KG010 2x12	2/ BK	8044598	904 45 9		24	GE013 150	White	8981710	998 17 1		99
KG010 2x16	2/ BK	8044604	904 46 0		24	KG013 2x12	2/ G	8044833	904 48 3		25
KG010 2x18	2/ BK	8044611	904 46 1		24	KG013 2x16	2/ G	8044840	904 48 4		25
KG010 2x23	2/ BK	8044628	904 46 2		24	KG013 2x18	2/ G	8044857	904 48 5		25
KG010 2x30	2/ BK	8044635	904 46 3		24	KG013 2x23	2/ G	8044864	904 48 6		25
KG010 2x40	2/ BK	8044642	904 46 4		24	KG013 2x30	2/ G	8044871	904 48 7		25
KG010 2x50	2/ BK	8044659	904 46 5		24	KG013 2x40	2/ G	8044888	904 48 8		25
KG010 2x60	2/ BK	8044666	904 46 6		24	KG013 2x50	2/ G	8044895	904 48 9		25
KKB 10	Grey 10	8911777	991 17 7		151	RV013 1,6x20	1,6	8673019	967 30 1		29
KKB 10F	Stone grey 10	8911791	991 17 9		152	RV013 1,6x25	1,6	8673286	967 32 8		29
KKB 10Fx6x55	Stone grey 10	8911814	991 18 1		153	RV013 2,1x40	2,1	8673446	967 34 4		32
KKB 10x6x55	Grey 10	8911784	991 17 8		152	RV013 2,8x50	2,8	8674597	967 45 9		32
KPA 10x100	Grey 10	8451631	945 16 3		52	RV013 2,8x55	2,8	8673606	967 36 0		32
KPA 10x100	Natural 10	8439172	943 91 7		51	SCO 13,5-16x6x35	Grey 6	8912132	991 21 3		133
KPA 10x120	Grey 10	8451907	945 19 0		52	STS 13	Grey	8320906	932 09 0		105
KPA 10x120	Natural 10	8439257	943 92 5		51	WKK 13,5-17x2,0x40	Grey 14-17	8909095	990 90 9		110
KPA 10x140	Grey 10	8451983	945 19 8		52	EM014		8051060	905 10 6		169
KPA 10x140	Natural 10	8439202	943 92 0		51	KC014 2x40	2/ G	8672388	967 23 8		14
KPA 10x160	Grey 10	8452089	945 20 8		52	KC014 2x50	2/ G	8672425	967 24 2		14

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
KC014 2x60	2/ G	8672463	967 24 6		14	SC016 4x15	15/ GGP	8043799	904 37 9		37
RKK 14x2,5x40	Grey 14	8054481	905 44 8		109	SC016 4x20	20/ GGP	8043805	904 38 0		37
RV014 1,6x20	1,6	8730903	973 09 0		28	SC016 4x25	25/ GGP	8043812	904 38 1		37
RV014 1,6x25	1,8	8731030	973 10 3		28	SC016 4x30	30/ GGP	8043829	904 38 2		37
RV014 1,8x32	1,8	8674672	967 46 7		28	SC016 4x35	35/ GGP	8043836	904 38 3		37
RV014 2,1x40	2,1	8674757	967 47 5		28	SC016 4x40	40/ GGP	8043843	904 38 4		37
RV014 2,4x45	2,4	8674832	967 48 3		28	SC016 4x45	45/ GGP	8043850	904 38 5		37
RV014 2,8x50	2,8	8674917	967 49 1		28	SC016 4x50	50/ GGP	8043867	904 38 6		37
RV014 2,8x55	2,8	8732341	973 23 4		28	SC016 5x30	30/ GGP	8043935	904 39 3		38
WKK 14-17	Grey 14-17	8952190	995 21 9		110	SC016 5x35	35/ GGP	8043942	904 39 4		38
WKK PE 14-20	Light grey 14-20	8038139	903 81 3		111	SC016 5x40	40/ GGP	8043959	904 39 5		38
WKK PE 14-20x2,0x30	Light grey 14-20	8038245	903 82 4		111	SC016 5x45	45/ GGP	8043966	904 39 6		38
WKK PE 14-20x2,0x40	Light grey 14-20	8038252	903 82 5		111	SC016 5x50	50/ GGP	8043973	904 39 7		38
EM015		8051053	905 10 5		166	SC016 5x60	60/ GGP	8043980	904 39 8		38
KKM 15	15	8912156	991 21 5		149	SC016 6x30	30/ GGP	8043997	904 39 9		38
KKS 15	Grey 15	8911364	991 13 6		146	SC016 6x40	40/ GGP	8044000	904 40 0		38
KKS 15F	Stone grey 15	8911562	991 15 6		147	SC016 6x50	50/ GGP	8044017	904 40 1		38
KKS 15Fx6x55	Stone grey 15	8911395	991 13 9		148	SC016 6x60	60/ GGP	8044024	904 40 2		38
KKS 15x6x55	Grey 15	8911388	991 13 8		147	SKK 16-19	Grey 11-15	8816270	981 62 7		113
OPDZ 15-16x5/8	Grey 15-16/ PP	8819028	981 90 2		134	SKK 16-19	Natural 16-19	8816287	981 62 8		113
OPDZ 15-16x5/8	Grey 15-16/ PA-6	8820055	982 00 5		135	SKK 16-19	Cream 16-19	8816393	981 63 9		113
OPDZ 15-16x5/8	Cream 15-16/ PA-6	8819172	981 91 7		135	SKKD 16-19	Grey 16-19	8816201	981 62 0		113
OPDZ 15-16x5/8	Dusty grey 15-16/ PA-6	8818861	981 88 6		135	SKKD 16-19	Natural 16-19	8816218	981 62 1		113
OPDZ 15-16x5/8	Grey 15-16	8818601	981 86 0		135	SKKD 16-19	Cream 16-19	8816225	981 62 2		113
SC015 3,5x25	25/ GGP	8043461	904 34 6		37	CC017 10-17		8038283	903 82 8		144
SC015 3,5x30	30/ GGP	8043478	904 34 7		37	CC017 18-28		8038290	903 82 9		144
SC015 3,5x35	35/ GGP	8043485	904 34 8		37	CC017 28-41		8038306	903 83 0		144
SC015 3,5x40	40/ GGP	8043492	904 34 9		37	CC017 5-13		8038276	903 82 7		144
SC015 3,5x45	45/ GGP	8043508	904 35 0		37	SC017 3,5x15	15/ GGP	8044031	904 40 3		38
SC015 3,5x50	50/ GGP	8043515	904 35 1		37	SC017 3,5x20	20/ GGP	8044048	904 40 4		38
SC015 4,5x30	30/ GGP	8043584	904 35 8		37	SC017 3,5x25	25/ GGP	8044055	904 40 5		38
SC015 4,5x35	35/ GGP	8043591	904 35 9		37	SC017 3,5x30	30/ GGP	8044055	904 40 6		38
SC015 4,5x40	40/ GGP	8043607	904 36 0		37	SC017 3,5x35	35/ GGP	8044079	904 40 7		38
SC015 4,5x45	45/ GGP	8043614	904 36 1		37	SC017 3,5x40	40/ GGP	8044086	904 40 8		38
SC015 4,5x50	50/ GGP	8043621	904 36 2		37	SC017 4,5x30	30/ GGP	8044178	904 41 7		38
SC015 4x25	25/ GGP	8043522	904 35 2		37	SC017 4,5x35	35/ GGP	8044185	904 41 8		38
SC015 4x30	30/ GGP	8043539	904 35 3		37	SC017 4,5x40	40/ GGP	8044192	904 41 9		38
SC015 4x35	35/ GGP	8043546	904 35 4		37	SC017 4,5x45	45/ GGP	8044208	904 42 0		38
SC015 4x40	40/ GGP	8043553	904 35 5		37	SC017 4,5x50	50/ GGP	8044215	904 42 1		38
SC015 4x45	45/ GGP	8043560	904 35 6		37	SC017 4x15	15/ GGP	8044093	904 40 9		38
SC015 4x50	50/ GGP	8043577	904 35 7		37	SC017 4x20	20/ GGP	8044109	904 41 0		38
SC015 5x30	30/ GGP	8043638	904 36 3		37	SC017 4x25	25/ GGP	8044116	904 41 1		38
SC015 5x35	35/ GGP	8043645	904 36 4		37	SC017 4x30	30/ GGP	8044123	904 41 2		38
SC015 5x40	40/ GGP	8043652	904 36 5		37	SC017 4x35	35/ GGP	8044130	904 41 3		38
SC015 5x45	45/ GGP	8043669	904 36 6		37	SC017 4x40	40/ GGP	8044147	904 41 4		38
SC015 5x50	50/ GGP	8043676	904 36 7		37	SC017 4x45	45/ GGP	8044154	904 41 5		38
SC015 6x40	40/ GGP	8043683	904 36 8		37	SC017 4x50	50/ GGP	8044161	904 41 6		38
SC015 6x50	50/ GGP	8043690	904 36 9		37	SC017 5x30	30/ GGP	8044222	904 42 2		38
SC015 6x60	60/ GGP	8043706	904 37 0		37	SC017 5x35	35/ GGP	8044239	904 42 3		38
SCP 15,16x6x40	Grey 6	8630609	963 06 0		120	SC017 5x40	40/ GGP	8044246	904 42 4		38
SPC 15,16x6x55	Grey 6	8633198	963 31 9		122	SC017 5x45	45/ GGP	8044253	904 42 5		38
SPC 15,16xM6	Grey	8634157	963 41 5		120	SC017 5x50	50/ GGP	8044260	904 42 6		38
SPC 15,16xM6	Grey	8635116	963 51 1		122	WKK 17-21	Grey 17-21	8952206	995 22 0		110
STB 15-16x5/8	Grey 15-16	8819974	981 99 7		137	CC018 7-11	Grey 7-11	8038320	903 83 2		112
CC016 7-11	Grey 7-11	8038269	903 82 6		111	EM018 13-15	/ N	8051114	905 11 1		165
KKB 16	Grey 16	8911173	991 11 7		151	EM018 16-18	/ N	8051121	905 11 2		165
KKB 16F	Stone grey 16	8911180	991 11 8		152	EM018 19-22	/ N	8051138	905 11 3		165
KKB 16Fx6x55	Stone grey 16	8911197	991 11 9		153	EM018 24-28	/ N	8051145	905 11 4		165
KKB 16x6x55	Grey 16	8911685	991 16 8		152	EM018 30-35	/ N	8051152	905 11 5		165
RKK 16x2,5x40	Grey 16	8054498	905 44 9		109	EM018 8-11	/ N	8051107	905 11 0		165
SC016 3,5x15	15/ GGP	8043713	904 37 1		37	OPDZ 18-19x3/4	Grey 18-19/ PP	8819103	981 91 0		134
SC016 3,5x20	20/ GGP	8043720	904 37 2		37	OPDZ 18-19x3/4	Grey 18-19/ PA-6	8820079	982 00 7		135
SC016 3,5x25	25/ GGP	8043737	904 37 3		37	OPDZ 18-19x3/4	Cream 18-19/ PA-6	8819189	981 91 8		135
SC016 3,5x30	30/ GGP	8043744	904 37 4		37	OPDZ 18-19x3/4	Dusty grey 18-19/ PA-6	8819141	981 91 4		135
SC016 3,5x35	35/ GGP	8043751	904 37 5		37	OPDZ 18-19x3/4	Grey 18-19	8818618	981 86 1		135
SC016 3,5x40	40/ GGP	8043768	904 37 6		37	RKK 18x2,5x40	Grey 18	8054504	905 45 0		109
SC016 3,5x50	50/ GGP	8043782	904 37 8		37	SC018 10x100	100/ G	8044406	904 44 0		36
SC016 4,5x25	25/ GGP	8043874	904 38 7		38	SC018 10x60	60/ G	8044376	904 43 7		36
SC016 4,5x30	30/ GGP	8043881	904 38 8		38	SC018 10x70	70/ G	8044383	904 43 8		36
SC016 4,5x35	35/ GGP	8043898	904 38 9		38	SC018 10x80	80/ G	8044390	904 43 9		36
SC016 4,5x40	40/ GGP	8043904	904 39 0		38	SC018 12x70	70/ G	8044413	904 44 1		36
SC016 4,5x50	50/ GGP	8043928	904 39 2		38	SC018 6x40	40/ G	8044277	904 42 7		36
						SC018 6x50	50/ G	8044284	904 42 8		36
						SC018 6x60	60/ G	8044291	904 42 9		36
						SC018 6x80	80/ G	8044307	904 43 0		36
						SC018 8x100	100/ G	8044369	904 43 6		36
						SC018 8x40	40/ G	8044314	904 43 1		36

Type listing

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
SC018 8x50	50/ G	8044321	904 43 2		36	STB 22-23	Grey 22-23	8820000	982 00 0		137
SC018 8x60	60/ G	8044338	904 43 3		36						
SC018 8x70	70/ G	8044345	904 43 4		36	EM023 1,0	1/ FT	8990796	999 07 9		168
SC018 8x80	80/ G	8044352	904 43 5		36	EM023 1,5	1,5/ FT	8990802	999 08 0		168
						EM023 2,0	2/ FT	8990819	999 08 1		168
SCP 18,19x6x40	Grey6	8630791	963 07 9		120						
						MZ023 12x0,75	120,75/ VZ	8009252	900 92 5		70
SFP 18	4/ BK	8508045	950 80 4		43	MZ023 17x0,75	170,75/ VZ	8009368	900 93 6		70
SFP 18	4/ BK	8507956	950 79 5		43	MZ023 25x0,75	250,75/ VZ	8009481	900 94 8		70
SPC 18,19x6x55	Grey6	8633273	963 32 7		122	SC023 M4x70	70/ G	8044512	904 45 1		60
STB 18-19x3/4	Grey 18-19	8819981	981 99 8		137	EM024 1,5	1,5/ FT	8990840	999 08 4		168
						EM024 2,0	2/ FT	8990857	999 08 5		168
CC019	Grey	8038856	903 88 5		124						
						MZ024 14x3	Black 14/ VZ	8009269	900 92 6		70
EM019 3/8-1 1/2 2.5x16	2,5-16	8051022	905 10 2		164	MZ024 14x3	Black 14/ VZ	8009405	900 94 0		70
EM019 3/8-4 2.5x16	2,5-16	8051039	905 10 3		164	MZ024 19x2	Black 19/ VZ	8009375	900 93 7		70
						MZ024 19x2	Black 19/ VZ	8009382	900 93 8		70
MZ019 E18x17-18	/ G	8009214	900 92 1		141	MZ024 27x3	Black 27/ VZ	8009474	900 94 7		70
MZ019 E22x21-22	/ G	8009078	900 90 7		141						
MZ019 E24x23-24	/ G	8009221	900 92 2		141	SC024 3,2x15	15/ G	8302001	930 20 0		39
MZ019 E28x27-28	/ G	8009115	900 91 1		141	SC024 3,2x25	25/ G	8302018	930 20 1		39
MZ019 E35x34-35	/ G	8009238	900 92 3		141	SC024 3,2x40	40/ G	8302025	930 20 2		39
MZ019 E40x39-40	/ G	8009245	900 92 4		141	SC024 BOX	5,5/ G	8302094	930 20 9		39
MZ019 M16x15-16	/ G	8009054	900 90 5		141						
MZ019 M20x19-20	/ G	8009108	900 91 0		141	DKS 25-34x3,0x40	Natural 25x34	8549260	954 92 6		118
MZ019 M25x24-25	/ G	8009139	900 91 3		141	DKS 25-34x3,50x50	Natural 25x34	8549277	954 92 7		118
						DKS 25-34x3,50x60	Natural 25x34	8549284	954 92 8		118
SC019 3,9x50	50/ G	8044437	904 44 3		35	DKS 25-34x3,50x70	Natural 25x34	8549291	954 92 9		118
SC019 3,9x60	60/ G	8044444	904 44 4		35						
SC019 3,9x70	70/ G	8044451	904 44 5		35	EM025 1,5	1,5/ FT	8990826	999 08 2		168
SC019 3,9x80	80/ G	8044468	904 44 6		35	EM025 2,0	2/ FT	8990833	999 08 3		168
EM020 16	Light grey	8922797	992 27 9		81	OKS 25-40x3,0x40	Natural 25x40	8549345	954 93 4		117
						OKS 25-40x3,0x40	Natural 25x40	8549383	954 93 8		117
MZ020 E18x17-18	/ G	8009016	900 90 1		139	OKS 25-40x3,0x60	Natural 25x40	8549420	954 94 2		117
MZ020 E22x21-22	/ G	8009030	900 90 3		139	OKS 25-40x3,0x70	Natural 25x40	8549468	954 94 6		117
MZ020 E24x23-24	/ G	8009184	900 91 8		139						
MZ020 E28x27-28	/ G	8009047	900 90 4		139	OPDZ 25-26x1	Grey 25-26	8819509	981 95 0		134
MZ020 E35x34-35	/ G	8009191	900 91 9		139	OPDZ 25-26x1	Grey 25-26	8818663	981 86 6		135
MZ020 M16x15-16	/ G	8009009	900 90 0		139						
MZ020 M20x19-20	/ G	8009023	900 90 2		139	SCP 25,28x6x40	Grey6	8631675	963 16 7		120
MZ020 M25x24-25	/ G	8009092	900 90 9		139						
MZ020 M32x31-32	/ G	8008996	900 89 9		139	SPC 25,28xM6	Grey	8634584	963 45 8		120
MZ020 M40x39-40	/ G	8009207	900 92 0		139						
OPDZ 20-21	Grey 20-21	8819240	981 92 4		134	STB 25	Grey 25	8820024	982 00 2		137
OPDZ 20-21	Grey 20-21	8818625	981 86 2		135	MZ026 L	12/ VZ	8701828	970 18 2		55
RKK 20x2,5x40	Grey20	8054511	905 45 1		109	EM027 15x10	Black 15	8420002	942 00 0		72
						EM027 15x10	Red 15	8420019	942 00 1		72
SC020 M4x100	100/ G	8044543	904 45 4		61	EM027 15x10	Blue 15	8420026	942 00 2		72
SC020 M5x100	100/ G	8044529	904 45 2		61	EM027 15x10	Brown 15	8420035	942 00 3		72
SC020 M6x100	100/ G	8044475	904 44 7		61	EM027 15x10	Yellow green 15	8420042	942 00 4		72
SCP 20,22x6x40	Grey6	8630876	963 08 7		120	KLS 27	Natural	8952275	954 90 0		116
						KLS 27x2,0x40	Natural	8952282	954 90 2		116
SPC 20,22x6x55	Grey6	8633358	963 33 5		122	KLS 27x2,0x50	Natural	8952299	954 90 4		116
SPC 20,22xM6	Grey	8635468	963 54 6		122						
SPC 20,22xM6	Grey	8634317	963 43 1		120	MZ027 15x1,3	Grey 15	8007265	900 72 6		71
						MZ027 15x1,3	Black 15	8007272	900 72 7		71
STB 20-21	Grey 20-21	8819998	981 99 9		137	MZ027 15x1,3	Grey 15	8007289	900 72 8		71
						MZ027 15x1,3	Black 15	8009283	900 92 8		71
WKK PE 20-25	Light grey 20-25	8038146	903 81 4		111	MZ027 15x1,3	Grey 15	8007296	900 72 9		71
						MZ027 15x1,3	Black 15	8007302	900 73 0		71
EM021 7-25		8051077	905 10 7		167						
						RKS 27-34	Natural 27x34	1952273	995 22 7		115
SC021 M4x55	55/ G	8044536	904 45 3		61	RKS 27-34x2,0x40	Natural 27x34	1952280	995 22 8		115
SC021 M5x65	65/ G	8044482	904 44 8		61	RKS 27-34x2,0x50	Natural 27x34	1952297	995 22 9		115
SC021 M6x100	100/ G	8044499	904 44 9		61	RKS 27-34x2,0x60	Natural 27x34	1952303	995 23 0		115
						RKS 27-34x2,5x70	Natural 27x34	1952310	995 23 1		115
EM022 I-1 0,2-0,5	White	8042501	904 25 0		88	RKS 27-34x3,3x40	Natural 27x34	1952327	995 23 2		115
EM022 I-2 0,6-1,0	Grey	8042518	904 25 1		88	RKS 27-34x3,3x50	Natural 27x34	1952334	995 23 3		115
EM022 I-3 1,25-2,0	Yellow	8042525	904 25 2		88	RKS 27-34x3,3x60	Natural 27x34	1952341	995 23 4		115
EM022 I-4 2,25-3,0	Green	8042532	904 25 3		88						
EM022 I-5 3,25-5,0	Orange	8042549	904 25 4		88	EM028 15x10W	Black 15	8420059	942 00 5		72
EM022 T-1 0,2-0,5	White	8042600	904 26 0		88						
EM022 T-2 0,6-1,0	Grey	8042617	904 26 1		88	MZ028 XL	16/ VZ	8701842	970 18 4		55
EM022 T-3 1,25-2,0	Yellow	8042624	904 26 2		88						
EM022 T-4 2,25-3,0	Green	8042631	904 26 3		88	OPDZ 28-29	Grey 26-29	8819448	981 94 4		134
EM022 T-5 3,25-5,0	Orange	8042648	904 26 4		88	OPDZ 28-29	Grey 28-29	8818649	981 86 4		135
OPDZ 22-23	Grey 22-23	8819370	981 93 7		134	STS 28	Grey	8320913	932 09 1		105
OPDZ 22-23	Grey 22-23	8818632	981 86 3		135						
SC022 M4x95	95/ G	8044505	904 45 0		60	EM029 19x5	Black 15	8420066	942 00 6		73

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
MZ029 12x0,75	120,75/ vz	8009276	900 92 7		70	MZ034 46-48	/ G 8043287		904 32 8		143
MZ029 17x0,75	170,75/ vz	8009344	900 93 4		70	MZ034 48-50	/ G 8043294		904 32 9		143
MZ029 25x0,75	250,75/ vz	8009351	900 93 5		70	MZ034 5-6	/ G 8043089		904 30 8		143
						MZ034 58-60	/ G 8043300		904 33 0		143
EM030 45x25	Black 45	8420103	942 00 7		73	MZ034 61-63	/ G 8043317		904 33 1		143
						MZ034 7-8	/ G 8043096		904 30 9		143
KKM 30	30	8912163	991 21 6		149	MZ034 9-10	/ G 8043102		904 31 0		143
KKS 30	Grey 30	8911357	991 13 5		146	RV034 1,9x25	1,9 8732402		973 24 0		32
KKS 30F	Stone grey 30	8911579	991 15 7		147	RV034 1,9x30	1,9 8732426		973 24 2		32
KKS 30Fx6x55	Stone grey 30	8911425	991 14 2		148	RV034 1,9x35	1,9 8732440		973 24 4		32
KKS 30x6x55	Grey 30	8911418	991 14 1		147	RV034 2,5x35	2,5 8732501		973 25 0		32
						RV034 2,5x45	2,5 8732549		973 25 4		32
KPA 30x102	Grey	8320302	932 03 0		126	RV034 2,5x50	2,5 8732532		973 25 3		32
						RV034 2,5x50	2,5		973 25 7		32
MZ030 15		8009391	900 93 9		71	RV034 2,5x60	2,5 8732556		973 25 5		32
						RV034 2,5x60	2,5		973 25 8		32
EM031 12x12	White 12	8420080	942 00 8		73	RV034 3,1x50	3,1 8732600		973 26 0		32
						RV034 3,1x60	3,1 8732648		973 26 4		32
MZ031 E10x10	10/ G	8010050	901 00 5		139	RV034 3,1x75	3,1 8732686		973 26 8		32
MZ031 E11x11	11/ G	8010067	901 00 6		139						
MZ031 E12x12	12/ G	8010074	901 00 7		139	EM035 68/47	Orange 8026556		902 65 5		95
MZ031 E13x13	13/ G	8010081	901 00 8		139						
MZ031 E14x14	14/ G	8010098	901 00 9		139	SCP 35x6x50	Grey 6 8661658		966 16 5		121
MZ031 E15x15	15/ G	8010104	901 01 0		139						
MZ031 E16x16	16/ G	8010111	901 01 1		139	EM036 68/61	Orange 8026563		902 65 6		95
MZ031 E17x17	17/ G	8010128	901 01 2		139						
MZ031 E18x18	18/ G	8010135	901 01 3		139	OPDZ 37-38	Grey 37-38 8818656		981 86 5		135
MZ031 E5x5	5/ G	8010005	901 00 0		139	OPDZ 37-38x11/2	Grey 37-38 8819554		981 95 5		134
MZ031 E6x6	6/ G	8010012	901 00 1		139						
MZ031 E7x7	7/ G	8010029	901 00 2		139	PG037 10x50	Grey 10 8550440		955 04 4		45
MZ031 E8x8	8/ G	8010036	901 00 3		139	PG037 12x60	Grey 12 8550525		955 05 2		45
MZ031 E9x9	9/ G	8010043	901 00 4		139	PG037 14x60	Grey 14 8550549		955 05 4		45
						PG037 5x25	Grey 5 8550013		955 00 1		45
OPDZ 31-32x11/4	Grey 31-32	8819585	981 95 8		134	PG037 6x30	Grey 6 8550280		955 02 8		45
						PG037 8x40	Grey 8 8550365		955 03 6		45
STB 31-32	Grey 31-32	8820130	982 01 3		137						
						RV037 1,90x35	1,9 8733201		973 32 0		33
MZ032 E28	28/ G	8010487	901 04 8		140	RV037 1,9x30	1,9 8732723		973 27 2		33
MZ032 M12	12/ G	8010401	901 04 0		140	RV037 1,9x35	1,9 8732747		973 27 4		33
MZ032 M16	16/ G	8010418	901 04 1		140	RV037 2,30x35	2,3 8733218		973 32 1		33
MZ032 M20	20/ G	8010425	901 04 2		140	RV037 2,30x45	2,3 8733225		973 32 2		33
MZ032 M25	25/ G	8010432	901 04 3		140	RV037 2,30x50	2,3 8733232		973 32 3		33
MZ032 M32	32/ G	8010449	901 04 4		140	RV037 2,30x60	2,3 8733249		973 32 4		33
MZ032 M40	40/ G	8010456	901 04 5		140	RV037 2,5x45	2,5 8732785		973 27 8		33
MZ032 M50	50/ G	8010463	901 04 6		140	RV037 2,5x50	2,5 8732808		973 28 0		33
MZ032 M63	63/ G	8010470	901 04 7		140	RV037 2,5x50	2,5		973 30 5		33
						RV037 2,5x60	2,5 8732846		973 28 4		33
EM033 8-22 2.5x10	2,5-10	8051015	905 10 1		164	RV037 2,5x60	2,5		973 30 6		33
						RV037 3,10x75	3,1 8733256		973 32 5		33
MZ033 M12	/ G	8043003	904 30 0		142	RV037 3,1x75	3,1 8732907		973 29 0		33
MZ033 M16	/ G	8043010	904 30 1		142						
MZ033 M20	/ G	8043027	904 30 2		142	OPDZ 38-40	Grey 38-40 8819608		981 96 0		134
MZ033 M25	/ G	8043034	904 30 3		142						
MZ033 M32	/ G	8043041	904 30 4		142	PG038 10x50	Grey 10 8051244		905 12 4		45
MZ033 M40	/ G	8043058	904 30 5		142	PG038 12x60	Grey 12 8051251		905 12 5		45
MZ033 M50	/ G	8043065	904 30 6		142	PG038 5x25	Grey 5 8051213		905 12 1		45
MZ033 M63	/ G	8043072	904 30 7		142	PG038 6x30	Grey 6 8051220		905 12 2		45
						PG038 8x40	Grey 8 8051237		905 12 3		45
EM034 0,5-2,5x2	White	8003410	900 34 1		85						
EM034 0,5-2,5x3	White	8003427	900 34 2		85	RV038 2,65x50	2,65 8734307		973 43 0		30
EM034 0,5-2,5x5	White	8003434	900 34 3		86	RV038 2,65x50	2,65 8734406		973 44 0		30
						RV038 2,65x50	2,65 8734109		973 41 0		30
KLS 34	Natural	8952305	954 90 6		116	RV038 2x30	2 8734154		973 41 5		30
KLS 34x2,0x50	Natural	8549086	954 90 8		116	RV038 2x30	2 8734413		973 44 1		30
KLS 34x2,0x60	Natural	8549109	954 91 0		116	RV038 2x30	2 8734000		973 40 0		30
KLS 34x3,3x40	Natural	8549123	954 91 2		116	RV038 2x40	2 8734420		973 44 2		30
KLS 34x3,3x50	Natural	8549147	954 91 4		116	RV038 2x40	2 8734178		973 41 7		30
KLS 34x3,3x60	Natural	8549161	954 91 6		116	RV038 2x40	2 8734017		973 40 1		30
						RV038 3,35x65	3,35 8732662		973 26 6		30
MZ034 10,5-12	/ G	8043119	904 31 1		143	RV038 3,35x65	3,35 8734437		973 44 3		30
MZ034 12,5-14	/ G	8043126	904 31 2		143						
MZ034 13,5-15	/ G	8043133	904 31 3		143	PG039 10x60	Grey 10 8051299		905 12 9		45
MZ034 14,5-16	/ G	8043140	904 31 4		143	PG039 12x67	Grey 12 8051305		905 13 0		45
MZ034 16,5-18	/ G	8043157	904 31 5		143	PG039 14x72	Grey 14 8051312		905 13 1		45
MZ034 18,5-20	/ G	8043164	904 31 6		143	PG039 5x30	Grey 5 8051268		905 12 6		45
MZ034 20-22	/ G	8043171	904 31 7		143	PG039 6x34	Grey 6 8051275		905 12 7		45
MZ034 22-24	/ G	8043188	904 31 8		143	PG039 8x48	Grey 8 8051282		905 12 8		45
MZ034 24-26	/ G	8043195	904 31 9		143						
MZ034 26-28	/ G	8043201	904 32 0		143	RV039 2,5x25	2,5 8702795		970 27 9		28
MZ034 28-30	/ G	8043218	904 32 1		143	RV039 2,9x50	2,9 8703082		970 30 8		28
MZ034 31-33	/ G	8043225	904 32 2		143						
MZ034 33-35	/ G	8043232	904 32 3		143	PG040 10x60	Grey 10 8051350		905 13 5		46
MZ034 36-38	/ G	8043249	904 32 4		143	PG040 12x70	Grey 12 8051367		905 13 6		46
MZ034 38-40	/ G	8043256	904 32 5		143	PG040 14x75	Grey 14 8051374		905 13 7		46
MZ034 40-42	/ G	8043263	904 32 6		143	PG040 5x32	Grey 5 8051329		905 13 2		46
MZ034 43-45	/ G	8043270	904 32 7		143	PG040 6x36	Grey 6 8051336		905 13 3		46

Type listing

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
PG040 8x50	Grey8	8051343	905 13 4		46	MZ050 2,0x28	30/ G	8816706	981 67 0		74
STS 40	Grey	8320920	932 09 2		105	MZ050 2,5x35	30/ G	8816713	981 67 1		74
UNO 40-125xM8	Dusty grey	8632627	963 26 2		128	MZ050 3,1x41	30/ G	8816720	981 67 2		74
UNO 40-125xM8	Dusty grey	8632641	963 26 4		128	OPDZ 50	Grey 50	8946281	994 62 8		134
PG041	Grey 12,4	8051381	905 13 8		56	MZ051 3,0x25	/ G	8816737	981 67 3		74
MZ042 12-16	Black/ FT	8040361	904 03 6		157	MZ052	Grey 12,6/ MVZ	8991168	999 11 6		55
MZ042 16-22	Black/ FT	8040378	904 03 7		157	OPDZ 53-54	Grey 53-54	8946007	994 60 0		134
MZ042 22-28	Black/ FT	8040385	904 03 8		157	SCP 54x6x50	Grey6	8661849	966 18 4		121
MZ042 28-34	Black/ FT	8040392	904 03 9		157	OZ056 M16	Grey	8009610	900 96 1		89
MZ042 34-40	Black/ FT	8040408	904 04 0		157	OZ056 M20	Grey	8009658	900 96 5		89
MZ042 40-46	Black/ FT	8040415	904 04 1		157	OZ056 M25	Grey	8009696	900 96 9		89
MZ042 46-52	Black/ FT	8040422	904 04 2		157	OZ056 M32	Grey	8009719	900 97 1		89
MZ042 52-58	Black/ FT	8040439	904 04 3		157	B058 3,0x30	3/ BK	8179283	917 92 8		22
MZ042 58-64	Black/ FT	8040446	904 04 4		157	B058 3,0x40	3/ BK	8179290	917 92 9		22
MZ042 64-70	Black/ FT	8040453	904 04 5		157	B058 3,0x50	3/ BK	8179306	917 93 0		22
MZ042 70-76	Black/ FT	8040460	904 04 6		157	B058 3,0x60	3/ BK	8179313	917 93 1		22
MZ042 76-82	Black/ FT	8040477	904 04 7		157	B058 3,0x70	3/ BK	8179320	917 93 2		22
MZ042 8-12	Black/ FT	8040354	904 03 5		157	B058 3,4x100	3,4/ BK	8179382	917 93 8		22
MZ042 82-90	Black/ FT	8040484	904 04 8		157	B058 3,4x50	3,4/ BK	8179337	917 93 3		22
MZ042 90-100	Black/ FT	8040491	904 04 9		157	B058 3,4x60	3,4/ BK	8179344	917 93 4		22
PG042	12,6	8051398	905 13 9		55	B058 3,4x70	3,4/ BK	8179351	917 93 5		22
SCP 42x6x50	Grey6	8661726	966 17 2		121	B058 3,4x80	3,4/ BK	8179368	917 93 6		22
MZ043 12-16	Black	8040019	904 00 1		158	B058 3,4x90	3,4/ BK	8179375	917 93 7		22
MZ043 16-22	Black	8040026	904 00 2		158	B059 3,4x40	3,4/ G	8276661	927 66 6		22
MZ043 22-28	Black	8040033	904 00 3		158	B059 3,4x50	3,4/ G	8276678	927 66 7		22
MZ043 28-34	Black	8040040	904 00 4		158	B059 3,4x70	3,4/ G	8276692	927 66 9		22
MZ043 34-40	Black	8040057	904 00 5		158	B059 3,4x80	3,4/ G	8276715	927 67 1		22
MZ043 40-46	Black	8040064	904 00 6		158	B059 3x40	3/ G	8276708	927 67 0		22
MZ043 46-52	Black	8040071	904 00 7		158	B059 3x50	3/ G	8276722	927 67 2		22
MZ043 52-58	Black	8040088	904 00 8		158	B059 3x60	3/ G	8276746	927 67 4		22
MZ043 58-64	Black	8040095	904 00 9		158	B059 3x70	3/ G	8276760	927 67 6		22
MZ043 64-70	Black	8040101	904 01 0		158	OPDZ 59-60	Grey 59-60	8946021	994 60 2		134
MZ043 70-76	Black	8040118	904 01 1		158	OZ060 6x16	Grey6-16	8044550	904 45 5		130
MZ043 76-82	Black	8040125	904 01 2		158	OZ061 6x16	Grey6-16	8044567	904 45 6		130
MZ043 8-12	Black	8040002	904 00 0		158	EM062	/ FT	8038924	903 89 2		171
MZ043 82-90	Black	8040132	904 01 3		158	OZ062 6x16	Grey6-16	8044574	904 45 7		131
MZ043 90-100	Black	8040149	904 01 4		158	OPDZ 63	Grey 63	8946298	994 62 9		134
MZ045 2/7 10-14		8047018	904 70 1		160	OZ063 6x16	Grey6-16	8044581	904 45 8		131
MZ045 2/7 15-21		8047025	904 70 2		160	OZ064 13-16	Natural 13-16	8551393	955 13 9		103
MZ045 2/7 22-32		8047032	904 70 3		160	OZ064 16-19	Natural 16-19	8551218	955 12 1		103
MZ045 2/7 6-9		8047001	904 70 0		160	OZ064 20-24	Natural 20-24	8551225	955 12 2		103
MZ045 8/ 12 22-32		8047070	904 70 7		160	OZ064 25-30	Natural 25-30	8551409	955 14 0		103
MZ045 8/12 15-21		8047063	904 70 6		160	OZ065 13-16	Natural 13-16	8551331	955 13 3		103
MZ045 8/12 6-9		8047049	904 70 4		160	OZ065 16-19	Natural 16-19	8551195	955 11 9		103
MZ045 8/12 6-9		8047056	904 70 5		160	OZ065 20-25	Natural 20-25	8551201	955 12 0		103
PG045 AM25	Light grey	8052005	905 20 0		107	OZ065 25-30	Natural 25-30	8551344	955 13 4		103
MZ046 20x8G	8/ G	8816508	981 65 0		155	OZ067 19x19	Natural 19	8046301	904 63 0		64
MZ046 35x18G	18/ G	8816515	981 65 1		156	OZ067 19x19	Black 19	8046318	904 63 1		64
MZ046 35x18G	18/ G	8816522	981 65 2		156	OZ067 27x27	Natural 27	8046325	904 63 2		64
PG046 AM50	Light grey	8052012	905 20 1		107	OZ067 27x27	Black 19	8046332	904 63 3		64
RV046 2,3x45	2,3	8999123	999 91 2		31	OZ068	Red	8036012	903 60 1		77
RV046 2,3x50	2,3	8999102	999 91 0		31	MZ069 7,5x35GB	7,5/ FS	8816584	981 65 8		154
RV046 2,3x55	2,3	8999116	999 91 1		31	MZ069 7,5x35GB	7,5/ FS	8816621	981 66 2		154
RV046 2,3x60	2,3	8999133	999 91 3		31	OZ069	Red	8036005	903 60 0		77
RV046 2,5x65	2,5	8999157	999 91 5		31	KPA 70x8x70		8320005	932 00 0		125
RV046 2,5x70	2,5	8999164	999 91 6		31	MZ070 15x35GB	15/ FS	8816638	981 66 3		154
RV046 2,8x80	2,8	8999176	999 91 7		31	OZ070 1,5-0,5	Black	8055488	905 54 8		92
RV046 3.1x90	3,1	8999188	999 91 8		31	OZ070 12-4	Black	8055099	905 50 9		94
MZ047 35x18UG	18/ G	8816539	981 65 3		155	OZ070 18-6	Red	8054979	905 49 7		92
MZ047 35x18UG	18/ G	8816546	981 65 4		155	OZ070 18-6	Yellow green	8054962	905 49 6		92
OPDZ 47-48	Grey 47-48	8946113	994 61 1		134	OZ070 18-6	Transparent	8054955	905 49 5		92
PG047 DM25	Light grey	8052029	905 20 2		108	OZ070 18-6	Blue	8054931	905 49 3		92
MZ048 35x18G	18/ FT	8816553	981 65 5		156	OZ070 18-6	Brown	8054948	905 49 4		92
PG048 DM50	Light grey	8052036	905 20 3		108	OZ070 18-6	Black	8055624	905 56 2		92
EM049	/ FT	8038412	903 84 1		171	OZ070 18-6	Black	8055105	905 51 0		94
MZ049 35x18UG	18/ FT	8816560	981 65 6		155	OZ070 24-8	Black	8055112	905 51 1		94
EM050	/ FT	8038849	903 88 4		170	OZ070 3-1	Red	8054856	905 48 5		92
						OZ070 3-1	Yellow green	8054870	905 48 7		92
						OZ070 3-1	Transparent	8054849	905 48 4		92

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
OZ070 3-1	Blue	8054832	905 48 3		92	MZ076 63		8179832	917 98 3		142
OZ070 3-1	Brown	8054863	905 48 6		92						
OZ070 3-1	Black	8055051	905 50 5		94	OZ078 16	Grey 16	8551270	955 12 7		103
OZ070 3-1	Black	8055495	905 54 9		92	OZ078 16	Grey 16	8551294	955 12 9		104
OZ070 39-13	Red	8055037	905 50 3		92	OZ078 20	Grey 20	8551287	955 12 8		103
OZ070 39-13	Yellow green	8055020	905 50 2		92	OZ078 20	Grey 20	8551300	955 13 0		104
OZ070 39-13	Transparent	8055006	905 50 0		92						
OZ070 39-13	Blue	8054993	905 49 9		92	KPA 80x8x70	White	8320074	932 00 7		125
OZ070 39-13	Brown	8055013	905 50 1		92	KPA 80x8x70		8320012	932 00 1		125
OZ070 39-13	Black	8055129	905 51 2		94						
OZ070 4,8-1,6	Black	8055068	905 50 6		94	MZ080 16/24	/ G	8026860	902 68 6		161
OZ070 52-13	Black	8055044	905 50 4		94	MZ080 2/8		8026846	902 68 4		161
OZ070 6-2	Black	8055075	905 50 7		94	MZ080 8/16		8026853	902 68 5		161
OZ070 9-3	Red	8054924	905 49 2		92						
OZ070 9-3	Yellow green	8054917	905 49 1		92	KS084 2x60	2/ BK	8739128	973 91 2		12
OZ070 9-3	Transparent	8054900	905 49 0		92						
OZ070 9-3	Blue	8054887	905 48 8		92	OZ090 2,5X100	Natural 2,5	8056119	905 61 1		62
OZ070 9-3	Brown	8054894	905 48 9		92	OZ090 2,5X100	Black 2,5	8056300	905 63 0		63
OZ070 9-3	Black	8055617	905 56 1		92	OZ090 2,5X150	Natural 2,5	8056126	905 61 2		62
OZ070 9-3	Black	8055082	905 50 8		94	OZ090 2,5X150	Black 2,5	8056317	905 63 1		63
						OZ090 2,5X200	Natural 2,5	8056133	905 61 3		62
MZ071 7,5x35UG	7,5/ FS	8816607	981 66 0		154	OZ090 2,5X200	Black 2,5	8056324	905 63 2		63
MZ071 7,5x35UG	7,5/ FS	8816690	981 66 9		154	OZ090 2,5X75	Natural 2,4	8056102	905 61 0		62
						OZ090 2,5X75	Black 2,4	8056294	905 62 9		63
OZ071 1"	Yellow green	8056010	905 60 1		90	OZ090 3,6X150	Natural 3,6	8056140	905 61 4		62
OZ071 1"	Transparent	8055969	905 59 6		91	OZ090 3,6X150	Black 3,6	8056331	905 63 3		63
OZ071 1"	Blue	8055884	905 58 8		91	OZ090 3,6X200	Natural 3,6	8056157	905 61 5		62
OZ071 1"	Black	8055471	905 54 7		90	OZ090 3,6X200	Black 3,6	8056348	905 63 4		63
OZ071 1/16"	Black	8055211	905 52 1		90	OZ090 3,6X292	Natural 3,6	8056164	905 61 6		62
OZ071 1/2"	Yellow green	8055990	905 59 9		90	OZ090 3,6X292	Black 3,6	8056355	905 63 5		63
OZ071 1/2"	Red	8055181	905 51 8		90	OZ090 3,6X368	Natural 3,6	8056171	905 61 7		62
OZ071 1/2"	Transparent	8055945	905 59 4		91	OZ090 3,6X368	Black 3,6	8056362	905 63 6		63
OZ071 1/2"	Blue	8055860	905 58 6		91	OZ090 4,8X120	Natural 4,8	8056188	905 61 8		62
OZ071 1/2"	Black	8055273	905 52 7		90	OZ090 4,8X120	Black 4,8	8056379	905 63 7		63
OZ071 1/4"	Red	8055167	905 51 6		90	OZ090 4,8X160	Natural 4,8	8056195	905 61 9		62
OZ071 1/4"	Transparent	8055921	905 59 2		91	OZ090 4,8X160	Black 4,8	8056386	905 63 8		63
OZ071 1/4"	Blue	8055846	905 58 4		91	OZ090 4,8X203	Natural 4,8	8056201	905 62 0		62
OZ071 1/4"	Black	8055259	905 52 5		90	OZ090 4,8X203	Black 4,8	8056393	905 63 9		63
OZ071 1/8"	Yellow green	8055976	905 59 7		90	OZ090 4,8X300	Natural 4,8	8056218	905 62 1		62
OZ071 1/8"	Red	8055143	905 51 4		90	OZ090 4,8X300	Black 4,8	8056409	905 64 0		63
OZ071 1/8"	Transparent	8055907	905 59 0		91	OZ090 4,8X368	Natural 4,8	8056225	905 62 2		62
OZ071 1/8"	Blue	8055822	905 58 2		91	OZ090 4,8X368	Black 4,8	8056416	905 64 1		63
OZ071 1/8"	Black	8055235	905 52 3		90	OZ090 4,8X432	Natural 4,8	8056232	905 62 3		62
OZ071 3/16"	Red	8055150	905 51 5		90	OZ090 4,8X432	Black 4,8	8056423	905 64 2		63
OZ071 3/16"	Transparent	8055914	905 59 1		91	OZ090 7,6X203	Natural 7,6	8056249	905 62 4		62
OZ071 3/16"	Blue	8055839	905 58 3		91	OZ090 7,6X203	Black 7,6	8056430	905 64 3		63
OZ071 3/16"	Black	8055242	905 52 4		90	OZ090 7,6X300	Natural 7,6	8056256	905 62 5		62
OZ071 3/32"	Red	8055136	905 51 3		90	OZ090 7,6X300	Black 7,6	8056447	905 64 4		63
OZ071 3/32"	Transparent	8055891	905 58 9		91	OZ090 7,6X380	Natural 7,6	8056263	905 62 6		62
OZ071 3/32"	Blue	8055815	905 58 1		91	OZ090 7,6X380	Black 7,6	8056454	905 64 5		63
OZ071 3/32"	Black	8055228	905 52 2		90	OZ090 8X450	Natural 8	8056270	905 62 7		62
OZ071 3/4"	Yellow green	8056003	905 60 0		90	OZ090 8X450	Black 8	8056461	905 64 6		63
OZ071 3/4"	Red	8055198	905 51 9		90	OZ090 9X762	Natural 9	8056287	905 62 8		62
OZ071 3/4"	Transparent	8055952	905 59 5		91	OZ090 9X762	Black 9	8056478	905 64 7		63
OZ071 3/4"	Blue	8055877	905 58 7		91	OZ091 10x200	Black 10	8052104	905 21 0		67
OZ071 3/4"	Black	8055297	905 52 9		90	OZ091 10x200	Black 10	8052128	905 21 2		67
OZ071 3/64"	Black	8055204	905 52 0		90	OZ091 10x200	Black 10	8052111	905 21 1		68
OZ071 3/8"	Yellow green	8055983	905 59 8		90	OZ091 10x280	Black 10	8052135	905 21 3		67
OZ071 3/8"	Red	8055174	905 51 7		90	OZ091 10x280	Black 10	8052159	905 21 5		67
OZ071 3/8"	Transparent	8055938	905 59 3		91	OZ091 10x280	Black 10	8052142	905 21 4		68
OZ071 3/8"	Blue	8055853	905 58 5		91	OZ091 10x385	Black 10	8052166	905 21 6		67
OZ071 3/8"	Black	8055266	905 52 6		90	OZ091 10x385	Black 10	8052180	905 21 8		67
OZ071 BOX	sorted	8057727	905 77 2		91	OZ091 10x385	Black 10	8052173	905 21 7		68
OZ071 BOX	sorted	8055747	905 57 4		92	OZ098 6-25	Light grey	8038337	903 83 3		159
OZ071 BOX	sorted	8055730	905 57 3		93						
						KPA 100x8x70	White	8320081	932 00 8		125
MZ072 15x35UG	15/ FS	8816614	981 66 1		154	KPA 100x8x70		8320029	932 00 2		125
OZ073 16-32	Grey 7,5	8915058	991 50 5		69	KS110 2,5x25	2,5/ G	8433187	943 31 8		13
OZ073 40-63	Grey 7,5	8915072	991 50 7		69	KS110 2,5x30	2,5/ G	8251798	925 17 9		13
						KS110 2x20	2/ G	8958983	995 89 8		13
KS076 1,5x20	1,5/ BK	8726968	972 69 6		20	KS110 2x25	2/ G	8607830	960 78 3		13
KS076 1,5x25	1,5/ BK	8382447	938 24 4		20	KS110 2x30	2/ G	8480716	948 07 1		13
KS076 1,5x30	1,5/ BK	8382522	938 25 2		20	KS110 3,4x100	3,4/ G	8366010	936 60 1		13
KS076 1,5x35	1,5/ BK	8497011	949 70 1		20	KS110 3,4x25	3,4/ G	8433507	943 35 0		13
KS076 1,5x40	1,5/ BK	8497523	949 75 2		20	KS110 3,4x30	3,4/ G	8432975	943 29 7		13
KS076 1,5x45	1,5/ BK	8497288	949 72 8		20	KS110 3,4x40	3,4/ G	8433699	943 36 9		13
KS076 2x30	2/ BK	8408383	940 83 8		20	KS110 3,4x50	3,4/ G	8433859	943 38 5		13
KS076 2x35	2/ BK	8695264	969 52 6		20	KS110 3,4x60	3,4/ G	8434061	943 40 6		13
KS076 2x40	2/ BK	8382959	938 29 5		20	KS110 3,4x65	3,4/ G	8434146	943 41 4		13
						KS110 3,4x70	3,4/ G	8434221	943 42 2		13
MZ076 14-16		8179771	917 97 7		142	KS110 3,4x80	3,4/ G	8434498	943 44 9		13
MZ076 19-21		8179788	917 97 8		142	KS110 3,4x90	3,4/ G	8434573	943 45 7		13
MZ076 24-29		8179795	917 97 9		142	KS110 3,5x50	3,4/ G	8433897	943 38 9		13
MZ076 30-38		8179801	917 98 0		142	KS110 3,5x60	3,4/ G	8433866	943 38 6		13
MZ076 39-48		8179818	917 98 1		142	KS110 3,5x70	3,4/ G	8433873	943 38 7		13
MZ076 48-54		8179825	917 98 2		142	KS110 3,5x80	3,4/ G	8433880	943 38 8		13

Type listing

Structure of the GTIN: Country code **87** Manufacturer code **1367** Individual GTIN **5647589**

Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page	Type	Dimensions/colour/div.	GTIN	Item no.	Price	Page
KS110 3x40	3/ G	8486534	948 65 3		13	KS148 3x40	3/ MVZ	8644507	964 45 0		17
KS110 3x50	3/ G	8433262	943 32 6		13	KS148 3x50	3/ MVZ	8642664	964 26 6		17
KS110 4,2x100	4,2/ G	8435372	943 53 7		13	KS148 3x50	3/ MVZ	8644699	964 46 9		17
KS111 2,5x16	2,5/ G	8494966	949 49 6		16	KS148 3x60	3/ MVZ	8642749	964 27 4		17
KS111 2,5x20	2,5/ G	8494881	949 48 8		16	KS148 3x60	3/ MVZ	8644774	964 47 7		17
KS111 2,5x25	2,5/ G	8394235	939 42 3		15						
KS111 2,5x25	2,5/ G		949 51 7		16	KS150 1,5x20	1,5/ G	8927501	992 75 0		20
KS111 2,5x30	2,5/ G	8394310	939 43 1		15	KS150 1,5x25	1,5/ G	8672050	967 20 5		20
KS111 2,5x30	2,5/ G	8495093	949 50 9		16	KS150 1,5x25	1,5/ G	8890409	989 04 0		20
KS111 2,5x35	2,5/ G	8394587	939 45 8		15	KS150 1,5x30	1,5/ G	8927518	992 75 1		20
KS111 2,5x40	2,5/ G	8495338	949 53 3		16	KS150 1,5x30	1,5/ G	8890423	989 04 2		20
KS111 2,5x40	2,5/ G	8394662	939 46 6		15	KS150 1,5x35	1,5/ G	8738831	973 88 3		20
KS111 2,5x45	2,5/ G	8394747	939 47 4		15	KS150 1,5x40	1,5/ G	8890522	989 05 2		20
KS111 2,5x50	2,5/ G	8495413	949 54 1		16	KS150 1,5x45	1,5/ G	8738671	973 86 7		20
KS111 2,5x50	2,5/ G	8394822	939 48 2		15	KS153 2,7x20	2,7/ G	8566021	956 60 2		18
KS111 2,5x60	2,5/ G	8394907	939 49 0		15	KS153 2,7x20	2,7/ G	8567097	956 70 9		18
KS111 2x20	2/ G	8448471	944 84 7		15	KS153 2,7x25	2,7/ G	8566106	956 61 0		18
KS111 2x25	2/ G	8447832	944 78 3		15	KS153 2,7x25	2,7/ G	8567172	956 71 7		18
KS111 2x30	2/ G	8448983	944 89 8		15	KS153 2,7x30	2,7/ G	8566298	956 62 9		18
KS111 3,4x100	3,4/ G	8392750	939 27 5		16	KS153 2,7x30	2,7/ G	8567257	956 72 5		18
KS111 3,4x25	3,4/ G	8924906	992 49 0		16						
KS111 3,4x35	3,4/ G	8924944	992 49 4		16	KS170 M6	Red/ G	8035121	903 51 2		40
KS111 3,4x40	3,4/ G	8944188	994 41 8		16	KS170 M6	Red/ G	8035121	903 51 2		76
KS111 3,4x45	3,4/ G	8923558	992 35 5		16	KS170 M6	/ G	8035169	903 51 6		40
KS111 3,4x50	3,4/ G	8830023	983 00 2		16	KS170 M6	/ G	8035169	903 51 6		76
KS111 3,4x55	3,4/ G	8923633	992 36 3		16						
KS111 3,4x60	3,4/ G	8497394	949 73 9		16	PR189 3,4x35	3,4/ G	8993483	993 48 9		26
KS111 3,4x60	3,4/ G	8830108	983 01 0		16	PR189 3,4x40	3,4/ G	1945886	994 58 8		26
KS111 3,4x65	3,4/ G	8923718	992 37 1		16	PR189 3,4x45	3,4/ G	8935858	993 58 5		26
KS111 3,4x70	3,4/ G	8497400	949 74 0		16	PR189 3,4x50	3,4/ G	1945961	994 59 6		26
KS111 3,4x70	3,4/ G	8395119	939 51 1		16	PR189 3,4x60	3,4/ G	8936145	993 61 4		26
KS111 3,4x80	3,4/ G	8730668	973 06 6		16	PR189 3,4x65	3,4/ G	8979302	997 93 0		26
KS111 3,5x40	3,5/ G	8496809	949 68 0		16	PR189 4,5x100	4,5/ G	1945107	994 51 0		26
KS111 3,5x50	3,5/ G	8496991	949 69 9		16	PR189 4,8x90	4,8/ G	1945022	994 50 2		26
KS111 3,5x60	3,5/ G	8497363	949 73 6		16	PR189 4x70	4/ G	8936572	993 65 7		26
KS111 3,5x70	3,5/ G	8497448	949 74 4		16	PR189 4x80	4/ G	8936817	993 68 1		26
KS111 3x25	3/ G	8391678	939 16 7		15						
KS111 3x30	3/ G	8391753	939 17 5		15	KS207 4	Black/ G	8030096	903 00 9		42
KS111 3x35	3/ G	8391838	939 18 3		15	KS207 4	Black/ G	8030096	903 00 9		75
KS111 3x40	3/ G	8391913	939 19 1		15						
KS111 3x40	3/ G	8496489	949 64 8		16	KS221 M6	/ G	8035183	903 51 8		40
KS111 3x45	3/ G	8392040	939 20 4		15	KS221 M6	/ G	8035183	903 51 8		76
KS111 3x50	3/ G	8392125	939 21 2		15						
KS111 3x50	3/ G	8496564	949 65 6		16	KS246 4	Red/ G	8030102	903 01 0		44
KS111 3x60	3/ G	8392200	939 22 0		15	KS246 4	Red/ G	8030102	903 01 0		75
KS111 3x60	3/ G	8496649	949 66 4		16						
KS111 3x65	3/ G	8392392	939 23 9		15	KS258 4x40	4/ G	8497196	949 71 9		34
KS111 3x70	3/ G	8392477	939 24 7		15	KS259 4x50	4/ G	8497202	949 72 0		34
KS111 3x75	3/ G	8392552	939 25 5		15						
KS111 4,2x100	4,2/ G	8731702	973 17 0		16	KS324 8x15	4/ G	8571063	957 10 6		40
KS111 4,2x60	4,2/ G	1923204	992 32 0		16	KS324 8x15	4/ G	8571063	957 10 6		136
KS111 4,2x70	4,2/ G	1923396	992 33 9		16	KS324 8x18	4/ G	8570943	957 09 4		40
KS111 4,2x80	4,2/ G	1923471	992 34 7		16	KS324 8x18	4/ G	8570943	957 09 4		136
KS111 4,2x90	4,2/ G	8924197	992 41 9		16	KS324 8x25	4/ G	8571100	957 11 0		40
KS112 3,5x100	3,5/ G	8727217	972 72 1		19	KS324 8x25	4/ G	8571100	957 11 0		136
KS112 3,5x20	3,5/ G	8804260	980 42 6		19	KS324 8x30	4/ G	8571124	957 11 2		40
KS112 3,5x25	3,5/ G	8729280	972 92 8		19	KS324 8x30	4/ G	8571124	957 11 2		136
KS112 3,5x30	3,5/ G	8445159	944 51 5		19	KS324 8x40	4/ G	8571162	957 11 6		40
KS112 3,5x35	3,5/ G	8729440	972 94 4		19	KS324 8x40	4/ G	8571162	957 11 6		136
KS112 3,5x40	3,5/ G	8727118	972 71 1		19	KS324 8x55	4/ G	8571186	957 11 8		40
KS112 3,5x50	3,5/ G	8727132	972 71 3		19	KS324 8x55	4/ G	8571186	957 11 8		136
KS112 3,5x60	3,5/ G	8727156	972 71 5		19	KS324 8x70	4/ G	8571209	957 12 0		40
KS112 3,5x70	3,5/ G	8727170	972 71 7		19	KS324 8x70	4/ G	8571209	957 12 0		136
KS112 3,5x80	3,5/ G	8727194	972 71 9		19						
						KS354 4	Black/ G	8030140	903 01 4		43
KS125 2,5x60	2,5/ BK	8303817	930 38 1		15	KS354 4	Black/ G	8030140	903 01 4		75
KS132 3x30	3/ BK	8283751	928 37 5		22	KPA B g	Grey	8320241	932 02 4		126
KS132 3x50	3/ BK	8283850	928 38 5		22	KPA B w	White	8320265	932 02 6		126
KS132 3x60	3/ BK	8283935	928 39 3		22						
KS132 4x100	4/ BK	1944155	994 41 5		22	UNO B	Dusty grey	8632559	963 25 5		128
KS132 4x60	4/ BK	8284222	928 42 2		22						
KS132 4x70	4/ BK	1944148	994 41 4		22						
KS132 4x80	4/ BK	1944131	994 41 3		22						
KS138 4x40	4/ G	8275350	927 53 5		23						
KS138 4x50	4/ G	8275374	927 53 7		23						
KS138 4x60	4/ G	8275398	927 53 9		23						
KS138 4x75	4/ G	8275459	927 54 5		23						
KS148 2,5x30	2,5/ MVZ	8642077	964 20 7		17						
KS148 2,5x30	2,5/ MVZ	8644187	964 41 8		17						
KS148 2,5x40	2,5/ MVZ	8642152	964 21 5		17						
KS148 2,5x40	2,5/ MVZ	8644262	964 42 6		17						
KS148 2,5x50	2,5/ MVZ	8642237	964 22 3		17						
KS148 2,5x50	2,5/ MVZ	8644347	964 43 4		17						
KS148 3x30	3/ MVZ	8644422	964 44 2		17						
KS148 3x40	3/ MVZ	8642589	964 25 8		17						





Notes

- Prices and conditions of sale available upon request.
- Weights and no. of pcs. per packing unit are approximate.
- We reserve the right to modify our product specifications without prior notice.
- All transactions are made in accordance with the ORGALIME S2000 general conditions for the supply of "Mechanical, Electrical and Electronic Products" (Brussels, august 2000).

Don Quichotte B.V.

PO Box 60, 5700 AB Helmond
Industrial Zone 9081
Gerstdijk 17, 5704 RG Helmond
The Netherlands
Tel.: +31 (0)492 745 000
Fax.: +31 (0)492 745 099
E-mail: info@don-quichotte.nl
www.don-quichotte.nl

France

French Branch
Horizon 2000 - Mach 3
Avenue des Hauts Grigneux
76420 Bihorel les Rouen
France
Tel.: +33 (0)235 617 077
Fax.: +33 (0)235 612 963
E-mail: info@don-quichotte.fr
www.don-quichotte.fr